Journal of ATMOSPHERIC and TERRESTRIAL PHYSICS

EDITORIAL ADVISORY BOARD

H. O. G. ALFVÉN–STOCKHOLM · **W. J. G. BEYNON**–ABERYSTWYTH · **H. G. BOOKER**–ITHACA, N.Y. · **E. G. BOWEN**–SYDNEY · **R. BUREAU**–BAGNEUX · **S. CHAPMAN**–ALASKA
J. EGEDAL–COPENHAGEN · **V. F. HESS**–NEW YORK · **H. ISRAEL**–AACHEN
D. H. MENZEL–CAMBRIDGE, MASS. · **M. NICOLET**–UCCLE · **E. H. NORINDER**–UPPSALA
J. PATON–EDINBURGH · **N. V. PUSHKOV**–MOSCOW · **J. A. RATCLIFFE**–SLOUGH
O. E. H. RYDBECK–GOTHENBURG · **J. C. W. SCOTT**–OTTAWA · **SIR GEORGE SIMPSON**–LONDON
H. SOLBERG–OSLO · **J. VELDKAMP**–DE BILT · **M. WALDMEIER**–ZÜRICH

I.
-62

EDITOR-IN-CHIEF
SIR EDWARD APPLETON, F.R.S.✠
EDINBURGH

CUMULATIVE INDEXES
1950–1962

PERGAMON PRESS
OXFORD · LONDON · NEW YORK · PARIS

G.I.
1950-6

Table of volume numbers p. 4

Author index p. 5

Subject index p. 47

.I.
0-62

Table of volume numbers

Volume number	Year of issue
1	1950–51
2	1951–52
3	1952–53
4	1953–54
5	1954
6	1955
7	1955
8	1956
9	1956
10	1957
11	1957
12	1958
13	1958–59
14	1959
15	1959
16	1959
17	1959–60
18	1960
19	1960
20	1961
21	1961
22	1961
23	1962
24	1962
Special Supplement Parts 1 and 2	1957

G.I
1950-

AUTHOR INDEX

Key to use

1. Alphabetical arrangement: An author's name beginning with an article or preposition is treated as if written as a single word. Cross-references are given for compound names. 'Mc' is treated as 'Mac', 'St' as 'Saint'.
2. Titles of papers are given in the original language.
3. Contributions of a given author are listed in chronological order except that Special Supplements are put last and corrections are inserted where appropriate.
4. In the case of a jointly written paper the full reference is given under the first author only; a cross-reference is given under the name of a co-author.
5. Book reviews are indexed under the name of the reviewer and the entry is given in italic type.
6. Volume numbers are given in bold-face type, page numbers in normal type (e.g. **20:** 94).
7. Special abbreviations: (A) Abstract
   (BR) Book review
   (C) Correction
   (D) Discussion

G.I.
50-62

ABBOTT W. N. : The aurora of August 19, 1950, photographed in Greece, **1:** 343
: Quelques intéressantes variations du souffle du fond observées sur les fréquences de 17·6 Mc/s, **11:** 72
and CHAPMAN S. : On the aurora of 19 August, 1950, photographed from Greece, **14:** 111
ADEL A. see EPSTEIN, OSTERBERG and ADEL, **8:** 347
AGY V. : Spiral patterns in geophysics, **19:** 136
: Results of ionospheric drift measurements in the United States, Spec. Suppl. 1957—II: 23
: Polar blackout occurrence patterns, Spec. Suppl. 1957—II: 129
and DAVIES K. : Worldwide patterns of ionospheric blackout occurrence, **23:** 202
AIDA K. see ÔSE, AIDA and OKAMOTO, **15:** 130
AIKIN A. C. : The sunrise absorption effect observed at low frequencies, **23:** 287
AITCHISON G. J. and WEEKES K. : Some deductions of ionospheric information from the observations of emissions from satellite 1957α2—I. The theory of the analysis, **14:** 236
THOMSON J. H. and WEEKES K.: Some deductions of ionospheric information from the observations of emissions from satellite 1957α2—II. Experimental procedure and results, **14:** 244
AITKEN A. C.: *Handbook of Statistical Methods in Meteorology—Brooks and Carruthers* (BR), **5:** 113
: *Mathematical Tables for the Approximation of Geophysical Anomalies—Kazinskii* (BR), **21:** 296
: *The Stability of Motion—Chetayev* (BR), **24:** 326
AIYA S. V. C.: Measurement of atmospheric noise interference to broadcasting, **5:** 230
and PHADKE K. R.: Atmospheric noise interference to broadcasting in the 3—Mc/s band at Poona, **7:** 254
AKASOFU S. I. see KATO and AKASOFU, **9:** 352
: Magneto-hydrodynamic waves in the ionosphere, **15:** 156
: On the ionospheric heating by hydromagnetic waves connected with geomagnetic micropulsations, **18:** 160
: Large-scale auroral motions and polar magnetic disturbances—I. A polar disturbance at about 1100 hours on 23 September 1957, **19:** 10

: Thickness of an active auroral curtain, **21:** 287
: Large-scale auroral motions and polar magnetic disturbances—II. The changing distribution of the aurora during large magnetic storms, **24:** 723
and CHAPMAN S.: A large change in the distribution of the auroras during the 11 February 1958 magnetic storm, **24:** 740
and CHAPMAN S.: Large-scale auroral motions and polar magnetic disturbances—III. The aurora and magnetic storm of 11 February 1958, **24:** 785
ALBRECHT H. J.: On instrument effects in ionospheric data, **13:** 173
ALEXANDER J. K., JR. see LAWRENCE, ALEXANDER and MARTIN, **24:** 1103
ALEXANDER N. S. see ONWUMECHILLI C. A. and ALEXANDER, **16:** 106; (C) **18:** 87; **16:** 115
ALLAN A. H., CROMBIE D. D. and PENTON W. A.: Long-path V.L.F.—Frequency variations associated with the solar flare of 23 February 1956, **10:** 110
ALLCOCK G. MCK.: The electron density distribution in the outer ionosphere derived from whistler data, **14:** 185
ALLEN C. W.: World-wide diurnal vibrations in the *F2* region, **4:** 53
ALLEN J. J. VAN see VAN ALLEN J. J.
AMBOLT N. see EGEDAL and AMBOLT, **7:** 40; **8:** 105
APPLETON E. V.: Studies of the *F2*-layer in the Ionosphere—I. The position of the ionospheric equator in the *F2*-layer, **1:** 106
: *The Aurorae—Harang* (BR), **2:** 199
and PIGGOTT W. R.: The morphology of storms in the *F2*-layer of the ionosphere—I. Some statistical relationships, **2:** 236
and PIGGOTT W. R.: Ionospheric storms and the geomagnetic anomaly in the *F2*-layer, **3:** 121
: A note on the "sluggishness" of the ionosphere, **3:** 282
: *Mathematics in Action—Sutton* (BR), **5:** 115
and PIGGOTT W. R.: Ionospheric absorption measurements during a sunspot cycle, **5:** 141
: The anomalous equatorial belt in the *F2*-layer, **5:** 348
and BEYNON W. J. B.: An ionospheric attenuation equivalence theorem, **6:** 141
LYON A. J. and PRITCHARD A. G.: The detection of the S_q current system in ionospheric radio sounding, **7:** 292
: *Between the Planets—Watson* (BR), **9:** 355
and LYON A. J.: Studies of the *E* layer of the ionosphere—I. Some relevant theoretical relationships, **10:** 1
: *The Planet Earth—Bates, ed.* (BR), **12:** 87
: *The Ionosphere—Rawer* (BR), **12:** 223
: *Polar Atmosphere Symposium—Part II. Ionospheric Section* (BR), **12:** 346
: *The Exploration of Space—Hanbury Brown and Lovell* (BR), **12:** 346
: *Advances in Geophysics, Volume 4—Landsberg and van Mieghem, eds.* (BR), **13:** 384
: Global morphology of the *E*- and *F1*-layers of the ionosphere, **15:** 9
: *Dictionary of Physics and Allied Sciences, Vol. I, German/English—Hyman, ed.* (BR) **16:** 396
: *The International Geophysical Year—Sullivan* (BR), **16:** 397
: *Gravity and Interplanetary Travel—Goodrich* (BR) **16:** 397
: *The Gentle Art of Mathematics—Pedoe* (BR), **16:** 398
: *Astronomy—Mehlin* (BR), **16:** 400
: *Cosmic electrodynamics—Dungey* (BR), **17:** 179
: *Optics and Spectroscopy* (BR), **18:** 86
: *The Exploration of the Solar System—Godwin* (BR), **18:** 345
: *Handbook of Geophysics* (BR), **19:** 294
: *Physics of the Upper Atmosphere—Ratcliffe, ed.* (BR), **19:** 295
: *Physics and Medicine of the Atmosphere and Space—Benson and Strughold, eds.* (BR), **20:** 220
: *Space Research—Proceedings of the First International Space Symposium—Kallmann Bijl, ed.* (BR), **20:** 222

: *Electromagnetic Wave Propagation—Desirant and Michiels, eds.* (BR), **20:** 222
Selected Scientific Papers of Balthasar van der Pol—Bremmer and Bouwkamp, eds. (BR), **21:** 70
and Lyon A. J.: Studies of the *E*-layer of the ionosphere—II. Electromagnetic perturbations and other anomalies, **21:** 73
: *Ionization Phenomena in Gases—Francis* (BR), **21:** 218
: *Space Research by Rocket and Satellite—Boyd* (BR), **21:** 296
: *Science in Space—Berkner and Odishaw, eds.* (BR), **22:** 221
: *Assault on the Unknown—Sullivan* (BR), **22:** 223
: *Satellite Environment Handbook—Johnson, ed.* (BR), **22:** 225
: *Space Astrophysics—Liller, ed.* (BR), **22:** 226
: *The Physical Principles of Astronautics—Berman* (BR), **24:** 328
: *The Sunspot-Activity in the Years* 1610–1960—*Waldmeier, ed.* (BR), **24:** 329
: *Radiation and Waves in Plasmas—Mitchner, ed.* (BR), **24:** 330
: *Advances in Geophysics, Vol.* 8—*Landsberg and van Mieghem, eds.* (BR), **24:** 559
: *Bibliography of the Ionosphere—Manning* (BR), **24:** 999

Armstrong E. B.: A note on the use of the Fabry-Perot etalon for upper atmosphere temperature measurements, **3:** 274
: The temperature in the atmospheric region emitting the nightglow OI 5577 line and in regions above faint auroral arcs, **13:** 205

Arthurs A. M.: Cross-sections for *K*-shell ionization of atomic nitrogen and oxygen by electrons and protons, **14:** 177

Ashburn E. V.: The effect of Rayleigh scattering and ground reflection upon the determination of the height of the night airglow, **5:** 83
: Measurements of the specific intensities of the auroral green line at College, Alaska, **6:** 57
: The altitudes of the luminous layers in the Earth's atmosphere, **6:** 67
: Measurement of auroral radiation 3200 Å with a photon counter (Geiger tube), **9:** 156

Athavale V. N. see Chiplonkar and Athavale, **13:** 32

Atkinson J. R.: *The Physics of Clouds—Mason* (BR), **12:** 347

Atlas D., Kerker M. and Hitschfeld W.: Scattering and attenuation by non-spherical atmospheric particles, **3:** 108
: Radar studies of meteorological "angel" echoes, **15:** 262

Augustin O. und Menzel W.: Solare und terrestrische Beobachtungen während des Mögel-Dellinger-Effektes (SID): Zusammenhänge zwischen Sonneneruptionen, Ionosphärenstörungen und Ultrastrahlung, **1:** 37

Awe O.: The fading of radio waves reflected from the ionosphere at oblique incidence, **21:** 120
: The fading of radio waves weakly scattered at vertical incidence from heights near 90 km, **21:**142

Bai C. L.: Application of the generalized magneto-ionic theory to the propagation of radio waves at the magnetic dip-poles of the earth, **11:** 31

Bailey V. A.: Some methods for studying wave-propagation in a uniform magneto-ionic medium, **12:** 118
and Goldstein L.: Control of the ionosphere by means of radio waves, **12:** 216
: Some possible effects caused by strong gyro-waves in the ionosphere—I, **14:** 299
: A unified theory of terrestrial and solar magnetization, the outer Van Allen belt and high energy primary cosmic rays, **18:** 256

Bain W. C. see Bracewell and Bain, **2:** 216
: Observations on the propagation of very long radio waves reflected obliquely from the ionosphere during a solar flare, **3:** 141
: The azimuth distribution of oblique reflections from meteor trails and its relation to meteor radiant distributions, **17:** 188

Bakhru K. see Satyanarayana, Bakhru and Khastgir, **13:** 201

BANDYOPADHYAY P.: The early morning *E2*-layer and some evidence of pre-sunrise *F*-layer "splitting", **16:** 84
see DATTA S., BANDYOPADHYAY and DATTA, **16:** 182
: Electron distribution in the *F*-layer of the ionosphere over Haringhata (Calcutta) on quiet and disturbed days, **18:** 127
BANERJI R. B.: The autocorrelogram of randomly fading waves, **6:** 50
: Method of measuring ionospheric winds by fading at spaced receivers, **12:** 248
BANNON J. K.: *Studies of the Structure of the Atmosphere over the Eastern North Pacific in Summer—I. The Inversion over the Eastern North Pacific Ocean—Neiburger, Johnson and Chen-Wu-Chien* (BR), **22:** 225
BARAL S. S. and MITRA A. P.: Ionosphere over Calcutta: Solar half-cycle January 1945—June 1950, **1:** 95
: Studies on the sunrise effect in regions *E* and *F*, **6:** 160
BARBER D., H. K. SUTCLIFFE and C. D. WATKINS: Some radar observations of meteors and aurorae at 300 and 500 Mc/s using a large radio telescope, **24:** 585, 599
BARBER D. R.: Note on the seasonal variation of sodium *D*-line emission in twilight, **5:** 347
: Changes in brightness, polarization and colour of the zenith day sky accompanying geomagnetic activity, **7:** 170
: Photoelectric observations of anomalously polarized twilight emission at 5893 Å, **10:** 172
: Optical evidence of the lunar atmospheric tide, **24:** 1065
BARBER N. F.: A correlation treatment of fading singals, **8:** 318
: Timing errors in an equilateral array of receivers, **11:** 299
and CROMBIE D. D.: V.L.F. reflections from the ionosphere in the presence of a transverse magnetic field, **16:** 37
BARCLAY L. W. see PIGGOTT and BARCLAY, **20:** 298
: Variations in the relation between sunspot number and I_{F2}, **24:** 547
BARFORD N. C., DAVIS G., HERZ A. J., TENNENT R. M. and TIDMAN D. A.: High-altitude free balloon flying, **5:** 219; (C) **6:** 172
BARRÉ M. and RAWER K.: Quelques résultats d'observations ionosphériques effectuées près de la Terre Adélie, **1:** 311
BARRINGTON R. E. and THRANE E.: The determination of *D*-region electron densities from observations of cross modulations, **24:** 31
BARRON D. W. see RISHBETH and BARRON, **18:** 234
BARTELS J.: 27-day variations in *F2*-layer critical frequencies at Huancayo, **1:** 2
: Solare and terrestrische Beobachtungen während des Mögel-Dellinger-Effektes (SID): Vorläufiger Bericht über erdmagnetische Ergebnisse, **1:** 47
: Professor Erich Regener—Obituary, **7:** 112
: *The Polar Aurora—Störmer* (BR), **9:** 355
BARTON J. C. and STOCKHAUSEN J. H.: Increase of cosmic-ray intensity in Jamaica due to a solar flare, **9:** 161
BATES C. C.: Current status of sea ice reconnaissance and forecasting for the American Artic, Spec. Suppl. 1957—I: 285
see WINCHESTER and BATES, Spec. Suppl. 1957—I: 323
BATES D. R. and MASSEY H. S. W.: The negative ion concentration in the lower ionosphere **2:** 1
and MASSEY H. S. W.: On negative ions of molecular oxygen in the *D*-layer **2:** 253
and GRIFFING G.: Scale height determinations and auroras, **3:** 212
and DALGARNO A.: The altitudes of the luminous layers in the earth's atmosphere, **4:** 112
and DALGARNO A.: Theoretical considerations regarding the dayglow, **5:** 329
: Collisional deactivation and the night airglow **6:** 171
and MOISEIWITSCH B. L.: Origin of the Meinel hydroxyl system in the night airglow, **8:** 305
McDOWELL M. R. C. and OMHOLT A.: On the energy distribution of secondary auroral electrons, **10:** 51
and McDOWELL M. R. C.: Recombination in the ionosphere during an eclipse, **10:** 69

and MOISEWITSCH B. L.: On the remarks of V. I. Krassovsky regarding the O_3 and O_2* hypotheses of the OH airglow, **11:** 68
and MCDOWELL M. R. C.: Atmospheric helium, **11:** 200
and MCDOWELL M. R. C.: Escape of helium, **16:** 393
and NICOLET M.: Ion-atom interchange, **18:** 65
and NICOLET M.: Rate of ion-atom interchange, **21:** 286
BAUS R. A. see BLIFFORD, FRIEDMAN, LOCKHART and BAUS, **9:** 1
BAZZARD G. H. see MINNIS, BAZZARD and BEVAN, **9:** 233
see MINNIS and BAZZARD, **14:** 213; **17:** 57; **18:** 181
: Short-term differences in the behaviour of two daily indices of solar activity during the IGY, **18:** 290
see MINNIS and BAZZARD, **18:** 297, 306
: A study of the variations in a daily ionospheric index of solar activity **21:** 193
and MINNIS C. M.: The geographical distribution of the harmonics of the annual variation in the critical frequency of the *F2*-layer at noon, **22:** 192
BECKER U. and DENISSE J. F.: Controls of geomagnetic activity by sunspots, **5:** 70
BECKER W.: Über die Dämpfung der ausserordentlichen Komponente in der *E1*-Schicht der Ionosphäre, **1:** 73
: New methods and some results concerning true ionospheric height calculations, **16:** 67
: The varying electron density profile of the *F*-region during magnetically quiet nights, **22:** 275
BELMONT A. D.: A brief review of research in Artic meteorology, Spec. Suppl. 1957—I: 30.
: Lower tropospheric inversions at Ice Island T-3, Spec. Suppl. 1957—I: 215
BELON A. E. see CLARK K. C. and BELON, **16:** 205
and CLARK K. C.: Spectroscopic observations of the great aurora of 10 February 1958—II. Unusual atomic features, **16:** 220
BELROSE J. S., DEVENPORT M. H. and WEEKES K.: Some unusual radio observations made on 23 February 1956, **8:** 281
BENNETT W. H. and HULBERT E. O.: Magnetic self-focussed solar ion streams as the cause of aurora, **5:** 211
BENNINGTON T. W.: Observations of the effects of ionospheric storms over a North Atlantic circuit, **7:** 235
BERAN M. J.: A note on non-equilibrium species concentrations in air, **21:** 293
BERGH H. W. and KING J. W.: Ionospheric critical frequencies and magnetic parameters of the day before, **22:** 74
The time-lag between magnetic and ionospheric changes, **24:** 949
BERRY J. W. see MARSDEN, BERRY, FIELDHOUSE and WILSON, **8:** 278
BEST A. C.: The relation between rain current and rate of rainfall, **3:** 285
BEVAN H. C. see MINNIS, BAZZARD and BEVAN, **9:** 233
see NAISMITH, BEVAN and SMITH, **21:** 167
BEYNON W. J. G. and DAVIES K.: Simultaneous ionospheric absorption measurements at widely separated stations, **5:** 273
see APPLETON E. V. and BEYNON, **6:** 141
and THOMAS J. O.: The calculation of the true heights of reflection of radio waves in the ionosphere, **9:** 184
and BROWN G. M.: Ionospheric indices of solar activity, **11:** 128
and BROWN G. M.: Geomagnetic distortion of region-*E*, **14:** 138
and GOODWIN G. L.: Horizontal drifts and temperature in the lower part of region-*E*, **13:** 180
: Vertical drift effects in region-*E*, **15:** 13
and BROWN G. M.: Region *E* and solar activity, **15:** 168
BHAGIRATHA RAO E. see RAO E. B.
BHAR J. N.: Relation between noon *F2*-layer ionization and magnetic dip, **10:** 168

Bhargava B. N. and Subrahmanyan R. V.: Geomagnetic disturbance effects in equatorial E_s **20:** 81
and Subrahmanyan R. V.: *F*-region changes associated with the solar flare of 23 February 1956, **24:** 321
Bhattacharya H. see Rao M., Bhattacharya and Khastgir, **24:** 989
Bhattacharyya J. see Piggott and Bhattacharyya, **17:** 150
Bhattacharyya J. C.: Non-uniformity in the brightness of the sun's disk at sunspot minimum, **13:** 43
Bibl K. and Rawer K.: Les contributions des régions *D* et *E* dans les mesures de l'absorption ionosphérique, **2:** 51
Busch R., Rawer K. and Suchy K.: La nomenclature ionosphérique et les conventions pour le dépouillement, **6:** 69
: Automatic recording of ionospheric characteristics, **8:** 295
Paul A. and Rawer K.: Die Frequenzabhängigkeit der ionosphärischen Absorption, **16:** 324
Paul A. and Rawer K.: Absorption in the *D* and *E* regions and its time variation, **23:** 244
Billings D. E. see Leighton and Billings, **7:** 349
Blackett P. M. S.: *Vorträge über Kosmische Strahlung—Heisenberg, ed.* (BR), **5:** 186
Blifford I. H. Jr., Friedman H., Lockhart L. B. Jr. and Baus R. A.: Geographical and time distribution of radioactivity in the air, **9:** 1
Bloch S. C. and Desloge E. A.: The interaction of electromagnetic waves in a plasma, **24:** 1011
Booker H. G.: On the level at which fading is imposed on waves reflected vertically from the ionosphere, **7:** 343
: A theory of scattering by nonisotropic irregularities with application to radar reflections from the aurora, **8:** 204
: *The Magneto-Ionic Theory and Its Application to the Ionosphere—Ratcliffe* (BR), **16:** 398
: Turbulence in the ionosphere with applications to meteor trails, radio star scintillation, auroral radar echoes, and other phenomena, Spec. Suppl. 1957—II: 52
and Cohen R. A theory of long-duration meteor-echoes based on atmospheric turbulence with experimental confirmation, Spec. Suppl. 1957—II: 171
Bowden K. R. R. and Davies J. G.: The time distribution of meteors, **11:** 62
Bowen E. G.: Radar observations of rain and their relation to mechanisms of main formation, **1:** 125
Bowen P. J. see Stebbings, Groves, Boyd and Bowen, **18:** 184
Bowhill S. A.: The fading of radio waves of frequencies between 16 and 2400 kc/s, **8:** 129
: The effect of the recorder time constant on the apparent speed of fading of a radio signal, **10:** 338
: Ionospheric irregularities causing random fading of very low frequencies, **11:** 91
: The Faraday-rotation rate of a satellite radio signal, **13:** 175
: The scattering of radio waves by an extended randomly refracting medium **20:** 9
: The effective recombination coefficient of an ionosphere containing a mixture of ions, **20:** 19
: Rocket measurements of *F*-layer electron density and their interpretation, **21:** 272
see Sales and Bowhill, **24:** 451
: The formation of the daytime peak of the ionospheric *F2*-layer, **24:** 503
Boyd R. L. F. see Stebbings, Groves, Boyd and Bowen, **18:** 184
Bracewell R. N. and Bain W. C.: An explanation of radio propagation at 16 kc/sec in terms of two layers below *E*-layer, **2:** 216
: Theory of formation of an ionospheric layer below *E*-layer based on eclipse and solar flare effects at 16 kc/sec, **2:** 226
Bramley E. N.: Tilts in the ionosphere during the solar eclipse of 30 June 1954, **8:** 98

Brandt J. C. and Chamberlain J. W.: Resonance scattering by atmospheric sodium—V. Theory of the day airglow **13:** 90
: Resonance scattering by atmospheric sodium—VI. The analytic solution for the twilight intensity **13:** 100
Brenan P. M.: The correlation of radio source scintillation in the southern and northern hemispheres, **19:** 287
Brice N. M.: Note on short range echoes on ionospheric recorders, **13:** 179
Briggs B. H.: The determination of the collision frequency of electrons in the ionosphere from observations of the reflection coefficient of the abnormal *E*-layer, **1:** 345
: Observations of short bursts of signal from a distant 50 Mc/s transmitter, **8:** 171
: A study of the ionospheric irregularities which cause spread-*F* echoes and scintillations of radio stars, **12:** 34
: The diurnal and seasonal variations of spread-*F* ionospheric echoes and the scintillations of a radio star, **12:** 89
Brown A. F.: *Handbook of Thermo-Physical Properties of Solid Materials, Vol.* 1. *Elements—Goldsmith, Waterman and Hirschhorn* (BR), **24:** 325
Brown G. M. see Beynon and Brown, **11:** 128; **14:** 138; **15:** 168
Brown R. A. see Skinner, Brown and Wright, **5:** 92
: Lunar variations of the *F2*-layer at Ibadan, **9:** 144
Brown R. S.: Transit time fluctuations of waves, **24:** 669
Browne I. C. and Kaiser T. R.: The radio echo from the head of meteor trails, **4:** 1
Bruck H. A.: *Handbuch der Physik, Band 50. Astrophysik I, Sternoberflächen—Doppelsterne—Flugge, ed.* (BR), **14:** 350
: *Electromagnetic Phenomena in Cosmical Physics—Lehnert, ed.* (BR), **18:** 345
: *Vistas in Astronomy. Vol. 3—Beer, ed.* (BR), **19:** 294
: *Die Entstehung von Sternen—Burbridge et al.* (BR), **21:** 218
: *Rival Theories of Cosmology—Bondi et al.* (BR), **21:** 219
: *Tools of the Astronomer—Miczaika and Sinton* (BR), **22:** 225
: *An Atlas of the Moon's Far Side—Barabashov, Mikhailov and Lipskii* (BR), **24:** 328
: *The Earth, The Planets and The Stars—Edgeworth* (BR), **24:** 328
: *Tables of the Fractional Functions for the Planck Radiation Law—Czerny and Walther* (BR), **24:** 999
: *Vistas in Astronomy, Vol. 4—Beer, ed.* (BR), **24:** 999
: *I.G.Y. Solar Activity Maps—Ellison, ed.* (BR), **24:** 1000
Budden K. G. and Yates G. G.: A search for radio echoes of long delay, **2:** 272
and Cooper E.: Ionospheric equivalent heights of reflection calculated by a full wave method and by the phase integral method, **24:** 609
Bullough K. and Kaiser T. R.: Radio reflections from aurorae, **5:** 189; **6:** 198
Davidson T. W., Kaiser T. R. and Watkins C. D.: Radio reflections from aurorae—III. The association with geomagnetic phenomena, **11:** 237
Burgess R. E.: *Electronic Measurements—Terman and Pettit* (BR), **5:** 112
Burkard O.: Studie zum ionosphärischen Gezeiteneffekt, **1:** 349
: Die tages- und jahreszeitlichen Variationen der *F1*-Ionization. Ein Deutungsversuch, **8:** 83
: Recombination in the upper ionosphere, **24:** 145
Busch R. see Bibl, Busch, Rawer and Suchy, **6:** 69
Byard P. L. see Jarrett and Byard, **11:** 295
Byers H. R. see Fitzgerald and Byers, **15:** 254
Byram E. T. see Kupperian, Byram and Friedman, **16:** 174
Byrne B. J. see Clarke C. and Byrne, **9:** 210

Calawa A. R. see Lockwood and Calawa, **11:** 23
Cartron S. see Lepechinsky, Carton, Freon and Legrand, **23:** 177
Chackett K. F., Paneth F. A. and Wilson E. J.: Chemical analysis of stratosphere samples from 50 and 70 km height, **1:** 49

CHALMERS J. A.: Negative electric fields in mist and fog, **2:** 155
: The relation between point discharge current and field, **2:** 292
: Point discharge currents, **2:** 301
: Electric charges from ice friction, **2:** 337
: Atmospheric electrical conductivity near the earth's surface, **3:** 223
: The charge on the ionosphere, **3:** 345
: The effective separation of discharging points, **3:** 346
: Induced charges and the fine-weather field, **4:** 84
: The agrimeter for continuous recording of the atmospheric electric field, **4:** 124
: Atmospheric space charge (D), **5:** 108
: *Thunderstorm Electricity—Byers, ed.* (BR), **6:** 68
and MAPLESON W. W. Point discharge currents from a captive balloon, **6:** 149
: The electrical charge on the earth, **8:** 124
: The vertical electric current during continuous rain and snow, **9:** 311
see KIRKMAN and CHALMERS, **10:** 258
: Point-discharge current, potential gradient and wind-speed, **11:** 301
see SMIDDY and CHALMERS, **12:** 206
: A criterion for thunderstorm theories, **21:** 174
: The first suggestion of an ionosphere, **24:** 219
: The measurement of the vertical electric current in the atmosphere, **24:** 297
: The relation of point-discharge current to potential difference and wind-speed, **24:** 339
: Point-discharge currents through a living tree during a thunderstorm, **24:** 1059
CHAMBERLAIN J. W. see HUNTEN, ROACH and CHAMBERLAIN, **8:** 345
: Resonance scattering by atmospheric sodium—I. Theory of the intensity plateau in the twilight airglow, **9:** 73
and NEGAARD B. J.: Resonance scattering by atmospheric sodium—II. Nightglow theory, **9:** 169
HUNTEN D. M. and MACK J. E.: Resonance scattering by atmospheric sodium—IV. Abundance of sodium in twilight, **12:** 153
see ROESLER, FAN and CHAMBERLAIN, **12:** 200
see BRANDT and CHAMBERLAIN, **13:** 90
: Excitation of the oxygen red lines in twilight (A), **15:** 95
: Recombination in the *F2*-layer and the oxygen red lines in the airglow, 15:96
see RUNDLE, HUNTEN and CHAMBERLAIN, **17:** 205
CHANDRASHEKHAR AIYA S. V. see AIYA S. V. C.
CHAPMAN J.: The waveforms of atmospherics and the propagation of very low frequency radio waves, **11:** 223
CHAPMAN N. G. and RYDER N. V.: Time variations of cosmic rays at Wellington, New Zealand, **11:** 291
CHAPMAN S.: Upper atmospheric nomenclature, **1:** 121
: Notes on aurorae and magnetic storms—I. Considerations as to a modelexperiment,**1:** 189
: Upper atmospheric nomenclature **1:** 201
: *Oscillations of the Earth's Atmosphere—Wilkes* (BR), **1:** 254
: The geometry of radio echoes from aurorae, **3:1**
and WESTFOLD K. C.: A comparison of the annual mean solar and lunar atmospheric tides in barometric pressure, as regards their worldwide distribution of amplitude and phase, **8:** 1
and LITTLE C. G.: The nondeviative absorption of high-frequency radio waves in auroral latitudes, **10:** 20
and DAVIES K.: On the approximate daytime constancy of the absorption of radio waves in the lower ionosphere, **13:** 86
see ABBOTT and CHAPMAN, **14:** 111
: Disturbances in the lower auroral ionosphere, **15:** 29

G.I.
1950-6

: The outermost ionosphere, **15:** 43
and KENDALL P. C.: An idealized problem of plasma dynamics that bears on geomagnetic storm theory; oblique projection, **22:** 142
see AKASOFU and CHAPMAN, **24:** 740, 785
CHAPPELL D. W. G., HAINSWORTH L. B. and MOORAT I. M.: Some statistical results on the phenomena associated with ionospheric storms, **3:** 301
and HENDERSON C. L.: The determination of the horizontal velocity of ionospheric movements from fading records from spaced receivers, **8:** 163
: A relationship between the life of *M*-regions and the rate of change of solar activity, **17:** 315
CHASSON R. L. see FRENCH and CHASSON, **14:** 1
CHATTERJEE B.: Nature and origin of sporadic *E*-regions as observed at different hours (over Calcutta), **3:** 229
: A note on fourth reflection condition in the ionosphere, **17:** 271
CHATTERJEE J. S.: The crust as the possible seat of earth's magnetism, **8:** 233
CHIPLONKAR M. W. and ATHAVALE V. N.: Simultaneous recording of atmospherics on four different frequency bands in the low-frequency region, **13:** 32
KAREKAR R. N. and MARWADI P. R.: Midnight fall in atmospherics activity on 27 kc/s at Poona, **24:** 9
CHIVERS H. J. A. and GREENHOW J. S.: Auroral ionization and the absorption and scintillation of radio stars, **17:** 1
and WELLS H. W.: Observations of unusual radio frequency noise emission and absorption at 80 Mc/s, **17:** 13
: The simultaneous observation of radio star scintillations on different radio-frequencies, **17:** 181
: Observed variations in the amplitude scintillations of the Cassiopeia (23N5A) radio source, **19:** 54
: A statistical study of ionospheric drifts measured by the radio star scintillation technique, **21:** 221
and DAVIES R. D.: A comparison of radio star scintillations at 1390 and 79 Mc/s at low angles of elevation, **24:** 573
CHUN-MING HUANG: A note on the method of least squares for linear approximation **24:** 1105
CHVOJKOVÁ E. see WOYK (CHVOJKOVÁ) E.
CILLIERS W. A.: Changes in the fading speed of low-frequency radio waves, **18:** 339
: The fading of low-frequency radio waves reflected from the ionosphere, **19:** 102
CLARK J. F. and KRAAKEVIK J. H.: The charge on the earth, **6:** 344
CLARK K. C. and BELON A. E.: Spectroscopic observations of the great aurora of 10 February 1958—I. Abnormal vibration of N_2^+, **16:** 205
see BELON and CLARK, **16:** 220
CLARKE C. see HORNER and CLARKE, **7:** 1
and BYRNE B. J.: The location of thunderstorms by a single-station high-frequency ranging technique, **9:** 210
CLAY J.: Ions and condensation nuclei in the atmosphere, balance of ions and value of cosmic radiation at sea level, **3:** 132
CLEMMOW P. C. and JOHNSON M. A.: A contribution to the theory of the motion of weak irregularities in the ionosphere, **16:** 21
COHEN R. see BOOKER and COHEN, Spec. Suppl. 1957—II: 171
COLE K. D.: A note on partial criticisms of dynamo theory of magnetic disturbance **24:** 541
COLLIN H. L.: Sign discrimination in field mills, **24:** 743
COLLING E. B.: *Millimicrosecond Pulse Techniques—Lewis and Wells* (BR), **5:** 354
COLLINGBOURNE R. H.: The measurement of the vertical electric current in the atmosphere, **24:** 997
COLLINS C. and FORSYTH P. A.: A bistatic radio investigation of auroral ionization, **13:** 315
see REID G. C. and COLLINS, **14:** 63
see JELLY, MATTHEWS and COLLINS, **23:** 206

Cooper E.: The properties of low frequency radio waves reflected from the ionosphere, calculated by the phase-integral method, **22:** 122
see Budden and Cooper, **24:** 609
Copson E. T.: *Partial Differential Equations and Continuum Mechanics—Larger, ed.* (BR), **24:** 667
Coroniti S. C. see Stergis, Coroniti, Nazarek, Kotas, Seymour and Werme, **6:** 233
and Gerson N. C.: Scatter-field strengths and large-ion concentration, **10:** 237
Cotton E. S.: Diurnal variations in natural atmospheric radioactivity, **7:** 90
Court G. W. G.: Ionospheric wind determination from spaced radio receiver fading records, **7:** 333
and Gilfillan E. S.: A determination of ionospheric winds for a 24-hour period, **8:** 169
: Ionospheric wind determination from spaced radio receiver fading records (D), **9:** 163
Cowling T. G.: *Physik der Sternatmosphären—Unsöld* (BR), **9:** 236
: *Gaseous Nebulae—Aller* (BR), **10:** 184
Cranshaw T. E., Galbraith W. and Porter N. A.: Cosmic ray observations during the flare of 23 February 1956, **8:** 274
Crombie D. D. see Allan, Crombie and Penton, **10:** 110
: Differences between the east-west and west-east propagation of VLF signals over long distances, **12:** 110
see Barber N. F. and Crombie, **16:** 37
Cruz J. E. see Megill, Jamnick and Cruz, **18:** 309
Cummack C. H. see King G. A. M. and Cummack, **8:** 270
: A comparison of the critical frequency of the *F2*-layer between Rarotonga and Maui, **13:** 372
: "Chapman behaviour" in the lower ionosphere, **14:** 229
: Evidence of some geomagnetic control on the *F1*-layer, **22:** 157
: The heat balance of the *F*-region and the saturation effect, **22:** 298
: The thermal balance of the ionospheric *F*-region, **24:** 691
Curran S. C.: *Physics and Applications of Secondary Electron Emission—Bruining* (BR), **5:** 114
: *Astronomical Photoelectric Photometry—Wood, ed.* (BR), **6:** 227
Currie D. R. and Kreielsheimer K. S.: A double field mill for the measurement of potential gradients in the atmosphere, **19:** 126

Dagg M.: The correlation of radio-star-scintillation phenomena with geomagnetic disturbances and the mechanism of motion of the ionospheric irregularities in the *F*-region, **10:** 194
: Diurnal variations of radio-star scintillations, spread-*F* and geomagnetic activity, **10:** 204
: Radio-star ridges, **11:** 118
: The origin of the ionospheric irregularities responsible for radio-star scintillations and spread-*F*, **11:** 133, 139
Dalgarno A. see Bates D. R. and Dalgarno, **4:** 112; **5:** 329
: Ambipolar diffusion in the *F2*-layer, **12:** 219
and Parkinson D.: Photoionization of atomic oxygen and atomic nitrogen, **18:** 335
Das Gupta M. K. and R. K. Mitra: Solar activity and the occurrence of E_s, **24:** 408
and A. K. Sen: Sudden enhancement of atmospherics associated with high altitude nuclear explosions, **24:** 739
Dasgupta P. and Vij K. K.: Statistical analysis of fading of a single down-coming wave, **18:** 265
see Mitra S. N., Vij and Dasgupta, **19:** 172
Datta R. N. see Datta S., Bandyopadhyay and Datta R. N., **16:** 182
Datta S., Bandyopadhyay P. and Datta R. N.: Ionospheric observations on the *F*-region during the solar eclipse of 19 April 1958, **16:** 182
Daudin A. and Daudin J.: Effets atmosphériques sur les gerbes d'Auger, **3:** 245
Daudin J. see Daudin A. and Daudin J., **3:** 245
Davids N.: Theoretical group heights of reflection of 150 kc/s radio waves vertically incident on the ionosphere, **2:** 324
and Parkinson R. W.: Wave solutions for critical and near-critical coupling conditions in the ionosphere, **7:** 173

G.I.
1950-6

Davidson T. W. see Bullough, Davidson, Kaiser and Watkins, **11:** 237
Davies J. G. see Bowden and Davies, **11:** 62
Davies K. see Beynon and Davies, **5:** 273
and Hagg E. L.: Ionospheric absorption measurements at Prince Rupert, **6:** 18
see Chapman S. and Davies, **13:** 86
: The effect of the earth's magnetic field on m.u.f. calculations, **16:** 187
: A study of 2 Mc/s ionospheric absorption measurements at high latitudes, **23:** 155
see Agy and Davies, **23:** 202
Davies R. D. see Chivers and Davies, **24:** 573
Davis G. see Barford, Davies, Herz, Tennent and Tidman, **5:** 219; (C) **6:** 172
Dawton, D. I. see Dolbear, Elliott and Dawton, **1:** 187
and Elliott H.: Day and night measurements of the total cosmic ray intensity at balloon altitudes, **3:** 217
and Elliott H.: Time variations of the soft component of the cosmic radiation, **3:** 295
Dearden E. W.: The geometry of radio reflections from field-aligned ionization irregularities in the ionosphere, **24:** 375
Deb S.: Nitrogen in the upper atmosphere, **2:** 309
: Winds in the ionospheric regions, **4:** 28
Delobeau F. and Suchy K.: L'absorption ionosphérique à Dakar, **9:** 45
Delves L. M. see Whale and Delves, **13:** 72
and H. A. Whale: The short-term statistics of a fading radio wave, **24:** 225
De Mendonça F. and Garriott O. K.: Ionospheric electron content calculated by a hybrid Faraday–Doppler technique, **24:** 317
Denisse J. F. see Becker U. and Denisse, **5:** 70
see Kundu and Denisse, **13:** 176
Derblom H. see Omholt, Stoffregen and Derblom, **24:** 203
Desloge E. A. see Bloch and Desloge, **24:** 1011
Devenport M. H. see Belrose, Devenport and Weekes, **8:** 281
De Voogt A. H.: The use of earth-potential measurements for magnetic and ionospheric storm-indication, **5:** 108
Dieminger W. and Geisweid K. H.: Solare und terrestrische Beobachtungen während des Mögel-Dellinger-Effektes (SID): Beobachtungen der Ionosphäre während des Mögel-Dellinger-Effektes am 19. November 1949, **1:** 42
: Über die Ursache der exzessiven Absorption in der Ionosphäre an Wintertagen, **2:** 340
Möller H. G. and Rose G.: Long-distance single *F*-hop transmission, **13:** 191
Möller H. G. and Rose G.: Further results of sweep-frequency oblique-incidence pulse transmissions, **14:** 179
: Transient fine structure of the *E*-layer, **16:** 179
Oksman J. and Rose G.: Ionospheric *D*-region phenomena associated with auroral disturbances at Sodankylä, **24:** 823
Ditchburn R. W. and Young P. A.: The absorption of molecular oxygen between 1850 and 2500 Å, **24:** 127
Dolbear, D. W. N., H. Elliott and D. I. Dawton: The cosmic-ray intensity and radio fade-outs, **1:** 187
see Elliott and Dolbear, **1:** 205
and Elliott H.: Seasonal and diurnal variations in cosmic ray intensity, **1:** 215
Donahue T. M.: The Rayleigh scattering correction in measurements of the sodium twilight flash, **9:** 262
and Hunten D. M.: The correction of sodium twilight glow observations, **13:** 165
: A note on polar blackouts, **20:** 76
Dougherty J. P.: On the influence of horizontal motion of the neutral air on the diffusion equation of the *F*-region, **20:** 167
: The anisotropy of turbulence at the meteor level, **21:** 210

DOWDEN R. L.: Short-range echoes observed on ionospheric recorders, **11:** 111
: Ionospheric thermal radiation at radio-frequencies in the auroral zone, **18:** 8
: A theoretical model of electron density distribution along a geomagnetic line of force in the exosphere, **20:** 122
DRUMMOND J. E.: The connection between ionospheric patterns and field strengths reflected on the ground, **9:** 282
DUNCAN R. A.: The equatorial *F*-region of the ionosphere, **18:** 89
DUNGEY J. W.: Bailey's theory of sunspot noise, **4:** 148
: Solar electrodynamics, **6:** 88
: The influence of the geomagnetic field on turbulence in the ionosphere, **8:** 39
: The effect of ambipolar diffusion in the night-time *F*-layer **9:** 90
: Convective diffusion in the equatorial *F*-region, **9:** 304
DUPERIER, A.: On the positive temperature effect of the upper atmosphere and the process of meson production, **1:** 296
DYCE R. B. see FREDRIKSEN and DYCE, **23:** 106
DYMOND E. G.: *Cosmic Rays—Leprince-Ringuet* (BR), **3:** 71
: *Progress in Cosmic Ray Physics—Wilson, ed.* (BR), **3:** 71

EGEDAL J. and AMBOLT N.: The effect on geomagnetism of the solar eclipse of 30 June 1954, **7:** 40; **8:** 105
: On a pseudo-iterating method for reduction of observations of earth-tide for effects from tides of the seas, with an application to observations made at Bergen (Norway) 1934, **16:** 318
EHMERT, A.: Solare und terrestrische Beobachtungen während des Mögel-Dellinger-Effektes (SID): Solare Ultrastrahlung am 19 November 1949, **1:** 39
: Gleichzeitige Messungen des Ozongehaltes bodennaher Luft an mehreren Stationen mit einem einfachen absoluten Verfahren, **2:** 189
ELFORD W. G. see ROBERTSON D. S., LIDDY and ELFORD, **4:** 255
and ROBERTSON D. S.: Measurements of winds in the upper atmosphere by means of drifting meteor trails—II, **4:** 271
: Winds in the upper atmosphere, **15:** 132
ELLIOT H. see DOLBEAR, ELLIOT and DAWTON, **1:** 187
and DOLBEAR D. W. N.: Directional measurements of the diurnal variation of cosmic ray intensity, **1:** 205
see DOLBEAR and ELLIOT, **1:** 215
see DAWTON and ELLIOT, **3:** 217, 295
: *Les Rayons Cosmiques dans leurs rapports avec l'Electricité atmosphérique, la Météorologie, la Géomagnétisme et l'Astronomie—Dauvillier* (BR), **7:** 296
see LAMBIE and ELLIOT, **8:** 277
ELLIS G. R.: *F*-region triple splitting, **3:** 263
: The *Z* propagation hole in the ionosphere, **8:** 43
: On the propagation of whistling atmospherics, **8:** 338; (C) **10:** 120
: On the propagation of radio waves through the upper ionosphere, **9:** 51
and NEWSTEAD G.: Discrete sources of cosmic radio noise at 18.3 and 10.5 Mc/s, **10:** 185
: Low-frequency radio emission from aurorae, **10:** 302
: Measurement of the gyro-frequency in the *F*-region, **11:** 54
: The trapping of cosmic radio waves beneath the ionosphere, **13:** 61
: Gyro splitting of ionospheric echoes, **18:** 20
ELLISON M. A.: The H_α radiation from solar flares in relation to sudden enhancements of atmospherics on frequencies near 27 kc/s, **4:** 226
and REID J. H.: A long-wave anomaly associated with the arrival of cosmic-ray particles of solar origin on 23 February 1956, **8:** 291
: *Die Sonnenkorona—Struktur und Variationen der Korona—Waldmeier* (BR), **12:** 87
: Magnetic activity following a solar flare, **12:** 214

G.I.
1950-6

Ellison T. H.: The propagation of sound waves through a medium with very small random variations in refractive index **2:** 14
El Nadi A. F. see Ortner and El Nadi, **7:** 31
and Farag N.: The effect of light on the mobility and concentration of large ions in air mixed with N_2O gas, **22:** 23
Elsässer H. and Siedentopf H.: Mitteilungen aus dem Astronomischen Institut der Universität Tübingen Nr. 20: Die Emissionshöhe der 5577 AE-Linie des Nachthimmelsleuchtens nach Messungen am Jungfraujoch, **8:** 222
Elvey C. T. see Romick and Elvey, **12:** 283
Elwert G.: Über die Bedeutung einer weichen Röntgenstrahlung der Sonnenkorona für die Bilding der normalen ionosphärischen *E*-Schicht, **4:** 68
: Die Verteilung der Röntgenstrahlung der Sonnenkorona über die emittierende Fläche und die Restintensität bei totalen Sonnenfinsternissen, **12:** 187
Endresen K. Hagfors T., Landmark B. and Rödsrud J.: Observations of angle of arrival of meteor echoes in v.h.f. forward scatter propagation, **12:** 329
Epstein E. S. Osterberg C. and Adel A.: Note on the variations of atmospheric ozone as a function of height, **8:** 347
Eriksen K. W. Holt O. and Landmark B.: A note on the polar absorption event of 11–18 May 1959, **18:** 78
Eshleman Von R.: The theoretical length distribution of ionized meteor trails, **10:** 57
Evans J. V.: The electron content of the ionosphere, **11:** 259
Evans S.: Horizontal movements of visual auroral features, **16:** 191
Eyfrig R.: A critical discussion about special ionospheric characteristics, **11:** 163

Fan C. Y. see Roesler, Fan and Chamberlain, **12:** 200
Farag N. see El Nadi and Farag, **22:** 23
Farvis W. E. J.: *Handbuch der Physik, Gasentladungen II. Band XXII—Flügge, ed.* (BR), **13:** 383
Faucher G. A. see Sagalyn and Faucher, **5:** 253
: A study of air flow in a large-ion chamber, **12:** 288
Feather N.: *Cosmic Radiation—Frank and Rexworthy, eds.* (BR), **1:** 204
: *Cloud Chamber Photographs of the Cosmic Radiation—Rochester and Wilson* (BR), **3:** 226
: *An Atlas of Typical Expansion Chamber Photographs—Gentner, Maier-Leibnitz and Bothe* (BR), **6:** 231
: *Dissertations in Physics: An indexed bibliography of all doctoral theses accepted by American universities 1861–1959—Marckworth* (BR), **22:** 226
: *Encyclopaedic Dictionary of Physics, Vol. 1—Thewlis, ed.* (BR), **24:** 559
Fejer J. A.: Semidiurnal currents and electron drifts in the ionosphere, **4:** 184; (C) **5:** 103
: The interaction of pulsed radio waves in the ionosphere, **7:** 322
and Vice R. W.: An investigation of the ionosphere *D*-region **16:** 291
and Vice R. W.: The use of full-wave solutions in the interpretation of ionospheric absorption measurements **16:** 307
: Hydromagnetic wave propagation in the ionosphere, **18:** 135
: The absorption of short radio waves in the ionospheric *D*- and *E*-regions, **23:** 260
Ferraro A. J. and Gibbons J. J.: Polarization computations by means of the multislab approximation, **16:** 136
Ferraro V. C. A.: The coefficient of diffusion of ions in the *F2*-regions, **11:** 296
and Özdoğan I.: The effect of diffusion on the vertical distribution of ionization in a quiet *F*-region, **12:** 140
Fieldhouse P. see Marsden, Berry, Fieldhouse and Wilson, **8:** 278
Findlay J. W.: The phase and group paths of radio waves returned from region *E* of the ionosphere, **1:** 353
: An investigation of sudden radio fade-outs on a frequency near 2 Mc/sec, **1:** 367
: Moving clouds of ionisation in region-*E* of the ionosphere, **3:** 73

FITZGERALD D. R. and BYERS H. R.: Aircraft observations of convective cloud electrification, **15:** 254
FJØRTOFT R.: The problem of the maintenance of the low-level anticyclonic circulation in the Arctic, Spec. Suppl. 1957—I: 87
FLAVELL R. G. and LANE J. A.: The application of potential refractive index in tropospheric wave propagation, **24:** 47
FLETCHER R. D.: Arctic weather-forecasting problems of the Air Weather Service, Spec. Suppl. 1957—I: 118
FLOHN H. and SEIDEL G.: Recent studies on the Arctic troposphere and its teleconnections, Spec. Suppl. 1957—I: 62
FOOKS G. F. and JONES I. L.: Correlation analysis of the fading of radio waves reflected vertically from the ionosphere, **20:** 229
: The fading of radio waves reflected vertically from the ionosphere during magnetic storms, **22:** 43
: Ionospheric irregularities and the phase paths of radio waves, **24:** 937
FÖRSTERLING K. and H. O. WÜSTER: Über die Entstehung von Oberwellen in der Ionosphäre, **2:** 22
FORSYTH P. A. and VOGAN E. L.: The frequency dependence of radio reflections from aurora, **10:** 215
see COLLINS and FORSYTH, **13:** 315
FREDRIKSEN A. and DYCE R. B.: Ionospheric absorption investigations at Hawaii and Johnston Island, **23:** 106
FRENCH W. R. JR. and CHASSON R. L.: Atmospheric effects on the hard component of cosmic radiation near sea level, **14:** 1
FREON A. see LEPECHINSKY, CARTRON, FREON and LEGRAND, **23:** 177
FRIEDMAN H. see BLIFFORD, FRIEDMAN, LOCKHART and BAUS, **9:** 1
see KUPPERIAN, BYRAM and FRIEDMAN, **16:** 174
FRIHAGEN J. and TRØIM J.: Scintillations of the 20 Mc/s signal from the earth satellite 1958 δ II, **18:** 75
and TRØIM J.: On the large-scale regions of irregularities producing scintillation of signals transmitted from earth satellites, **20:** 215
FRISCH O. R.: *Signal, Noise and Resolution in Nuclear Counter Amplifiers—Gillespie* (BR), **4:** 90
: *Scintillation Counters—Birks* (BR), **4:** 90
: *Luminescence and the Scintillation Counter—Curran* (BR), **4:** 90
FRITZ S.: Solar radiation measurements in the Arctic Ocean, Spec. Suppl. 1957—I: 159
: On the "Arctic whiteout", Spec. Suppl. 1957—I: 182
FRY D. W.: *Advances in Electronics, Vol. III—Marton, ed.* (BR), **3:** 179
FULTON B. J., PETRIE L. E. and WARD W. S. P.: Transient modes of high-frequency radio wave propagation across the auroral zone, **16:** 185

GADSDEN M.: The colour of the zenith twilight sky: absorption due to ozone, **10:** 176
: Colour photography of the aurora, **17:** 347
and LOUGHNAN C. J.: Observations of non-field-aligned auroral rays, **18:** 332
and SALMON K.: A note on the observations of twilight lithium emission made from Hallett Station, **22:** 75
: The relative intensities of some nitrogen bands in auroral spectra, **22:** 105; (C) **24:** 749
GALBRAITH W. and JELLEY J. V.: Light-pulses from the night sky and Cerenkov radiation—I, **6:** 250
see JELLEY and GALBRAITH, **6:** 304
see CRANSHAW, GALBRAITH and PORTER, **8:** 274
GALLETT R. M.: The spectrum of the electron density fluctuations in the ionosphere, Spec. Suppl. 1957—II: 165
GARDINER G. W.: Effects of the nuclear explosion of 30 October 1961, **24:** 990
GARDNER, F. F. see PAWSEY, MCCREADY and GARDNER, **1:** 261
and PAWSEY J. L.: Study of the ionospheric *D*-region using partial reflections, **3:** 321
: Ionospheric thermal radiation at radio frequencies—II. Further observations, **5:** 298

G.I.
1950-6

Garriott O. K. and Nichol A. W.: Ionospheric information deduced from the Doppler shifts of harmonic frequencies from earth satellites, **22:** 50
see De Mendonça and Garriott, **24:** 317
Gassmann G. J.: Tides in the *F*-layer, **15:** 99
: Measurements of irregularities and drifts in the Arctic ionosphere using airborne techniques, Spec. Suppl. 1957—II: 44
Geisweid K. H. see Dieminger and Geisweid, **1:** 42
George J. J., Wolff P. M. and Somervell W. L. Jr.: An empirical method of forecasting 24-hour movement and change of intensity of sub-Arctic North Atlantic cyclones (A), Spec. Suppl. 1957—I: 156
Gerson N. C. and Kaplan J.: Nomenclature of the upper atmosphere, **1:** 200
: A note on auroral interaction, **4:** 81
: A note on solar-terrestrial relationships, **4:** 341
: Sources of atmospheric and planetary energy, **5:** 67
: Sporadic-*E* propagation, **6:** 113
: Radio observations of the aurora, **6:** 263
see Coroniti and Gerson, **10:** 237
: Very long-distance ionospheric propagation, **13:** 169
: Annual distribution of sporadic-*E*, **16:** 189
and Gossard W. H.: Sweepers, **17:** 82
: General absorption theory, **23:** 1
: Radio wave absorption at long distances, **23:** 113
Ghosh M.: Determination of the *F*-region collisional frequency (over Calcutta), **8:** 116
Ghosh S. N. and Sharma A.: Excitation of green and red lines in the night airglow, **20:** 110
and Malaviya V.: Microwave absorption in the earth's atmosphere, **21:** 243
Gibbons J. J. and Rao B. R.: Calculation of group indices and group heights at low frequencies, **11:** 151
see Ferraro A. J. and Gibbons, **16:** 136
: Theoretical computation of ionospheric absorption at low frequencies, **23:** 8
Gilfillan E. S. see Court and Gilfillan, **8:** 169
Gilvarry J. J.: Temperatures in the earth's interior, **10:** 84
Gledhill J. A.: The effects of a solar eclipse on a stratified ionosphere, **16:** 360
: The behaviour of the ionosphere over Cape Town and Johannesburg during the annular solar eclipse of 25 December 1954, **16:** 367
and Walker A. D. M.: The "valley effect" in the interpretation of ionospheric eclipse records, **18:** 61
Gliddon J. E. C. and Kendall P. C.: Theoretical world curves of maximum ion density in a quiet *F*-region, **18:** 48
and Kendall P. C.: Theoretical world curves of maximum *F2* ionization—II, **20:** 183
and Kendall P. C.: A mathematical model of the *F2*-region, **24:** 1073
Godson W. L.: Canadian studies of the high-latitude stratospheric jet stream in winter (A), Spec. Suppl. 1957—I: 85
Gold T. and Palmer D. R.: The solar outburst, 23 February 1956. Observations by the Royal Greenwich Observatory, **8:** 287
Golden R. M. see MacMillan, Rusch and Golden, **13:** 183
Goldstein L. see Bailey and Goldstein, **12:** 216
Golton E.: A method for the analysis of combined Faraday and differential Doppler recordings in the presence of horizontal gradients and vertical satellite motion. **24:** 554
Goodwin G. L.: The movements of sporadic-*E* layer clouds, **11:** 177
see Beynon and Goodwin, **13:** 180
Gopal Rao M. S. V. see Rao M. S. V. G.
Gossard W. H. see Gerson and Gossard, **17:** 82
Graham C. see King J. W. and Graham, **24:** 107
Greaves W. M. H.: *Some Researches in Solar Physics—Hoyle* (BR), **1:** 202
: *The Sun* (*Volume* 1 *of The Solar System*) (BR), **6:** 229

GREENHOW J. S.: A radio echo method for the investigation of atmospheric winds at altitudes of 80 to 100 km, **2:** 282
and NEUFELD E. L.: The diffusion of ionized meteor trails in the upper atmosphere, **6:** 133
and NEUFELD E. L.: Turbulence at altitudes of 80–100 km and its effects on long-duration meteor echoes, **16:** 384
see CHIVERS and GREENHOW, **17:** 1
NEUFELD E. L. and WATKINS C. D.: The scattering of 36 Mc/s radio waves by weak auroral ionization, **18:** 174
and HALL J. E.: Diurnal variations of density and scale height in the upper atmosphere, **18:** 203
and HALL J. E.: Attachment processes in meteor trails, **21:** 261
: Head echoes from meteor trails, **22:** 64
GRIBBON P. W. F.: Notes on the spectra of oxygen, **9:** 326
GRIFFING G. W. see BATES D. R. and GRIFFING, **3:** 212
and STEWART A. L.: The effect of the horizontal extent of aurorae on the apparent luminosity-altitude curves, **4:** 339
GROVES G. V.: Geometrical theory of sound propagation in the atmosphere, **7:** 113
: Introductory theory for upper atmosphere wind and sonic velocity determination by sound propagation, **8:** 24
: Theory of the rocket-grenade method of determining upper-atmospheric properties by sound propagation, **8:** 189
: Effect of experimental errors on determinations of wind velocity, speed of sound and atmospheric pressure, in the rocket-grenade experiment, **9:** 237
: A rigorous method of analysing data of the rocket-grenade experiment, **9:** 349
: Velocity of a body falling through the atmosphere and the propagation of its shock wave to earth, **10:** 73
: Determination of impact point of a vertically-falling body by acoustical observations, **11:** 284
: Trajectory determination of a supersonic body by acoutical observations, **12:** 17
: A theory for determining upper-atmosphere winds from radio observations on meteor trails, **16:** 344
see STEBBINGS, GROVES, BOYD and BOWEN, **18:** 184
GRUBER S.: Statistical analysis of radio star scintillation, **20:** 59
GUSH H. P. and VALLANCE JONES A.: Infrared spectrum of the night sky from 1.0 μ to 2.0 μ, **7:** 285
GUSTAFSSON G. see HULTQVIST and GUSTAFSSON, **19:** 246

HACHENBERG O. and KRÜGER A.: The correlation of bursts of solar radio emission in the centimetre range with flares and sudden ionospheric disturbances, **17:** 20
HAGFORS T. see ENDRESEN, HAGFORS, LANDMARK and RÖDSRUD, **12:** 329
: Preliminary results of studies of the angular distribution of a VHF ionospheric forward scatter signal, **12:** 340
: Results of scatter measurements at 36 Mc/s over a 1200 km path, Spec. Suppl. 1957—II: 205
HAGG E. L. see DAVIES K. and HAGG, **6:** 18
MULDREW D. and WARREN E.: Spiral occurrence of sporadic-*E*, **14:** 345
HAINSWORTH L. B. see CHAPPELL, HAINSWORTH and MOORAT, **3:** 301
HAKURA Y. see OBAYASHI and HAKURA, **18:** 101
HALE D. P.: Characteristics of the visual aurorae at Byrd Station, Antarctica, during 1957, **17:** 65
HALIM A.: Dependence of L_0 on sunspots for atmospheric ozone measurements, **24:** 303
HALL J. E. see GREENHOW and HALL, **18:** 203; **21:** 261
HANSEN R. T. see WARWICK C. S. and HANSEN, **14:** 287

G.I.
1950-62

HARANG L. and LANDMARK B.: Radio echoes observed during aurorae and geomagnetic storms using 35 and 74 Mc/s waves simultaneously, **4:** 322
see OMHOLT and HARANG, **7:** 247
: Height distributions of auroral emissions, **9:** 157
and PEDERSON K.: Drift measurements of the *E*-layer during the solar eclipse, 30 June 1954, **10:** 44
and TRØIM J.: Determination of the angle of arrival of auroral echoes, **14:** 107
: Results of ionospheric drift measurements in Norway, Spec. Suppl. 1957—II: 26
HARDWICK B.: Two cases of large *F2*-region disturbance associated with small magnetic disturbance, **3:** 347
HARE F. K.: Arctic geography and climate, Spec. Suppl. 1957—I: 3
: The quantitative representation of the north polar pressure field, Spec. Suppl. 1957—I: 137
HARGREAVES J. K.: Random fluctuations in very low frequency signals reflected obliquely from the ionosphere, **20:** 155; (C) **21:** 220
: The behaviour of the lower ionosphere near sunrise, **24:** 1
and R. ROBERTS.: The propagation of very low frequency radio waves over distances up to 2000 km, **24:** 435
HARNISCHMACHER E. and RAWER K.: Drift observations evaluated by the method of "similar fades", **13:** 1
HARRISON A. W. see VALLANCE JONES and HARRISON, **6:** 336
and VALLANCE JONES A.: Measurements of the absolute intensity of the aurora and night airglow in the 0·9–2·0 μ region, **11:** 192
see VALLANCE JONES and HARRISON, **13:** 45
and VALLANCE JONES A.: Observations of Meinel N_2^+ bands near 1.5 μ in the auroral spectrum, **13:** 291
see NOXON, HARRISON and VALLANCE JONES, **16:** 246
HARRISON V. A. W.: An unusual ionospheric disturbance in the Antarctic on 30 June to 1 July 1957, **18:** 72
HARTSHORN L.: *Advances in Electronics, Vol. IV—Marton, ed.* (BR), **4:** 91
HARTZ T. R. and MCALPINE J. L.: The dependence of ionospheric disturbance on large solar flares, **23:** 13
HARWOOD J. see SHEARMAN and HARWOOD, **18:** 29
: Some observations of the occurrence and movement of sporadic-*E* ionization, **20:** 243
HASELGROVE J. see THOMAS, J. O. HASELGROVE and ROBBINS, **12:** 46
HAUBERT A.: Le renforcement du champ en ondes longues et les évanouissements en ondes courtes, **13:** 379
: Les gradients de température dans les régions-*E* et -*F1* d'apres les sondages ionosphériques effectués à Casablanca, **15:** 83
: L'ionisation nocturne de la région-*E* et l'activité géomagnétique, **15:** 84
: A propos des grands mouvements verticaux de la région-*F* observés à Casablanca, **15:** 145
: Les perturbations ionosphériques à debut brusque et la propagation des ondes longues, **18:** 71
: A propos de la détermination de la hauteur vraie du maximum d'ionisation dans la méthode des dix points, **18:** 337
: A propos de l'équilibre entre le processus d'ionisation et la disparition des électrons dans l'ionosphère, **24:** 661
HAUG U.: Zur Statistik der räumlichen Helligskeitsschwankungen der (OI)-Linie 5577 Å im Nachthimmelsleuchten, **21:** 225
HEADING J.: Analytical considerations of ionospheric windows for low frequency radio waves, **20:** 31
HÉBERT G. R. and NICHOLLS R. W.: The 2763 Å (0, 9) band of the O_2 Schumann-Runge system, **21:** 213

HEISLER L. H. see MUNRO and HEISLER, **12:** 57
and WHITEHEAD J. D.: The interpretation of *F2* critical frequency measurements, **22:** 186
and WILSON L. D.: A new versatile ionospheric recorder, **22:** 218
The anomalous ionospheric stratification *F1.5*, **24:** 483
and WHITEHEAD J. D.: Rapid variations in the sporadic-*E* region, **24:** 753
HELM H., KING J. W. and VAN WIJK A. M.: Measurements of magnetic declination during the solar eclipse of 23 October 1957, **13:** 371
HENDERSON C. L. see CHAPPELL and HENDERSON, **8:** 163
: Seasonal and latitude variations of noon bearings of *E*-region drifts, **24:** 663
HEPBURN F.: Wave-guide interpretation of atmospheric waveforms, **10:** 121
: Atmospheric waveforms with very low-frequency components below 1 kc/s known as slow tails, **10:** 266
: Classification of atmospheric waveforms, **12:** 1
: Interpretation of smooth type atmospheric waveforms, **14:** 262
: Analysis of smooth type atmospheric waveforms, **19:** 37
HERTZBERG M.: Ion–neutral reactions, **20:** 177
HERZ A. J. see BARFORD, DAVIS, HERZ, TENNENT and TIDMAN, **5:** 219; (C) **6:** 172
HESS V. F. and VANCOUR R. P.: The ionization balance of the atmosphere, **1:** 13
: Radon, thoron and their decay products in the atmosphere, **3:** 172
: Remarks on the article of J. Clay: Ions and condensation nucleii in the atmosphere, balance of ions and value of cosmic radiation at sea level, **4:** 343
HESSELBERG T. and JOHANNESSEN T. W.: The recent variations of the climate at the Norwegian Arctic stations, Spec. Suppl. 1957—I: 18
HIBBERD F. H.: Ionospheric self-interaction of radio waves, **6:** 268
: On the observation of ionospheric self-interaction, **8:** 120
: Self-distortion of radio waves in the ionosphere, near the gyro frequency **11:** 102
: The effect of the ionosphere on the Doppler shift of radio signals from an artificial satellite, **12:** 338
see THOMAS J. A. and HIBBARD, **13:** 376
and THOMAS J. A.: The determination of the electron distribution in the upper ionosphere from satellite Doppler observations, **17:** 71
: Q.L. and Q.T. approximations to the magneto-ionic equations and their validity, **24:** 843
HILL G. E. see PENNDORF and HILL, **23:** 191
HINES C. O.: Hydromagnetic resonance in ionospheric waves, **7:** 14
: Electron resonance in ionospheric waves, **9:** 56
: Diurnal variations in forward-scattered meteor signals, **9:** 229
: Heavy-ion effects in audio-frequency radio propagation, **11:** 36
HINKEL C.: *Hygrometry—Spencer-Gregory and Rourke* (BR), **12:** 222
HIRONO M., MAEDA H. and KATO S.: Wind systems and drift motions in the ionosphere deduced from the dynamo theory, **15:** 146
HIRSH A. J.: The electron density distribution in the *F*-region of the ionosphere, **17:** 86
HITSCHFELD W. F. see ATLAS, KERKER and HITSCHFELD, **3:** 108
: Convective processes in the atmosphere as revealed by weather radar, **15:** 288
HOFFMAN W. C.: A theoretical model for high-frequency backscatter from the sea surface via the ionosphere, **7:** 278
: Conditions for the persistence of purely longitudinal or purely transverse propagation, **18:** 1
HOGG A. R.: Cosmic rays and solar relationships **1:** 56
: Some time variations of cosmic rays, **1:** 114
HOLCOMBE R. M.: Similarities and contrasts between the Arctic and Antarctic marine climates, Spec. Suppl. 1957—I: 9

G.I.
1950-62

HOLT O. see ERIKSEN, HOLT and LANDMARK, **18:** 78
LANDMARK B. and LIED F.: Analysis of riometer observations obtained during polar radio blackouts, **23:** 229
LANDMARK B. and LIED F.: Observations of electron density and collision frequency during polar radio blackout conditions, **23:** 318
and A. OMHOLT.: Auroral luminosity and absorption of cosmic radio noise, **24:** 467
HORNER F.: The reception of atmospherics at high frequencies, **4:** 129 (C) 348
and CLARKE C.: Some waveforms of atmospherics and their use in the location of thunderstorms, **7:** 1
: The relationship between atmospheric radio noise and lightning, **13:** 140
: Narrow-band atmospherics from two local thunderstorms, **21:** 13
HOUSTON R. E. JR., ROSS W. J. and SCHMERLING E. R.: Some effects of intense solar activity on radio propagation, **10:** 136
: The effect of certain solar radiations on the lower ionosphere, **12:** 225
HUANG C. M. see CHUN-MING HUANG
HULBERT E. O. see BENNETT and HULBERT, **5:** 211
HULTQVIST B. and GUSTAFSSON G.: On the magnetic time dependence of the auroral zone currents, **19:** 246
: On the orientation of auroral arcs, **24:** 17
HUNTEN D. M.: A study of sodium in twilight—I. Theory, **5:** 44
and SHEPHERD G. G.: A study of sodium in twilight—II. Observations on the distribution, **5:** 57
and SHEPHERD G. G.: Vibrational temperature from second positive bands, **6:** 64
see SHEPHERD G. G. and HUNTEN, **6:** 328
: Some photometric observations of auroral spectra, **7:** 141; (C) **24:** 144
ROACH F. E. and CHAMBERLAIN J. W.: A photometric unit for the airglow and aurora, **8:** 345
: Resonance scattering by atmospheric sodium—III. Supplementary considerations, **9:** 179
: Correction for Rayleigh-scattered light of sodium observations in twilight, **11:** 67
see CHAMBERLAIN, HUNTEN and MACK, **12:** 153
see DONAHUE and HUNTEN, **13:** 165
see LYTLE and HUNTEN **16:** 236
see RUNDEL, HUNTEN and CHAMBERLAIN, **17:** 205
: Resonance scattering by atmospheric sodium—VIII. An improved method of deducing the vertical distributions, **17:** 295
: Transmission functions for twilight studies, **24:** 333
HUTTON R. and WRIGHT R. W. H.: Diurnal variation of earth currents at the equator, **20:** 100
: The solar and lunar daily variations of earth currents near the magnetic equator, **24:** 673
HUXLEY L. G. H.: The interpretation of measurements of radio-wave interaction, **8:** 118
: A discussion of the motion in nitrogen of free electrons with small energies, with reference to the ionosphere, **16:** 46
HYNDS R. J.: Time variation of the electronic component of the cosmic radiation, **24:** 257

INGRAHAM R. L.: Note on the tidal theory of the *Sq* magnetic field, **16:** 263
INOUE Y.: On the importance of the resonance lines of atomic oxygen to the ionospheric ionization, **15:** 85
ISRAËL H.: Luftelektrische Tagesgänge und Luftkörper (Studien über das atmosphärische Potentialgefälle—III), **1:** 26
: An experimental problem in the atmospheric-electrical synopsis, **6:** 322
: The comparison of atmospheric-electric results, **24:** 65

JACKSON W.: World-wide simultaneous magnetic fluctuations and their relation to sudden commencements, **2:** 160

Jacobs J. A. and T. Watanabe: Propagation of hydromagnetic waves in the lower exosphere and the origin of short period geomagnetic pulsations, **24:** 413
James J. C. see Meeks and James, **16:** 228
James P. W.: The correlation analysis of the fading of radio signals received from satellites, **24:** 237
Jamnick P. M. see Megill, Jamnick and Cruz, **18:** 309
Jarrett A. H. and Byard P. L.: On the possibility of observing aurorae in the daytime, **11:** 295
Physics of the Aurora and Airglow—Chamberlain (BR), **24:** 327
Jehn K. H. and Staley R. C.: Correlations of 100 MC radio propagation with certain meteorological variables, **3:** 163
Jelly D. H., Matthews A. G. and Collins C.: Study of polar-cap and auroral absorption at h.f. and v.h.f. frequencies, **23:** 206
Jelley J. V. see Galbraith and Jelley, **6:** 250
and Galbraith W.: Light pulses from the night sky and Čerenkov radiation—II, **6:** 304
Johannessen T. W. see Hesselberg and Johannessen, Spec. Suppl. 1957—I: 18
Johansen H.: On the relation between meteorological conditions and total amount of ozone over Tromsö, Spec. Suppl. 1957—I: 187
Johnson M. A. see Clemmow and Johnson, **16:** 21
Jones A. V. see Vallance Jones A.
Jones I. L., Landmark B. and Setty C. S. G. K.: Movements of ionospheric irregularities observed simultaneously by different methods, **10:** 296
: The height variation of drift in the *E*-region, **12:** 68
: Further observations of radio stellar scintillation, **19:** 26
see Fooks and Jones, **20:** 229
: Theoretical views on drift measurements, Spec. Suppl. 1957—II: 3
: The height variation of horizontal drift velocities in the *E*-region, Spec. Suppl. 1957—II: 20
Landmark B. and Setty C. S. G. K.: Movements of ionospheric irregularities observed simultaneously by different methods, Spec. Suppl. 1957—II: 41
Jones O. C., Maddever R. S. and Sanders J. H.: Sealed-room experiments on the equilibrium of ionization in air, **17:** 134
Jones R. E., Millman G. H. and Nertney R. J.: The heights of ionospheric winds as measured at long radio wavelengths, **3:** 79
see Mitra A. P. and Jones, **4:** 141; **5:** 104
: The development of an *E*-region model consistent with long wave phase path measurements, **6:** 1

Kaiser T. R. see Browne and Kaiser, **4:** 1
see Bullough and Kaiser, **5:** 189; **6:** 198
see Bullough, Davidson, Kaiser and Watkins, **11:** 237
: The first suggestion of an ionosphere, **24:** 865
Kaliszewski T.: On the scattering of short waves from low-density meteor trails, **24:** 1101
Kallmann H. K.: Electron distribution in a new model of the ionosphere, Spec. Suppl. 1957—II: 82
Kallmann Bijl H. K.: Variable atmospheric properties derived from rocket and satellite observations, **23:** 330
: Variations of atmospheric properties with time and solar activity, **24:** 831
Kane J. A.: Re-evaluation of ionospheric electron densities and collision frequencies derived from rocket measurements of refractive index and attenuation, **23:** 338
Kangas T. see Stergis, Rein and Kangas, **11:** 77, 83
Kaplan J. see Gerson and Kaplan, **1:** 200
Karekar R. N. see Chiplonkar, Karekar and Marwadi, **24:** 9
Kasemir H. W.: An apparatus for simultaneous registration of potential gradient and air-earth current, **2:** 32 (C) 258

G.I.
1950-62

KASUYA I.: On the occurrence of the $F1\frac{1}{2}$-layer at Tokyo, **15:** 126
KATO S. see HIRANO, MAEDA and KATO, **15:** 146
KATO Y. and AKASOFU S.-I.: Relationships between the geomagnetic micropulsation and the solar *UM* region, **9:** 352
KAVADAS A.: Absorption measurements near the auroral zone, **23:** 170
KELSO J. M.: The determination of the electron density distribution of an ionosphere layer in the presence of an external magnetic field, **5:** 11
: Group height calculations in the presence of the earth's magnetic field, **5:** 117
: The calculation of ionospheric electron density distributions, **10:** 103
: The determination of the electron density in interplanetary space, **16:** 357
KENDALL P. C. see GLIDDON and KENDALL, **18:** 48; **20:** 183
see CHAPMAN and KENDALL, **22:** 142
: Geomagnetic control of diffusion in the *F2*-region of the ionosphere—I. The form of the diffusion operator, **24:** 805
: On the detailed shape of the Chapman—Ferraro surface, **24:** 861
see GLIDDON and KENDALL, **24:** 1073
KENNY P. J. see NOLAN and KENNY, **2:** 266; **3:** 181
KENT G. S.: High frequency fading observed on the 40 Mc/s wave radiated from artificial satellite 1957α, **16:** 10
: The fading of radio waves reflected obliquely from meteor trails, **19:** 272
: High frequency fading of the 108 Mc/s wave radiated from an artificial earth satellite as observed at an equatorial station, **22:** 255
KERKER M. see ATLAS, KERKER and HITSCHFIELD, **3:** 108
KERR F. J. see SHAIN and KERR, **6:** 280
KHASTGIR S. R. see SATYANARAYANA, BAKHRU and KHASTGIR, **13:** 201
see SINGH R. N. and KHASTGIR, **16:** 376
see MURTY and KHASTGIR, **17:** 309
and SINGH R. N.: The size of the moving irregularities in the *F*-region and the spread angle of the radio waves scattered from them, **18:** 123
see MURTY and KHASTGIR, **21:** 65; **24:** 141
see RAO M., BHATTACHARYA and KHASTGIR, **24:** 989
KIMURA I. see MAEDA K. and KIMURA, **15:** 58
KING G. A. M.: Electron distribution in the ionosphere, **5:** 245; **8:** 184
and CUMMACK C. H.: Electron distribution in the ionosphere, **8:** 270
: Relation between virtual and actual heights in the ionosphere, **11:** 209
: The ionospheric *E*-layer at Cape Hallett, **16:** 186
and M. D. LAWDEN: Variations of some ionospheric parameters over a solar cycle, **24:** 565
KING J. W.: Ionospheric self-demodulation of radio waves, **10:** 166
: The fading of radio waves reflected at oblique incidence, **12:** 26
see HELM, KING and VAN WIJK, **13:** 371
: Ionospheric self-demodulation and self-distortion of radio waves, **14:** 41
: Magnetic effects in the *F*-region of the ionosphere, **21:** 26
: Day-to-day and station-to-station correlation of ionospheric *F*-region critical frequencies, **21:** 35
see BERGH and KING, **22:** 74
and GRAHAM C.: The relationship between $foF2$ and magnetic phenomena, **24:** 107
and SCOTT J. L.: Variations in the height of the peak of the ionospheric *F2*-layer, **24:** 569
KIRKMAN J. R. and CHALMERS J. A.: Point discharge from an isolated point, **10:** 258
KNECHT R. W.: An additional lunar influence on equatorial E_s at Huancayo, **14:** 348
: Statistical results and their shortcomings concerning the ionosphere within the auroral zone, Spec. Suppl. 1957—II: 109
see SMITH E. K. and KNECHT, Spec. Suppl. 1957—II: 195
KNOX F. B.: Reflection of an electromagnetic wave from a moving boundary between two independently moving ionized media, **24:** 1003

Koch H. and Schminder R.: Die Absinkgeschwindigkeit der Reflexionshöhe der Langwellen am Unterrand der *E*-Schicht zur Zeit des Sonnenaufgangs, **24:** 545
Kofsky I. L.: Uses of the thermal flux from nuclear explosions in studying atmospheric glow mechanisms, **24:** 797
Koster J. R. see Wright R. W., Koster and Skinner, **8:** 240
: Radio star scintillations at an equatorial station, **12:** 100
Kotadia K. M.: Sporadic echoes from the *E* region over Ahmedabad (23°02′N, 72°38′E), **8:** 331
: The equatorial sporadic-*E* layer and the electrojet, **24:** 211
: Lunar tidal variation of midday critical frequencies of the *F2*-layer of the ionosphere in low latitudes, **24:** 659
: The great magnetic storm of 11 February 1958 and associated changes in the *F2*-layer of the ionosphere in low and middle latitudes, **24:** 975
Kotas D. E. see Stergis, Coroniti, Nazarek, Kotas, Seymour and Werme, **6:** 233
Kraakevik J. H. see Clark J. F. and Kraakevik, **6:** 344
Krassovsky V. I.: On the remarks of D. R. Bates and B. L. Moiseiwitsch (1956) regarding the O_3 and O_1* hypotheses of the excitation of the OH airglow, **10:** 49
Shefov N. N. and Yarin V. I.: On the OH airglow, **21:** 46
Kreielsheimer K. S. see Currie and Kreielsheimer, **19:** 126
Krishnamurthy B. V. and B. R. Rao: Lunar variations of spread-*F*, **24:** 742
Kruger A. see Hachenberg and Krüger, **17:** 20
Kundu M. R. and Denisse J. F.: Solar radiation on decimeter waves as an index for ionospheric studies, **13:** 176
Kupperian J. E. Jr., Byram E. T. and Friedman H.: Molecular oxygen densities in the mesosphere at Fort Churchill, **16:** 174
Kvifte G.: Auroral and nightglow observations at Ås, Norway, **16:** 252

Laffineur M.: The measurement of cosmic radio emission for ionospheric studies, **9:** 347; (C) **10:** 56
Lal D., Malhotra P. K. and Peters B.: On the production of radioisotopes in the atmosphere by cosmic radiation and their application to meteorology, **12:** 306
Lambie M. and Elliot H.: Cosmic rays and the solar flare of 23 February 1956, **8:** 277
Landmark B.: Polarization of radio waves reflected from the ionosphere, **2:** 254
see Harang and Landmark, **4:** 322
: Measurements of limiting polarization of radio waves reflected from the *F*-layer, **6:** 284
and Lied F.: Note on a "QL–QT" transition level in the ionosphere, **10:** 114
: The fading of radio waves reflected from the *E*-layer, **10:** 288
see Jones I. L., Landmark and Setty, **10:** 296
: Echoes from the lower ionosphere during polar blackouts, **12:** 79
see Endresen, Hagfors, Landmark and Rödsrud, **12:** 329
: The fading of long duration meteor bursts in forward scatter propagation, **12:** 341
see Eriksen, Holt and Landmark, **18:** 78
and Lied F.: Observations of the *D*-region from a study of ionospheric cross-modulation, **23:** 92
see Holt, Landmark and Lied, **23:** 229, 318
see Jones I. L., Landmark and Setty, Spec. Suppl. 1957—II: 41
Landseer-Jones B. C.: The streaming of charged particles through a magnetic field as a theory of the aurora, **3:** 41
: The significance of a nonterrestrial magnetic field in neutral stream theories of the aurora, **6:** 215
Lane J. A.: The radio refractive index gradient over the British Isles, **21:** 157
see Flavell and Lane, **24:** 47
Lange-Hesse G.: 27-tägige Variationen in der *D*-Schicht-Absorption der Ionosphäre über Singapore und Slough, **3:** 153
: Erdmagnetische Unruhe und Durchschnittsabweichungen der *F2*-Schicht-Tagesgrenzfrequenzen in verschiedenen geomagnetischen Breiten, **7:** 49

G.I.
1950-62

: Einfluss der erdmagnetischen Unruhe auf die Durchschnittsabweichungen der *F1*-Schicht-Tagesgrenzfrequenzen, **11:** 293

LAPWOOD E. R.: *Contributions in Geophysics in Honor of Beno Gutenberg—Benioff et al., eds.* (BR), **16:** 399

LARGE M. I.: The radio interference produced by corona discharge, **10:** 245
and PIERCE E. T.: The dependence of point-discharge currents on wind as examined by a new experimental approach, **10:** 251

LARSEN S. H. H.: Vertical distribution of atmospheric ozone at Longyearbyen, Spitzbergen (78°N), **6:** 46

LAUTER E. A. see SPRENGER, LAUTER and SCHMELOVSKY, **24:** 1041

LAWDEN M. D. see KING G. A. M. and LAWDEN, **24:** 565

LAWRENCE J. D. JR., ALEXANDER J. K. JR. and MARTIN J. D.: On the distribution of ionospheric irregularities producing scintillation of signals from earth satellites, **24:** 1103

LAWRIE J. A.: Rapid fluctuations during magnetic disturbance, **17:** 145

LEGRAND J. P. see LEPECHINSKY, CARTRON, FREON and LEGRAND, **23:** 177

LEIGHTON H. I. and BILLINGS D. E.: Solar H_α filaments and geomagnetic disturbances, **7:** 349

LEINBACH H. see REID G. C. and LEINBACH, **23:** 216

LEJAY P.: Irrégularités ionosphériques, **15:** 27

LEPECHINSKY D.: Effects of temperature variations of the upper atmosphere on the formation of ionospheric layers, **1:** 278

: On the existence of a "Q.L."–"Q.T." "transition-level" in the ionosphere and its experimental evidence and effect, **8:** 297

: The Q.L.–Q.T. transition level, **10:** 243
and TAIEB C.: Sur la détermination des hauteurs réelles de l'ionisation dans les hautes latitudes, **18:** 152
CARTRON S., FREON A. and LEGRAND J. P.: Les blackouts ionosphériques observés en Terre Adélie en 1957 et 1958, **23:** 177
and P. ROLLAND: Etude des oscillations ioniques de plasma. Leur rôle dans le mécanisme responsable des vents ionosphériques, **24:** 813

LERFALD G. M. see LITTLE, LERFALD and PARTHASARATHY, **23:** 275

LEWIS R. P. W. and MCINTOSH D. H.: Diurnal and storm-time variations of geomagnetic and ionospheric disturbance, **3:** 186
and MCINTOSH D. H.: Geomagnetic and ionospheric relationships, **4:** 44
and MCINTOSH D. H.: A universal time component in geomagnetic disturbance, **4:** 78

: The geomagnetic post-perturbation effect, **6:** 129

LIDDY D. T. see ROBERTSON D. S., LIDDY and ELFORD, **4:** 255

LIED F.: A physical interpretation of the corrected quasi-transverse approximation for the ordinary wave, **2:** 362

: Ionospheric absorption observed on the 23rd February 1956 at Kjeller and Tromsö, **10:** 48
see LANDMARK and LIED, **10:** 114; **23:** 92
see HOLT, LANDMARK and LIED, **23:** 229, 318

: Quantitative measurement of absorption in the auroral zone, Spec. Suppl. 1957—II: 135

LIGDA M. G. H.: The radar observation of lightning, **9:** 329; **15:** 248

LILJEQUIST G. H.: Long-wave radiation and turbulent heat transfer in the Antarctic winter and the development of surface inversions, Spec. Suppl. 1957—I: 167

LINDQUIST R.: An interpretation of vertical incidence equivalent height versus time recordings on 150 kc/s, **4:** 10

LITTLE C. G. and A. MAXWELL: Scintillation of radio stars during aurorae and magnetic storms, **2:** 356
see CHAPMAN and LITTLE, **10:** 20
LERFALD G. M. and PARTHASARATHY R.: Some observations of 2.89 Mc/s equivalent antenna temperatures at the auroral zone, **23:** 275

LITTLEFIELD T. A.: *Tables of Spectrum Lines—Zaidel', Prokof'ev and Raiskii* (BR), **24:** 329

Lockhart L. B. Jr. see Blifford, Friedman, Lockhart and Baus, **9:** 1
Lockwood J. A. and Calawa A. R.: On the barometric pressure coefficient for cosmic-ray neutrons, **11:** 23
Long C. D. see White, Porter and Long, **20:** 40
Loomer E. I. see Whitham and Loomer, **8:** 349
Lougnead R. E.: The equations for a problem arising in Dungey's investigation of Bailey's theory of sunspot noise, **4:** 163
Loughnan C. J. see Gadsden and Loughnan, **18:** 332
Lovell A. C. B.: *Cosmical Electrodynamics—Alfvén* (BR), **2:** 83
: *Latin Treatises on Comets between* 1238 *and* 1368 *A.D.—Thorndike, ed.* (BR), **2:** 308
: A note on the interpretation of transient echoes from the ionosphere, **8:** 293
Lusignan B.: Cosmic noise absorption measurements, **23:** 126
Lynch G. J. E. see Singleton and Lynch, **24:** 353, 363
Lynch W. A.: *Fundamentals of Sonar—Horton* (BR), **13:** 383
Lyon A. J. see Appleton, Lyon and Pritchard, **7:** 292
and Moorat A. J. G.: Accurate height measurements using an ionospheric recorder, **8:** 309
see Appleton and Lyon, **10:** 1
Skinner N. J. and Wright R. W. H.: The belt of equatorial spread-*F*, **19:** 145
see Appleton and Lyon, **21:** 73
Skinner N. J. and Wright R. W.: Equatorial spread-*F* at Ibadan, Nigeria, **21:** 100
Lytle E. A. and Hunten D. M.: The ratio of sodium to potassium in the upper atmosphere, **16:** 236

McAlpine J. L.: see Hartz and McAlpine, **23:** 13
McCready L. L.: see Pawsey, McCready and Gardner, **1:** 261
MacCrone R. K.: and Nabarro F. R. N.: Behaviour of broadcast frequency waves at oblique incidence during an annular eclipse, **20:** 200
McCue C. G.: Concerning Green's reinterpretation of the magneto-ionic theory, **3:** 239
McDowell M. R. C. see Bates D. R., McDowell and Omholt, **10:** 51
see Bates D. R. and McDowell, **10:** 96; **11:** 200; **16:** 393
McElhinny M. W. see Szendrei and McElhinny, **8:** 108; **9:** 118
: Some further analyses of *E*-layer measurements in South Africa during the solar eclipse of 25 December 1954, **14:** 273
McInnes B. and Robertson, K. A.: Latitude distribution and seasonal variation of aurora over the British Isles during 1957 and 1958, **19:** 115
McIntosh B. A.: The meteoric head echo, **24:** 311
McIntosh D. H.: Geomagnetic "sudden commencements" at Lerwick, **1:** 223
: Geomagnetic solar-flare effects at Lerwick and Eskdalemuir, and relationship with allied ionospheric effects, **1:** 315
see Waldo Lewis and McIntosh, **3:** 186, **4:** 44, 78
: *Turbulent Transfer in the Lower Atmosphere—Priestley* (BR), **20:** 221
: *Upper Winds over the World, Parts I and II—Heastie and Stephenson* (BR), **22:** 79
: *Zyklen und Perioden in der Geophysik—Bayer* (BR), **22:** 79
Mack J. E. see Chamberlain, Hunten and Mack, **12:** 153
McKinley D. W. R.: *Meteor Astronomy—Lovell* (BR), **7:** 109
: Radio-echo duration and height of a Perseid meteor, **8:** 76
see McNamara and McKinley, **16:** 156
Macmillan R. S., Rusch W. V. T. and Golden R. M.: A new antenna to eliminate ground-wave interference in ionospheric sounding experiments, **13:** 183
McNamara A. G. and McKinley D. W. R.: The effect of trail irregularities on the interpretation of meteor echoes, **16:** 156
McPherson D. H. see Vallance Jones and McPherson, **12:** 166
and Vallance Jones A.: A study of the latitude dependence of OH rotational temperatures for Canadian stations, **17:** 302

G.I.
1950-62

MACRAKIS M. S.: A possible long-range communications link between ground and low-orbiting satellites, **19:** 260
MADDEVER R. S. see JONES O. C., MADDEVER and SANDERS, **17:** 134
MAEDA H. see HIRONO, MAEDA and KATO, **15:** 146
and YAMAMOTO M.: Daytime enhancement of the amplitude of geomagnetic sudden impulses in the equatorial region, **19:** 284
see YAMAMOTO and MAEDA, **20:** 212
see YASUHARA and MAEDA, **21:** 289
MAEDA K. and KIMURA I.: Calculation of the propagation path of whistling atmospherics, **15:** 58
Directional dependence of atmospheric temperature effects on cosmic-ray muons at sea-level, **19:** 184
MAEHLUM B.: The diurnal variation of *foF2* near the auroral zone during magnetic disturbances, **13:** 187
MALAVIYA V. see GHOSH and MALAVIYA, **21:** 243
MALHOTRA P. K. see LAL, MALHOTRA and PETERS, **12:** 306
MALVILLE J. M.: Type-*B* aurorae in the Antarctic, **16:** 59
: Excitation of helium in the aurora, **21:** 54
MANLEY G.: Antarctic Meteorology—Proceedings of the Melbourne Symposium, February, 1959 (BR), **22:** 221
MANNING A. W.: Measurements of the soft component of cosmic radiation by an absorption "well method", **10:** 189
MANNING L. A.: The strength of meteoric echoes from dense columns, **4:** 219
: Oblique echoes from over-dense meteor trails, **14:** 82
: Air motions at meteoric heights, **15:** 137
MAPELSON W. W. see CHALMERS and MAPLESON, **6:** 149
and WHITLOCK W. S.: Apparatus for the accurate and continuous measurement of the earth's electric field, **7:** 61
MARASIGHAN V.: Bifurcations in the *F*-region at Baguio, 1952–1957, **13:** 26
: Height-gradient of electron-loss in the *F*-region, **13:** 107
: Single and double inflexions on the *F*-trace, **16:** 193
: Spread-*F* in Baguio through half a solar cycle, **18:** 43
: Geomagnetic and sunspot influences on spread-*F* in Baguio, **18:** 257
: Damping coefficient of vibrating electrons, **19:** 65
MARIANI F.: The electron density in the *F2*-layer and its correlation with the solar activity, **10:** 239
: A new theoretical model of the composite *F*-layer, **16:** 160
MAROVICH E. see ROACH, MEGILL, REES and MAROVICH, **12:** 171
MARSDEN P. L., BERRY J. W., FIELDHOUSE P. and WILSON J. G.: Variation of cosmic-ray nucleon intensity during the disturbance of 23 February 1956, **8:** 278
WILSON J. G. and ROSE D. C.: Geomagnetic variations in the cosmic-ray disturbance of 23 February 1956, **10:** 117
MARTIN D.: *Circles—Pedoe* (BR), **16:** 396
MARTIN H. G.: Wave-guide mode propagation of very low frequency radio waves, **20:** 206
MARTIN J. D. see LAWRENCE, ALEXANDER and MARTIN, **24:** 1103
MARWADI P. R.: see CHIPLONKAR, KAREKAR and MARWADI, **24:** 9
MASS J.: Total ionospheric electron content by Doppler integral of the satellite signal, **24:** 549, (C) 751
MASSEY, H. S. W. see BATES D. R. and MASSEY, **2:** 1, 253
: *High Altitude Rocket Research—Newell* (BR), **6:** 176
MATHEWS W. G. and WALLACE L.: Auroral temperature determination from $A^2\Pi \rightarrow X^2\Sigma$ bands of the N_2^+ molecule, **20:** 1
MATSUSHITA S.: Lunar effects on the equatorial E_s, **10:** 163
: The morphology of the lower ionospheric region in auroral latitudes, **15:** 68

Matthews A. G. see Jelly, Matthews and Collins, **23:** 206
Mawdsley J.: Fading of satellite transmissions and ionospheric irregularities, **18:** 344
Maxfield J. E. and Selfridge R. G.: On the intersection of two slender cones, **10:** 46
Maxwell A. see Little and Maxwell, **2:** 356
Mazumdar S. C. see Mitra S. N. and Mazumdar, **10:** 32
see Rao M. K., Mazumdar and Mitra, **24:** 245
Meek J. H.: The location and shape of the auroral zone, **6:** 313
: Prediction techniques at high latitudes, Spec. Suppl. 1957—II: 101
: Polar disturbances Spec. Suppl. 1957—II: 120
Meeks M. L. and James J. C.: Meteor radiant distributions and the radio-echo rates observed by forward scatter, **16:** 228
Megill L. R. see Roach, Megill, Rees and Marovich, **12:** 171
see Roach, Tandberg-hanssen and Megill, **13:** 113, 122
: Photometric observations of the twilight glow [OI] 5577 and [OI] 6300, **17:** 276
Jamnick, P. M. and Cruz J. E.: Seasonal variations in the twilight enhancement of [OI] 5577, **18:** 309
Mendonça F. De see De Mendonça F.
Menzel W. see Augustin and Menzel, **1:** 37
Miles V. G.: Radar echoes associated with lightning, **3:** 258
Millman G. H. see Jones R. E., Millman and Nertney, **3:** 79
Minnis C. M.: The graphical representation of the longitude effect in *F2*-region, **2:** 261; **3:** 124
: Ionospheric behaviour at Khartoum during the eclipse of 25th February 1952, **6:** 91
: Electron production and recombination in the *E*-layer, **7:** 172
: A new index of solar activity based on ionospheric measurements, **7:** 310
: The effective recombination coefficients in the *E* and *F1* layers during the solar eclipse of 25th February 1952, **9:** 36
: The response of the ionosphere to the solar eclipse of 30th June 1954 in Great Britain, **9:** 201
Bazzard G. H. and Bevan H. C.: Ionospheric changes associated with the solar event of 23rd February 1956, **9:** 233
: Ionospheric changes at Singapore during the solar eclipse of 20 June 1955, **10:** 229
: Non-uniformity in the brightness of the sun's disk during the eclipse of 30 June 1954, **12:** 266
: The interpretation of changes in the *E*- and *F1*-layers during solar eclipses, **12:** 272
: Ionospheric changes at Singapore during the solar eclipse of 14 December 1955, **13:** 346
and Bazzard G. H.: Some indices of solar activity based on ionospheric and radio noise measurements, **14:** 213
and Bazzard G. H.: A daily index of solar activity based on *E*-layer ionization (July 1957–December 1958), **17:** 57
and Bazzard G. H.: The geographical distribution of ionization in the *F2*-layer, **18:** 181
and Bazzard G. H.: A monthly ionospheric index of solar activity based on *F2*-layer ionization at eleven stations, **18:** 297
and Bazzard G. H.: A world-wide semi-annual cycle in the *E*-layer of the ionosphere, **18:** 306
: An estimate of the peak sunspot number in 1968, **20:** 94
see Bazzard and Minnis, **22:** 192
Miranda H. A. Jr.: The radon content of the atmosphere in the New York area as measured with an improved technique, **11:** 272
: On the de-emanation of a radium solution, **12:** 80
Mitchell J. M. Jr.: Visual range in the polar regions with particular reference to the Alaskan Arctic, Spec. Suppl. 1957—I: 195
Mitra A. P. see Baral and Mitra, **1:** 95
: Solar tides in the ionosphere over Calcutta, **1:** 286
and Jones R. E.: Determination of the location of the ionospheric current system responsible for geomagnetic effects of solar flares, **4:** 141

G.I.
1950-62

and SHAIN C. A.: The measurement of ionospheric absorption using observations of 18.3 Mc/s cosmic radio noise, **4:** 204
: A tentative model of the equilibrium height distribution of nitric oxide in the high atmosphere and the resulting *D*-layer, **5:** 28
and JONES R. E.: The enhancement of ionospheric ionization during solar flares, **5:** 104
: *The Physics of the Stratosphere—Goody* (BR), **5:** 187
see SHAIN and MITRA, **5:** 316
see PEIFFER and MITRA, **6:** 291
: The lunar semi-diurnal oscillation in the ionospheric absorption of 150 kc/s radio waves, **7:** 99
: Night-time ionization in the lower ionosphere, **10:** 140, 153
see RAO M. N. and MITRA, **13:** 271
and SARADA K. A.: Determination of the electron content of the outer ionosphere from measurements of cosmic radio noise absorption, **23:** 348
MITRA R. K. see DAS GUPTA M. K. and MITRA, **24:** 408
MITRA S. N. and MAZUMDAR S. C.: Some measurements of ionospheric absorption at Delhi, **10:** 32
VIJ K. K. and DASGUPTA P.; Horizontal drift in the ionosphere over Delhi, **19:** 172
see RAO M. K., MAZUMDAR and MITRA, **24:** 245
MOISEIWITSCH B. L. see BATES D. R. and MOISEIWITSCH, **8:** 305; **11:** 68
MÖLLER H. G.: Sweep-frequency oblique-incidence experiments over a distance of 1320 km, **9:** 155
: Further results of sweep frequency oblique incidence experiments, **13:** 173
see DIEMINGER, MÖLLER and ROSE, **13:** 191; **14:** 179
MONTALBETTI R. and VALLANCE JONES A.: H_α emissions during aurorae over west-central Canada, **11:** 43
: Photoelectric measurements of hydrogen emissions in aurorae and airglow, **14:** 200
MOORAT A. J. G. see LYON and MOORAT, **8:** 309
MOORAT I. M. see CHAPPELL, HAINSWORTH and MOORAT, **3:** 301
MOORE R. C.: Forecasting of disturbed HF communication conditions, Spec. Suppl. 1957—II: 147
MORELAND W. B. see WEXLER and MORELAND, Spec. Suppl. 1957—I: 71
MORGAN M. G.: Whistlers, **15:** 54
MÜHLEISEN R.: On the deviations of the course of elements of atmospheric electricity on continents from the worldwide course, **8:** 146
: Electrode effect measurements above the sea, **20:** 79
MULDREW D. see HAGG, MULDREW and WARREN, **14:** 345
MULLALY R. F.: The calculation of group velocity in magneto-ionic theory, **9:** 322
MÜLLER R.: Solare and terrestrische Beobachtungen während des Mögel-Dellinger-Effektes (SID): Sonnenbeobachtungen, **1:** 37
MUNRO G. H. and HEISLER L. H.: Ionospheric records of soar eclipses, **12:** 57
MURTY Y. S. N. and KHASTGIR S. R.: Group refractive index of the ionosphere at low frequency, **17:** 309
and KHASTGIR S. R.: General expression for the group refractive index of the ionosphere, **21:** 65
and KHASTGIR S. R.: A note on the group refractive index of the ionosphere for zero collisional frequency, **24:** 141

NABARRO F. R. N. see MACCRONË and NABARRO, **20:** 200
NADI A. F. EL see EL NADI A. F.
NAISMITH R.: A subsidiary layer in the *E*-region of the ionosphere, **5:** 73
BEVAN H. C. and SMITH P. A.: A long term variation in the relationship of sunspot numbers to *E*-region character figures, **21:** 167
and SMITH P. A.: Further evidence of a long term variation in the relationship of solar activity to the ionosphere, **22:** 270

Namias J.: The general circulation of the lower troposphere over Arctic regions and its relation to the circulation elsewhere, Spec. Suppl. 1957—I: 45
Nazarek A. see Stergis, Coroniti, Nazarek, Kotas, Seymour and Werme, **6:** 233
Negaard B. J. see Chamberlain and Negaard, **9:** 169
Nelson J. H.: The gyromagnetic ratio of the proton, **19:** 292
Nertney R. J. see Jones R. E., Millman and Nertney, **3:** 79
: The lower E and D region of the ionosphere as deduced from long radio wave measurements, **3:** 92
Nestorov G. and J. Taubenheim: Untersuchungen an der ionosphärischen E-Schicht während der totalen Sonnenfinsternis 15 Februar 1961, **24:** 633
Neufeld E. L. see Greenhow and Neufeld, **6:** 133; **16:** 384
see Greenhow, Neufeld and Watkins, **18:** 174
Newstead G.: The determination of the velocity of winds from spaced fading experiments, **5:** 182
see Ellis and Newstead, **10:** 185
Nichol A. W. see Garriott and Nichol, **22:** 50
Nicholls R. W. see Wallace L. V. and Nicholls, **7:** 101; (C) **24:** 749
: Relative vibrational transition probabilities and r-centroids for the Meinel ($A^2\Pi X^2\Sigma$) band system of N_2^+, **12:** 211
see Hébert and Nicholls, **21:** 213
Nichols B.: Drift motions of auroral ionization, **11:** 292
Nicolet M.: Effects of the atmospheric scale-height gradient on the variation of ionization and short-wave absorption, **1:** 141
: The collision frequency of electrons in the ionosphere, **3:** 200
: The aeronomic problem of oxygen dissociation, **5:** 132
: The aeronomic problem of nitrogen oxides, **7:** 152
: Nitrogen oxides and the airglow, **7:** 297
see Bates D. R. and Nicolet, **18:** 65; **21:** 286
Nolan P. J. and Kenny P. J.: A modified McClelland method for measuring ionic mobilities, **2:** 266
and Kenny P. J.: Anomalous loss of condensation nuclei in rubber tubing, **3:** 181
: The disappearance of condensation nuclei in a sealed room: Remarks on a paper by Smith and Schilling, **5:** 345
: The equilibrium of ionization in the atmosphere and nuclear combination coefficients, **9:** 295
Norinder H. and Siksna R.: Mobility of atmospheric small ions during summer nights at Uppsala, **4:** 93
Northover F. H.: The anomalous propagation of radio waves in the 1–10 metre band, **2:** 106, (C) 200
The propagation of electromagnetic waves in ionized gases (with special reference to "whistlers"), **17:** 158, 170
The effect of multiple atmospheric inversions on tropospheric radio propagation, **20:** 295
Norton K. A.: Recent experimental evidence favouring the $\rho K_1(\rho)$ correlation function for describing the turbulence of refractibility in the troposphere and stratosphere, **15:** 206
Noxon J. F., Harrison A. W. and Vallance Jones A.: The infrared spectrum of the night airglow from 1·4 μ to 4·0 μ, **16:** 246
and Vallance Jones A.: An auroral emission in the 2·0–2·2 μ region, **18:** 341

Obayashi T. and Hakura Y.: Enhanced ionization in the polar ionosphere associated with geomagnetic storms, **18:** 101
O'Donnell G. A.: Electric conductivity and small-ion concentration of the atmosphere at one metre above ground and conductivity at ground level, **2:** 201
Ogbuehi P. O. see Onwumechilli A. and Ogbuehi, **24:** 173
Okamoto H. see Ôse, Aida and Okamoto, **15:** 130

G.I.
1950-62

Oksman J. see Dieminger, Oksman and Rose, **24:** 823
Omholt A.: The intensity distribution in the second positive band system of nitrogen in a laboratory light source and in the aurorae, **5:** 63
: Electron density in the *E*-layer during auroral displays deduced from measurements of absolute brightness of the auroral luminosity, **5:** 243
: Intensity measurements of the second positive band system of nitrogen in high-latitude aurorae, **6:** 61
: The auroral *E*-layer ionization and the auroral luminosity, **7:** 73
and Harang L.: Measurements of the mean lifetime of the metastable ^1S-state of the oxygen atom in the upper atmosphere during auroral displays, **7:** 247
: The recombination coefficient in the *E*-layer during aurorae, **7:** 345
: Characteristics of auroras caused by angular dispersed protons, **9:** 18
: Secondary processes due to absorption of the Lyman lines emitted from aurorae, **9:** 28
see Bates, McDowell and Omholt, **10:** 51
: The red and near-infrared auroral spectrum, **10:** 320
: On the excitation of the First Positive N_2 bands in aurorae, **20:** 217
Stoffregen W. and Derblom H.: Hydrogen lines in auroral glow, **24:** 203
see Holt and Omholt, **24:** 467
Ondoh T.: A possible explanation of *sc** observed at high geomagnetic latitudes, **21:** 284
: Variations of the earth's exosphere and geomagnetic disturbances during the geomagnetic storm of 4 September 1958, **22:** 233
Onwumechilli A.: Fluctuations in the geomagnetic horizontal field near the magnetic equator, **17:** 286
and Ogbuehi P. O.: Fluctuations in the geomagnetic horizontal field, **24:** 173
Onwumechilli C. A.: A study of the equatorial electrojet—I. An experimental study, **13:** 222
: A study of the equatorial electrojet that fits *H*-observations, **13:** 235; (C) **18:** 87
and Alexander N. S.: Variations in the geomagnetic field at Ibadan, Nigeria, **16:** 106; (C) **18:** 87; **16:** 115
: The relation between *H*- and *Z*-variations near the equatorial electrojet, **16:** 274
Ortner G. and El Nadi A. F.: Intermediate and large atmospheric ions at Cairo-Giza, **7:** 31
Osborne B. W.: Ionospheric behaviour in the *F2*-region at Singapore, **2:** 66
: Some practical determinations of the electron content below the level of maximum ionization in the *F2*-region of the ionosphere, **3:** 58
: The electron content of the *F2*-layer above Singapore, **4:** 82
: Horizontal movements of ionization in the equatorial *F*-region, **6:** 117
Osborne D. G.: Position and movement of the equatorial electrojet over Ghana, **24:** 491
Ôse M., Aida K. and Okamoto H.: Latitude dependence of *foF2* over the range of 20°N to 69°S, obtained by ship-borne ionospheric sounder, **15:** 130
Osterberg C. see Epstein, Osterberg and Adel, **8:** 347
Özdoğan I. see Ferraro V. C. A. and Özdoğan, **12:** 140

Paetzold H. K.: Erfassung der vertikalen Ozonverteilung in verschiedenen geographischen Breiten bei Mondfinsternissen, **2:** 183
: The mean vertical ozone distribution resulting from the photochemical equilibrium, turbulence and currents of air **3:** 125
: New experimental and theoretical investigations on the atmospheric ozone layer, **7:** 128
: The fluctuations of the acceleration of satellites **16:** 259
Palmer D. R. see Gold and Palmer, **8:** 287
Pande M. C. and Varma S. S.: Study of variations of the forbidden oxygen lines in the night-glow, **20:** 195
Paneth F. A. see Chackett, Paneth and Wilson, **1:** 49
: *The Comets and their Origin—Lyttleton* (BR), **5:** 115
Pant P. R. R. see Rao M. S. V. G., Rao and Pant, **17:** 345

PARKINSON D. see DALGARNO and PARKINSON, **18:** 335
PARKINSON R. W. see DAVIDS and PARKINSON, **7:** 173
: The night-time lower ionosphere as deduced from a theoretical and experimental investigation of coupling phenomena at 150 kc/sec, **7:** 203
: The fading periods of the *E*-region coupling echo at 150 kc/s **8:** 158
PARKINSON W. D.: Atmospheric space charge, **5:** 106
PARTHASARATHY R. see LITTLE, LERFALD and PARTHASARATHY, **23:** 275
PASQUILL F.: *Exploring the Atmosphere's First Mile—Lettau and Davidson, eds.* (BR), **12:** 348
PATON J.: *Cloud study: a Pictorial Guide—Ludlam and Scorer* (BR) **12:** 349
: *The Atmosphere and the Sea in Motion. The Rossby Memorial Volume—Bolin, ed.* (BR) **19:** 293
: *Atlantic Hurricanes—Dunn and Miller* (BR), **20:** 220
: *Handbook of Aviation Meteorology* (BR), **22:** 224
: *Mesures en Météorologie—Perlat and Petit* (BR) **24:** 667
: *Chemical Reactions in the Lower and Upper Atmosphere* (BR) **24:** 748
: *The Physics of Rainclouds—Fletcher* (BR) **24:** 1001
PAUL A. see BIBL, PAUL and RAWER, **16:** 324; **23:** 244
PAWSEY J. L., MCGREADY L. L. and GARDNER F. F.: Ionospheric thermal radiation at radio frequencies, **1:** 261
see GARDNER and PAWSEY, **3:** 321
: Radar observations of lightning on 1.5 metres, **11:** 289
: The question of radio emission by the ionosphere, **15:** 51
PEDERSON K. see HARANG and PEDERSON, **10:** 44
PEIFFER H. R. and MITRA A. P.: The effect of vertical ion transport on the night-time *E*-region, **6:** 291
PENNDORF R. and HILL G. E.: The absorption effect in the Arctic during a severe ionospheric storm, **23:** 191
: A spread-*F* index, **24:** 543
: Classification of spread-*F* ionograms, **24:** 771
PENTON W. A. see ALLAN, CROMBIE and PENTON, **10:** 110
PETERS B. see LAL, MALHOTRA and PETERS, **12:** 306
: Cosmic-ray-produced radioactive isotopes as tracers for studying large-scale atmospheric circulation, **13:** 351
PETIT H. B. see ST. AMAND, PETTIT, ROACH and WILLIAMS, **6:** 189
PETRIE L. E. see FULTON, PETRIE and WARD, **16:** 185
PETRIE W.: Rotational temperature of auroral nitrogen bands, **4:** 5
PFISTER W. and ULWICK J. C.: Analysis of pulse-delay data from rockets for the determination of electron density, **15:** 161
PHADKE K. R. see AIYA and PHADKE, **7:** 254
PHILLIPS G. J.: Measurement of winds in the ionosphere, **2:** 141
: An apparatus for recording time-delays between radio fading characteristics, **6:** 124
PICKARD G. W. and STETSON H. T.: Comparison of tropospheric reception at 44.1 mc and at 92.1 mc, over the 167-mile path, Alpine, New Jersey, to Needham, Massachusetts, 1947–1948, **1:** 32
PIERCE E. T. see LARGE and PIERCE, **10:** 251
: Nuclear explosions and a possible secular variation of the potential gradient in the atmosphere, **11:** 70
PIERRARD J. M. see ROSINSKI and PIERRARD, **24:** 1017
PIGGOTT W. R. see APPLETON and PIGGOTT, **2:** 236
: *Zahlenwerte und Funktionen aus Physik, Chemie, Astronomie, Geophysik und Technik, Volume 3, Astronomie und Geophysik—Landolt-Börnstein* (BR), **3:** 70
see APPLETON and PIGGOTT, **3:** 121; **5:** 141
: On the interpretation of the apparent ionization distribution in the ionosphere, **5:** 201

G.I.
1950-62

: On the variation of ionospheric absorption at different stations, **7:** 244
: The measurement of normal *E*-layer critical frequencies at night, **7:** 341
: A rapid method for obtaining accurate virtual heights from an ionogram, **14:** 175
: The gyro-frequency in the *E*-layer above Slough, England, **16:** 197
and Bhattacharyya J.: On the mode of propagation in the *E*-layer, **17:** 150
and Barclay L. W.: The reflection of radio waves from an iceshelf, **20:** 298
Pillet G.: Anomalies dans les mesures de l'absorption ionosphérique, **23:** 57
Plank V. G.: Convection and refractive index inhomogeneities, **15:** 228
Poeverlein H.: Low frequency reflection in the ionosphere, **12:** 126, (C) 352, 236
Porter N. A. see Cranshaw, Galbraith and Porter, **8:** 274
see White, Porter and Long, **20:** 40
Price W. L.: Anomalous ionospheric reflection during solar eclipses, **16:** 93
Pritchard A. G. see Appleton, Lyon and Pritchard, **7:** 292
Pütter P. S.: Ionospheric wind determination from spaced radio-receiver fading records (D), **9:** 163

Raghava Rao R. see Rao R. R.
Raja Rao K. S. see Rao K. S. R.
Ram R. L. see Singh B. N. and Ram, **13:** 190; **16:** 145
Ramachandra Rao B. see Rao B. R.
Ramana K. V. V. and Rao B. R.: Investigation of ionospheric absorption on 5.65 Mc/s at Waltair, **22:** 1
and Rao B. R.: Lunar daily variation of horizontal drifts in the ionosphere at Waltair, **24:** 220
Rao B. R. see Rao M. S. and Rao B. R., **10:** 307
see Gibbons and Rao, **11:** 151
see Rao M. S. and Rao B. R., **12:** 293
and Rao E. B.: Study of horizontal drifts in the *F1*- and *F2*-regions of the ionosphere at Waltair (17°43′N, 83°18′E, mag. lat. 9°30′N), **14:** 94
see Rao M. S. V. G., Rao B. R. and Pant **17:** 345
see Rao E. B. and Rao B. R., **20:** 296
see Rao R. R.: A new type of ionospheric drift recorder, **21:** 208
see Ramana and Rao, **22:** 1
see Rao M. S. V. G. and Rao B. R. **22:** 12
see Rao R. R. and Rao B. R., **22:** 81, 158
see Ramana and Rao, **24:** 220
see Reddy and Rao, **24:** 401
see Krishnamurthy and Rao, **24:** 742
Rao C. S. R.: Study of the geomagnetic anomaly during sunspot maximum, **24:** 729
Rao E. B. see Rao B. R. and Rao E. B., **14:** 94
and Rao B. R.: Travelling disturbances in the *F*-region over Waltair, **20:** 296
Rao K. S. R.: On the seasonal variation in lunar and solar geomagnetic tides in the geomagnetic equatorial region, **20:** 289
Rao M., Bhattacharya H. and Khastgir S. R.: Electric field-changes during cloud-to-cloud discharges, **24:** 989
Rao M. K., Mazumdar S. C. and Mitra S. N.: Investigation of ionospheric absorption at Delhi, **24:** 245
Rao M. N. and Mitra A. P.; Effect of vertical drifts on the nocturnal ionization of the lower ionosphere, **13:** 271
Rao M. S. and Rao B. R.: Analysis of fading records from four spaced receivers for ionospheric wind measurements, **10:** 307
and Rao B. R.: Investigation of magneto-ionic fading in oblique incidence medium-wave transmissions, **12:** 293
Rao M. S. V. G., Rao B. R. and Pant P. R. R.: Correlation of spread-*F* activity with *F*-region height changes, **17:** 345
and Rao B. R.: Nocturnal and seasonal variations of equatorial spread-*F*, **22:** 12

Rao R. R. see Rao B. R. and Rao R. R., **21:** 208
and Rao B. R.: Study of horizontal drifts in the *E*-region at Waltair, **22:** 81
and Rao B. R.: Height gradients of horizontal drifts in the *E*-region over Waltair, **22:** 158
Rastogi R. G.: Two types of development of the *E2* layer at Ahmedabad, **9:** 71
: Geomagnetic influence on the *F1*- and *F2*-regions of the ionosphere—effect of solar activity, **14:** 31
: A synoptic study of the *F2*-region of the ionosphere in the Asian zone, **18:** 315
: The morphology of lunar semi-diurnal variation in *foF2* near solar noon, **22:** 290
: Thunderstorms and sporadic-*E* layer ionization over Ottawa, Canada, **24:** 533
: Longitudinal variation in the equatorial electrojet, **24:** 1031
Ratcliffe J. A.: The analysis of fading records from spaced receivers, **5:** 173
: The formation of the ionospheric layers *F-1* and *F-2*, **8:** 260
Robbins A. R. and Thomas J. O.: Movements in the quiet *F*-layer over Slough, **15:** 21
Rawer K. see Barré and Rawer, **1:** 311
: Comparaison des résultats de measures de l'absorption ionosphérique effectuées par deux stations européennes, **2:** 38
see Bibl and Rawer, **2:** 51
: Note on the longitude effect in the *F* region, **3:** 123
see Bibl, Busch, Rawer and Suchy, **6:** 69
: Focusing on a "rippled" ionosphere, **8:** 296
see Harnischmacher and Rawer, **13:** 1
: Irregularities and movements in the *F*-region, **15:** 38
: Drift in the *E*-region, **15:** 141
see Bibl, Paul and Rawer, **16:** 324; **23:** 244
Ray S. see Saha and Ray, **7:** 107
Reddish V. C.: *General Relativity and Cosmology—McVittie* (BR) **10:** 346
Reddy C. A. and Rao B. R.: Polarization characteristics of E_s-echoes at Waltair, **24:** 401
Reed R. J.: Arctic weather analyses, Spec. Suppl. 1957—I: 124
Rees M. H. see Roach, Megill, Rees and Marovich, **12:** 171
: Absolute photometry of the aurora, **14:** 325, 338
Regener E.: Über Schwankungen des Ozons in der Troposphäre und Stratosphäre, **2:** 173
Reid G. C. and Collins C.: Observations of abnormal VHF radio wave absorption at medium and high latitudes, **14:** 63
: Discussion of the paper "Observed variations in the amplitude scintillations of the Cassiopeia (23N5A) source" by H. J. A. Chivers, **20:** 300
and Leinbach H.: Morphology and interpretation of the great polar cap absorption events of May and July 1959, **23:** 216
Reid J. H. see Ellison M. A. and Reid, **8:** 291
Rein G. C. see Stergis, Rein and Kangas, **11:** 77, 83
Reynolds A. J.: Energy transport due to turbulent mixing in the atmosphere, **20:** 149
Rikitake T. and Yukutake T.: A theory of s.f.e. current systems, **24:** 93
Rishbeth H. and Barron D. W.: Equilibrium electron distributions in the ionospheric *F2*-layer **18:** 234
: Diffusion of ionization in the sunrise *F*-layer, **20:** 277
and Setty C. S. G. K.: The *F*-layer at sunrise, **20:** 263
Roach F. E. see St. Amand, Pettit, Roach and Williams, **6:** 189
see Hunten, Roach and Chamberlain, **8:** 345
Megill L. R., Rees M. H. and Marovich E.: The height of nightglow 5577, **12:** 171
Tandberg-Hanssen E. and Megill L. R.: The characteristic size of airglow cells, **13:** 113
Tandberg-Hanssen E. and Megill L. R.: Movements of airglow cells, **13:** 122

G.I.
1950-62

ROBBINS A. see THOMAS J. O., HASELGROVE and ROBBINS, **12:** 46
see THOMAS J. O. and ROBBINS, **12:** 77, **13:** 131
see RATCLIFFE, ROBBINS and THOMAS, **15:** 21
and THOMAS J. O.: The disturbed *F*-layer over Slough, **15:** 102
ROBERTS J. A. see WILD and ROBERTS, **8:** 55
ROBERTS R. see HARGREAVES and ROBERTS, **24:** 435
ROBERTS W. O. and TROTTER D. E.: Solar prominences and geomagnetic disturbance, **6:** 282
ROBERTSON D. S., LIDDY D. T. and ELFORD W. G.: Measurements of winds in the upper atmosphere by means of drifting meteor trails—I, **4:** 255
see ELFORD and ROBERTSON, **4:** 271
ROBERTSON K. A. see MCINNES and ROBERTSON, **19:** 115
ROBINSON B. J.: Diurnal variation of the electron distribution in the ionospheric *E*-layer, **18:** 215
: On some disturbances in the *E*-region, **19:** 160
RÖDSRUD J. see ENDRESEN, HAGFORS, LANDMARK and RÖDSRUD, **12:** 329
ROESLER F. L., FAN C. Y. and CHAMBERLAIN J. W.: Interpretation of rotational temperatures of auroral N_2^+ bands—I. Proton impact at intermediate energies, **12:** 200
ROGERS G. L.: Diffraction microscopy and the ionosphere, **10:** 332
: An experimental verification of diffraction microscopy, using radio waves, **11:** 51
: Diffraction microscope and the ionosphere: use of a satellite, **12:** 220
ROLLAND P. see LEPECHINSKY and ROLLAND, **24:** 813
ROMICK G. J., ELVEY C. T.: Variations in the intensity of the hydrogen emission line H_β during auroral activity, **12:** 283
ROSE D. C. see MARSDEN, WILSON and ROSE, **10:** 117
ROSE G. see DIEMINGER, MÖLLER and ROSE, **13:** 191; **14:** 179
see DIEMINGER, OKSMAN and ROSE, **24:** 823
ROSENFELD L.: *Variational Principles in Dynamics and Quantum Theory—Yourgrau and Mandelstam* (BR), **7:** 110
: *Proceedings of the Third Berkeley Symposium on Mathematical Statistics and Probability, Vol. III. Astronomy and Physics—Neyman, ed.* (BR) **12:** 347
ROSENHEAD L.: *The Stability of Rotating Liquid Masses—Lyttleton* (BR), **5:** 112
ROSINSKI J. and PIERRARD J. M.: On Bowen's hypothesis, **24:** 1017
ROSS L. W.: Accuracy of solar-flare observations, **7:** 344
ROSS M. A. S.: *Physical Gas Dynamics—Predvoditelev, ed.* (BR), **24:** 326
ROSS W. J. see HOUSTON, ROSS and SCHMERLING, **10:** 136
RUBIN S.: Liquid particles in atmospheric haze, **2:** 130
RUMI G. C.: Preliminary results of experiment Luxembourg, **23:** 101
RUMSEY N. J.: Curvature-induced error in the analysis of fading records, **11:** 255
RUNCORN S. K.: *Advances in Geophysics, Vol. 1—Landsberg, ed.* (BR), **5:** 250
: *Advances in Geophysics, Vol. 2—Landsberg, ed.* (BR), **10:** 347
: *Advances in Geophysics, Vol. 3—Landsberg, ed.* (BR), **12:** 349
: On the hypothesis that the mean geomagnetic field for parts of geological time has been that of a geocentric axial multipole, **14:** 167
: *Handbuch der Physik. Geophysik II. Vol. 48—Bartels. ed.* (BR), **16:** 397
RUNDLE H. N., HUNTEN D. M. and CHAMBERLAIN J. W.: Resonance scattering by atmospheric sodium—VII. Measurement of the vertical distribution in twilight, **17:** 205
RUSCH W. V. T. see MACMILLAN, RUSCH and GOLDEN, **13:** 183
RYDER N. V. see CHAPMAN N. G. and RYDER, **11:** 291

SAGALYN R. C. and FAUCHER G. A.: Aircraft investigation of the large ion content and conductivity of the atmosphere and their relation to meteorological factors, **5:** 253
SAHA A. K. and RAY S.: Some features of the E_2-layer observed at the ionosphere field station Haringhata, Calcutta, **7:** 107
ST. AMAND P., PETTIT H. B., ROACH F. E. and WILLIAMS D. R.: On a new method of determining the height of the nightglow, **6:** 189

Sales G. S. and Bowhill S. A.: Apparent ionospheric motion in the night-time *D*-region, **24:** 451
Salmon K. see Gadsen and Salmon, **22:** 75
Salow H.: Solare and terrestrische Beobachtungen während des Mögel-Dellinger-Effektes (SID): Eine kurzzeitige Zunahme der Höhenstrahlung um 15% am 19. November 1949, **1:** 40
Sanders J. H. see Jones O. C., Maddever and Sanders, **17:** 134
Sandford B. P.: Aurora and airglow from colour film observations, **21:** 177
: The behaviour of night-sky 6300, 5577 and 3914 Å emissions at Scott Base, Antarctica, **21:** 182
: Polar-glow aurora in polar cap absorption events, **24:** 155
Sao K.: A note on the phase-frequency spectra analysed from waveforms of atmospherics, **24:** 993
Sarada K. A.: Sudden cosmic noise absorption associated with the solar event of 23 March 1958, **13:** 192
see Mitra A. P. and Sarada, **23:** 348
Sato T.: Ionospheric *F2*-disturbances associated with geomagnetic storms, **15:** 116
Satyanarayana R., Bakhru K. and Khastgir S. R.: Triple splitting of the *F*-echoes, **13:** 201
Saunders P. M.: *Artificial Stimulation of Rain—Weickmann and Waldo Smith* (BR), **12:** 222
Scherhag R.: The role of tropospheric cold-air poles and of stratospheric high-pressure centers in the Arctic weather, Spec. Suppl. 1957–I: 101
Schilling G. F. see Smith L. G. and Schilling, **4:** 314
Schlapp D. M.: Some measurements of collision frequency in the *E*-region of the ionosphere, **16:** 340
: An attempt to measure the collision frequency of electrons in the *F*-region of the ionosphere, **17:** 246
Schmelovsky K. H.: The electron density distribution derived from whistler data and Faraday fading observations **19:** 68
see Sprenger, Lauter and Schmelovsky, **24:** 1041
Schmerling E. R. see Houston, Ross and Schmerling, **10:** 136
: An easily applied method for the reduction of *h-f* records to *N-h* profiles including the effects of the earth's magnetic field, **12:** 8
and Ventrice C. A.: Coefficients for the rapid reduction of *h'-f* records to *N-h* profiles without computing aids, **14:** 249
Schminder R. see Koch and Schminder, **24:** 545
Scholte J. G. and Veldkamp J.: Geomagnetic and geoelectric variations, **6:** 33
: On the theory of giant pulsations, **17:** 325
Schumacher N. J.: Some problems of meteorological observing in Polar regions, Spec. Suppl. 1957—I: 212
Schwentek H.: Short-wave fadeouts, their modes and complete characterization, **23:** 68
Scott J. C. W.: The distribution of *F2*-region ionization at high latitudes, **3:** 289
Scott J. L. see King J. W. and Scott, **24:** 569
Seaton M. J.: Excitation processes in the aurora and airglow **4:** 285, 295
: On the extinction correction used in the determination of airglow emission heights by the van Rhijn method, **8:** 115
: A possible explanation of the drop in *F*-region critical densities accompanying major ionospheric storms, **8:** 122
Seidel G. see Flohn and Seidel, Spec. Suppl. 1957—I: 62
Selfridge R. G. see Maxfield and Selfridge, **10:** 46
Sen A. K. see Das Gupta M. K. and Sen, **24:** 739
Setty C. S. G. K. see Jones I. L., Landmark and Setty, **10:** 296
: Eclipse effects on the *F*-layer at sunrise, **19:** 73
: Some studies of bifurcation of the ionospheric *F*-layer into *F1* and *F2*, **19:** 82

G.I.
1950-62

: A pre-sunrise phenomenon and the presence of negative ions in the *F*-region of the ionosphere, **19:** 88
: Eclipse effects on the *F1*-layer observed at Cambridge on 30 June 1954, **19:** 95
see RISHBETH and SETTY, **20:** 263
see JONES I. L., LANDMARK and SETTY, Spec. Suppl. 1957—II: 41
SEYMOUR D. W. see STERGIS, CORONITI, MAZAREK, KOTAS, SEYMOUR and WERME, **6:** 233
SHAIN C. A. see MITRA A. P. and SHAIN, **4:** 204
and MITRA A. P.: Effects of solar flares on the absorption of 18.3 Mc/s cosmic noise, **5:** 316
and KERR F. J. : A note on factors affecting the interpretation of observations of transient echoes from the ionosphere, **6:** 280
: Changes in the absorption of cosmic noise observed during two ionospheric disturbances, **7:** 347
SHANACK S.: A theoretical current density Ansatz for the quiet day solar semi-diurnal tidal mode of oscillation of the ionosphere, **17:** 337
SHAPLEY A. H.: International Geophysical Calendar for 1961, **20:** 72
: Geographic distribution of geophysical stations on the polar cap (A), Spec. Suppl. 1957—II: 108
SHARMA A. see GHOSH S. N. and SHARMA, **20:** 110
SHEARMAN E. D. R. and HARWOOD J.: Sporadic-*E* as observed by back-scatter techniques in United Kingdom, **18:** 29
SHEFOV N. N. see KRASSOVSKY, SHEFOV and YARIN, **21:** 46
SHEMANSKY D. E. and VALLANCE JONES A.: New measurements of the night airglow spectrum in the 1.5 μ region, **22:** 166
SHEPHERD G. G. see HUNTEN and SHEPHERD, **5:** 57; **6:** 64
and HUNTEN D. M.: On the measurements of rotational temperature from unresolved auroral nitrogen bands, **6:** 328
SHEPHERD L. R.: *Rocket Exploration of the Upper Atmosphere—Boyd and Seaton, eds.* (BR), **6:** 227
SHEPPARD P. A.: *Atmospheric Diffusion—Pasquill* (BR) **24:** 747
SHERIFF R. M.: A study of the total electron content of the *F*-region of the ionosphere over Ahmedabad (23°N, 72° 38′E), India, **8:** 91
SHIMAZAKI T.: Effect of the S_q current system on the ionospheric *E*- and *F1* layers, **15:** 77
: Dynamical structure of the ionospheric *F2*-layer as deduced from the world-wide daily variations, **15:** 108
SHINN, D. H. and WHALE H. A.: Group velocities and group heights from the magneto-ionic theory, **2:** 85, (C) 200
: The analysis of ionospheric records (ordinary ray) I, **4:** 240
SIEDENTOPF H. see ELSÄSSER and SIEDENTOPF, **8:** 222
SIKSNA R. see NORINDER and SIKSNA, **4:** 93
: Mobility of small atmospheric ions in the air from the ground at Uppsala, **4:** 106
SILBERSTEIN R.: The origin of the current nomenclature for the ionospheric layers, **13:** 382
SILLITTO R. M.: *Variational Principles in Dynamics and Quantum Theory—Yourgrau and Mandelstam* (BR), **20:** 221
SILVERMAN S. M.: On the "chasms" of Aristotle and Pliny, **24:** 1108
SIMHA O. P. see SINGH B. N. and SIMHA, **19:** 141
SINGER S. F.: Geophysical effects of solar corpuscular radiation, **15:** 48
SINGH B. N. and RAM R. L.: A peculiar type of periodic fading, **13:** 190
and RAM R. L.: Rhythmic fading of short-wave radio signals, **16:** 145
and SIMHA O. P.: The variation of the rate of fading with frequency, **19:** 141
SINGH R. N. and KHASTGIR S. R.: Study of "winds" in the *F*-region of the ionosphere during the unusual days in the IGY-Calendar, **16:** 376
see KHASTGIR and SINGH, **18:** 123
and TOLPADI S. K.: Magnetic field of the *F*-region from *h′-f* records, **24:** 824

Singleton D. G.: On the apparent long term negative correlation between scintillations and spread-*F*, **22:** 219
and Lynch G. J. E.: The scintillation of the radio transmissions from Explorer VII, **24:** 353, 363
: Spread-*F* and the parameters of the *F*-layer of the ionosphere, **24:** 871, 885, 899, 909
Sinno K.: On the origin of the long-lived solar corpuscular streams which appeared during the last solar cycle, 1950–53, **15:** 151
Sittkus A.: Solare and terrestrische Beobachtungen während des Mögel-Dellinger-Effektes (SID): Über Beobachtungen der kosmischen Strahlung vom 18–23. November 1949, **1:** 41
Untersuchung des Tagesganges der kosmischen Ultrastrahlung mit einer grossen Ionisationskammer, **7:** 80
Skinner N. J. and Wright R. W.: Recombination and ion production from the total electron content, **7:** 105
see Wright R. W., Koster and Skinner, **8:** 240
and Wright R. W.: Equatorial ionospheric absorption, **9:** 103
see Wright R. W. and Skinner, **13:** 217; **15:** 121
see Lyon, Skinner and Wright, **19:** 145; **21:** 100
Brown R. A. and Wright R. W.: Multiple stratification of the *F*-layer at Ibadan, **5:** 92
and Wright R. W.: *F2*-layer irregularities at Ibadan, **5:** 290
and Wright R. W.: Some geomagnetic effects in the equatorial *F2* region, **6:** 177
Smiddy M. and Chalmers J. A.: The double field-mill, **12:** 206
Smith E. K. see Thomas J. A. and Smith, **13:** 295
and Knecht R. W.: Some implications of slant-E_s, Spec. Suppl. 1957—II: 195
Smith F. G.: Ionospheric refraction of 81.5 Mc/s radio waves from radio stars, **2:** 350
: *Radio Astronomy—Pawsey and Bracewell* (BR), **8:** 352
: *Cosmic Radio Waves*—Shklovsky (BR), **22:** 224
Smith J. W. see Weiss and Smith, **12:** 217
Smith L. G. and Schilling G. F.: The variation of electrical conductivity of air within sealed rooms, **4:** 314
: Electric field-change studies of lighting, **15:** 251
Smith P. A. see Naismith, Bevan and Smith, **21:** 167
see Naismith and Smith, **22:** 270
Smith-Rose R. L.: *Micro-wave Measurements—Barlow and Cullen* (BR), **2:** 83
: *Recent advances in Radio Receivers—Moxon* (BR), **2:** 260
: *Theory and Design of Television Receivers—Deutsch* (BR), **4:** 92
: *Communication Theory—Willis Jackson, ed.* (BR), **5:** 111
: *Advances in Electronics, Vol. 5—Marton, ed* (BR), **5:** 251
: *A Textbook of Radar—Bowen, ed.* (BR), **5:** 354
: *Probability and Information Theory, with Applications to Radar—Woodward* (BR), **5:** 355
: *Some Ionospheric Results obtained during the International Geophysical Year—Beynon, ed.* (BR), **22:** 222
Sneddon I. N.: *Eight and Nine Place Tables of Elliptical Functions—Schuler and Gebelein* (BR), **10:** 345
Somervell W. J. Jr. see George, Wolff and Somervell, Spec. Suppl. 1957—I: 156
Spencer-Jones H: Dr. Bernard Lyot—Obituary, **2:** 259
Sprenger K., Lauter E. A. and Schmelovsky K. H.: Solar eclipse effects in low and medium frequency propagation, **24:** 1041
Srirama Rao M. see Rao M. S.
Srivastava R. S. see Tantry and Srivastava, **13:** 38
Staley R. C. see Jehn and Staley, **3:** 163
Stanley J. P.: The absorption of long and very long waves in the ionosphere, **1:** 65
see Whale and Stanley, **1:** 82

G.I.
1950-62

Stebbings R. F., Groves G. V., Boyd R. L. F. and Bowen P. J.: Low-altitude testing of the rocket-grenade experiment for upper atmosphere temperatures and winds, **18:** 184
Stergis C. G., Coroniti S. C., Nazarek A., Kotas D. E., Seymour D. W. and Werme J. V.: Conductivity measurements in the stratosphere, **6:** 233
Rein G. C. and Kangas T.: Electric field measurements in the stratosphere, **11:** 77
Rein G. C. and Kangas T.: Electric field measurements above thunderstorms, **11:** 83
Stetson H. T. see Pickard and Stetson, **1:** 32
Stewart A. L. see Griffing and Stewart, **4:** 339
Stewart D. T.: A spectrophotometric investigation of the air afterglow, **10:** 318
Stockhausen J. G. see Barton and Stockhausen, **9:** 161
Stoffregen W.: Radio reflections on low frequencies from 75 to 90 km height during intense aurora activity, **13:** 167
: The east-west drift of auroral forms determined from all-sky camera films, **21:** 257
see Omholt, Stoffregen and Derblom, **24:** 203
Stranz D.: Weitere Ergebnisse der Fade-Out Statistik, **2:** 79
: Solar activity and the altitude of the tropopause near the equator, **16:** 180
Subrahmanyan R. V. see Bhargava and Subrahmanyan, **20:** 81; **24:** 321
Suchy K. see Bibl, Busch, Rawer and Suchy, **6:** 69
see Delobeau and Suchy, **9:** 45
Suryanarayana R. K.: Effect of radio fade-out on the *F2*-layer, **24:** 57
Sutcliffe H. F. see Barber D., Sutcliffe and Watkins, **24:** 585, 599
Sutcliffe R. C.: *Methoden und Probleme der Wettervorhersage—Reuter* (BR), **7:** 111
Sutton O. G.: Sir Nelson Johnson—Obituary, **5:** 188
: *Physical Meteorology—Johnson* (BR), **5:** 250
Swift D. W.: The effect of solar X rays on the ionosphere, **23:** 29
Szendrei M. E. and McElhinny M. W.: Preliminary results of the ionospheric solar eclipse of 25 December 1954, **8:** 108
and McElhinney M. W.: Recombination and attachment in the *F1* and *F2* layers during the solar eclipse of 25 December 1954, **9:** 118

Taieb C. see Lepechinsky and Taieb, **18:** 152
Tandberg-Hanssen E. see Roach, Tandberg-Hanssen and Megill, **13:** 113, 122
Tandon J. N.: Cosmic ray increases during the sunspot minimum of 1953, **21:** 203
Tantry B. A. P. and Srivastava R. S.: Waveforms of atmospherics with superimposed pulses recorded with an automatic atmospherics recorder, **13:** 38
Taubenheim J.: Über den Einfluss von Sonneneruptionen auf die ionosphärische *E*-Schicht, **11:** 14
see Volland and Taubenheim, **12:** 258
: Incoherency of pulse echoes and the measurement of ionospheric absorption, **18:** 147
: Information on the ionizing radiation of solar flares from the ionospheric absorption effect, **24:** 191
see Nesterov and Taubenheim, **24:** 633
Taylor R. E. see Thomas L. and Taylor, **21:** 205
Tennent R. M. see Barford, Davis, Herz, Tennent and Tidman, **5:** 219; (C) **6:** 172
Theissen E.: L'influence du cycle solaire sur le facteur de transmission (*M*3000)*F2*, **6;** 243
Thomas J. A. and Smith E. K.: A survey of the present knowledge of sporadic*E*- ionization, **13:** 295
and Hibberd F. H.: Satellite Doppler measurements and the ionosphere, **13:** 376
see Hibberd and Thomas, **17:** 71
Thomas J. O. see Beynon and Thomas, **9:** 184
Haselgrove J. and Robbins A.: The electron distribution in the ionosphere over Slough—I. Quiet days, **12:** 46
and Robbins A.: Ionospheric true height and M.U.F. calculations, **12:** 77
and Robbins A.: The electron distribution in the ionosphere over Slough—II. Disturbed days, **13:** 131

see RATCLIFFE, ROBBINS and THOMAS, **15:** 21
see ROBBINS and THOMAS, **15:** 102
THOMAS L.: Some measurements of horizontal movements in region-*F2* using widely spaced observing stations, **14:** 123
and TAYLOR R. E.: Sporadic-E phenomena associated with the high altitude nuclear explosions over Johnston Island, **21:** 205
: Year-to-year changes in the winter anomaly in ionospheric absorption, **21:** 215
: The winter anomaly in ionospheric absorption, **23:** 301
: The distribution of dense E_s ionization at high latitudes, **24:** 643
THOMPSON A. R.: Sweep frequency observations of meteor scatter bursts, **22:** 161
THOMPSON J. H. see AITCHISON, THOMPSON and WEEKES, **14:** 244
THRANE E. see BARRINGTON and THRANE, **24:** 31
TIDMAN D. A. see BARFORD, DAVIS, HERZ, TENNENT and TIDMAN, **5:** 219; (C) **6:** 172
TINSLEY B. A. and VALLANCE JONES A.: The seasonal variation of the twilight sodium airglow in the southern hemisphere, **24:** 345
TITHERIDGE J. E.: Variations in the direction of arrival of high-frequency radio waves, **13:** 17
: Ray paths in the ionosphere. Approximate calculations in the presence of the earth's magnetic field, **14:** 50
: The calculation of real and virtual heights of reflection in the ionosphere, **17:** 96
: The use of the extraordinary ray in the analysis of ionospheric records, **17:** 110
: Ionization below the night-time *F*-layer, **17:** 126
: The analysis of night-time $h'(f)$ records, **20:** 209
: A new method for the analysis of ionospheric $h'(f)$ records, **21:** 1
: The effect of collisions on the propagation of radio waves in the ionosphere, **22:** 200
: The electron density in the lower ionosphere, **24:** 269
: The stratification of the lower ionosphere, **24:** 283
TOLPADI S. K. see SINGH R. N. and TOLPADI, **24:** 824
TRØIM J. see HARANG and TRØIM, **14:** 107
see FRIHAGEN and TRØIM, **18:** 75; **20:** 215
TROTTER D. E. see ROBERTS W. O. and TROTTER, **6:** 282

ULWICK J. C. see PFISTER and ULWICK, **15:** 161
UMAN M. A.: Bead lightning and the pinch effect, **24:** 43
UMLAUFT G.: Focusing of electromagnetic waves by E_s-clouds, **18:** 253
UNZ H.: On the evaluation of the group refractive index in case of no collisions, **20:** 189
: A solution of the integral equation $h'(f) = \int \mu'(f;f_0)\, dz(f_0)$, **21:** 40
: On vertical drift velocities of the *F2*-layer, **21:** 237
: The effect of small values of $Z = \nu/\omega$ on the complex refractive index in the magneto-ionic theory, **22:** 100
: Simplified analysis of ionospheric $h'(f)$ records, using wave refractive index, **24:** 475
: On the evaluation of electron density distribution in the outer ionosphere by satellite radio signals, **24:** 521
: On the origin of "very-low-frequency emissions", **24:** 685
: On the theory of hybrid whistlers, **24:** 765

VALLANCE JONES A. and HARRISON A. W.: Rotational temperatures of the auroral N_2^+ bands, **6:** 336
see GUSH and VALLANCE JONES, **7:** 285
see MONTALBETTI and VALLANCE JONES, **11:** 43
see HARRISON A. W. and VALLANCE JONES, **11:** 192
and MCPHERSON D. H.: The seasonal variation of the intensity ratio of the *D*-lines in twilight, **12:** 166
and HARRISON A. W.: $^1\Delta g$–$^3\Sigma g$–O_2 Infrared emission band in the twilight airglow spectrum, **13:** 45
see HARRISON A. W. and VALLANCE JONES, **13:** 291

G.I.
1950-62

see NOXON, HARRISON and VALLANCE JONES, **16:** 246
see MCPHERSON and VALLANCE JONES, **17:** 302
see NOXON and VALLANCE JONES, **18:** 341
see SHEMANSKY and VALLANCE JONES, **22:** 166
see TINSLEY and VALLANCE JONES, **24:** 345
VANCOUR R. P. see HESS and VANCOUR, **1:** 13
VAN DER POL B.: *Four-Place Tables of Transcendental Functions—Flügge* (BR), **6:** 290
: *Siebenstellige Tafeln der elementaren transzendenten Funktionen—Lösch* (BR), **6:** 290
VAN SABBEN D.: Relationship between radio-propagation disturbance, geomagnetic activity and solar noise, **3:** 194
: Solar-flare effects and magnetic storms, **3:** 270
see VELDKAMP and VAN SABBEN, **18:** 192
: Ionospheric current systems of ten IGY-solar flare effects, **22:** 32
: Ionospheric current systems caused by non-periodic winds, **24:** 959
VAN WIJK A. M.: see HELM, KING and VAN WIJK, **13:** 371
VARMA S. S. see PANDE and VARMA, **20:** 195
VASSY E.: Sur un nouveau principe de mesure de l'absorption ionosphérique, **23:** 85
VEGARD L.: Report on spectrographic work at Tromsö and Oslo, **15:** 175
VELDKAMP J.: On the propagation of sound over great distances, **1:** 147
see SCHOLTE and VELDKAMP, **6:** 33
: A giant geomagnetic pulsation, **17:** 320
and VAN SABBEN D.: On the current system of solar-flare effects, **18:** 192
VENTRICE C. A. see SCHMERLING and VENTRICE, **14:** 249
VERÖ J.: Earth-current variations of different period in the observatorium near Nagycenk, **13:** 375
VICE R. W. see FEJER and VICE, **16:** 291, 307
VICKERS M. D.: The effect of the *F1*-layer on the calculation of the height of the *F2*-layer, **16:** 103
: The calculation of the m.u.f. factor for a non-parabolic ionospheric layer, **17:** 34
VIJ K. K. see DASGUPTA P. and VIJ, **18:** 265
see MITRA S. N., VIJ and DASGUPTA, **19:** 172
VILLARD O. G. JR. see YEH and VILLARD, **17:** 255; **23:** 137
VOGAN E. L. see FORSYTH and VOGAN, **10:** 215
VOLLAND H.: Zur Theorie des Sonnenfinsternis-Effektes im Erdmagnetfeld, **9:** 131
: Zur Feinstruktur des des erdmagnetischen Sonnenfinsterniseffektes, **11:** 1
and TAUBENHEIM J.: On the ionospheric current system of the geomagnetic solar flare effect (s.f.e.), **12:** 258
: The propagation of plane electromagnetic waves in a horizontally stratified ionosphere, **24:** 853

WAIBEL E.: Alpha particle and proton fluxes of the primary cosmic radiation and their time variations, **24:** 779
WALKER A. D. M. see GLEDHILL and WALKER, **18:** 61
WALLACE L.: An analysis of a spectrogram of the aurora of 11 February 1958, in the wavelength range 3710–4420 Å, **17:** 46
: Seasonal variation and interpretation of the OH rotational temperature of the airglow, **20:** 85
see MATHEWS and WALLACE, **20:** 1
WALLACE L. V. and NICHOLLS R. W.: The interpretation of intensity distributions in the N_2 second positive and N_2^+ first negative band systems, **7:** 101; (C) **24:** 749
WALTON G. F.: Calculation of the vertical distribution of atmospheric ozone, **16:** 1
WARD W. H.: On the origin of terrestrial particles from solar flares, **14:** 296
: *E*-region winds, **16:** 394
WARD W. S. P. see FULTON, PETRIE and WARD, **16:** 185

Warren E. see Hagg, Muldrew and Warren, **14:** 345
Warwick C. S. and Hansen R. T.: Geomagnetic activity following large solar flares, **14:** 287
Warwick J. W. and Zirin H.: Diurnal absorption in the *D*-region, **11:** 187
Watanabe T.: Law of electric conduction for waves in the ionosphere, **24:** 117
see Jacobs and Watanabe, **24:** 413
Watkins C. D. see Bullough, Davidson, Kaiser and Watkins, **11:** 237
see Greenhow, Neufeld and Watkins, **18:** 174
: The height and geometry of auroral radio echoes, **19:** 1
: The magnetic storm-time variation of radio star scintillations and auroral radio echoes, **19:** 289
: Auroral radio-echoes and magnetic disturbances, **20:** 131
: Temporal variations of auroral radio-echo activity in sub-auroral latitudes, **20:** 140
see Barber D., Sutcliffe and Watkins, **24:** 585, 599
Watson R. A.: Magnetic activity following a solar flare, **11:** 59
Watts J. M.: Interpretation of some features of low-frequency ionograms, **15:** 73
: A further note on "sweepers", **18:** 81
Weekes K. see Belrose, Devenport and Weekes, **8:** 281
: On the interpretation of the Doppler effect from senders in an artificial satellite, **12:** 335
see Aitchison and Weekes, **14:** 236
see Aitchison, Thomson and Weekes, **14:** 244
: The drift of an ionized layer in the presence of the geomagnetic field, Spec. Suppl. 1957—II, 12
Weiss A. A.: Solar ionosphere tides in the *F2* region, **3:** 30
: Solar tides in the *F2* region from the study of night-time critical frequencies, **4:** 175
and Smith J. W.: A radar record of an aurora at Adelaide, **12:** 217
: The limitations of narrow-beam radio equipments in the detection of weak meteor showers, **14:** 19
Weller R. I.: The intensity of beta ray ionization of potassium, uranium, and thorium, **5:** 1
Wells H. W. see Chivers and Wells, **17:** 13
: Large-scale movements of the layers, Spec. Suppl. 1957—II: 33
Werme J. V. see Stergis, Coroniti, Nazarek, Kotas, Seymour and Werme, **6:** 233
Westcott B. S.: Ionospheric reflection processes for long radio-waves, **24:** 385, 619, 701, (C) 869, 921
Westfold K. C.: The interpretation of the magneto-ionic theory, **1:** 152; (C) **2:** 84
see Chapman and Westfold, **8:** 1
Wexler H. and Moreland W. B.: Winds and temperatures in the Arctic stratosphere, Spec. Suppl. 1957—I: 71
Whale H. A. and Stanley J. P.: Group and phase velocities from the magneto-ionic theory, **1:** 82
: Fine structure of the ionospheric region *E*, **1:** 233
: Determination of electron densities in the ionosphere from experimental (h', f) curves, **1:** 244; (C) **5:** 351
see Shinn and Whale, **2:** 85, (C) 200
: An estimate of the size of the antipodal area in short-wave radio propagation, **9:** 159
and Delves L. M.: Some relations between the bearing and amplitude of a fading radio wave, **13:** 72
: The effects of ionospheric irregularities and the auroral zone on the bearings of short-wave radio signals, **13:** 258
see Delves and Whale, **24:** 225
Wheelon A. D.: Radio scattering by tropospheric irregularities, **15:** 185
White J., Porter N. A. and Long C. D.: Observations on Čerenkov radiation from the night sky, **20:** 40
White M. L.: Thermal and gravitational atmospheric oscillations—ionospheric dynamo effects included, **17:** 220

G.I.
1950-62

WHITEHEAD J. D.: The quasi-transverse (Q.T.) approximation to Appleton's magneto-ionic equation, **2:** 361
: The focusing of short radio waves reflected from the ionosphere, **9:** 269
: The absorption of radio waves in an ionospheric layer, **9:** 276
: The absorption of short radio waves in the ionosphere, **10:** 12
: The distance attenuation of radio waves reflected at vertical incidence from the ionosphere, **12:** 150
: Sudden changes in the virtual height of radio waves reflected from the *E*-region of the ionosphere, **16:** 99
: The absorption of short radio waves in the *D*-, *E*- and *F*-regions of the ionosphere, **16:** 283
: The formation of the sporadic-*E* layer in the temperature zones, **20:** 49
see HEISLER and WHITEHEAD, **22:** 186
: World maps of ionospheric characteristics, **24:** 407
: The reflection characteristics of a patchy sporadic-*E* layer, **24:** 681
: Distribution of echo amplitudes from an undulating surface, **24:** 715
see HEISLER and WHITEHEAD, **24:** 753
WHITHAM K. and LOOMER E. I.: The diurnal and annual motions of the north magnetic dip pole, **8:** 349
WHITLOCK W. S. see MAPLESON and WHITLOCK, **7:** 61
WILD J. P. and ROBERTS J. A.: The spectrum of radio-star scintillations and the nature of irregularities in the ionosphere, **8:** 55
WILKES M. V.: The solar and luni-solar harmonic components of geomagnetic variation at San Fernando, **24:** 73
WILLIAMS D. R. see ST. AMAND, PETTIT, ROACH and WILLIAMS, **6:** 189
WILSON E. J. see CHACKETT, PANETH and WILSON, **1:** 49
WILSON J. G.: *Cosmic Ray Physics—Montgomery* (BR), **1:** 63
see MARSDEN, BERRY, FIELDHOUSE and WILSON, **8:** 278
see MARSDEN, WILSON and ROSE, **10:** 117
WILSON L. D. see HEISLER and WILSON, **22:** 218
WINCHESTER J. W. and BATES C. C.: Meteorological conditions and the associated sea ice distribution in the Chuckchi Sea during the summer of 1955, Spec. Suppl. 1957—I: 323
WOLFE J. L.: Satellite tracking by H.F. direction finder, **13:** 155
: 20 Mc/s WMV bursts during the last few periods of 1958 $\delta 2$, **22:** 176
WOLFF P. M. see GEORGE, WOLFF and SOMERVELL, Spec. Suppl. 1957—I: 156
WOYK (CHVOJKOVÁ) E.: The refraction of radio waves by a spherical ionized layer, **16:** 124
WRIGHT J. W.: Some magneto-ionic phenomena of the Arctic *E*-region, **18:** 276
WRIGHT M. D.: Night-time travelling disturbances at Rarotonga, **24:** 857
WRIGHT R. W. see SKINNER, BROWN and WRIGHT, **5:** 92
see SKINNER and WRIGHT, **5:** 290; **6:** 177; **7:** 105
KOSTER J. R. and SKINNER N. J.; Spread *F*-layer echoes and radio-star scintillation, **8:** 240
see SKINNER and WRIGHT, **9:** 103
and SKINNER N. J.: Lunar tides in the sporadic *E*-layer at Ibadan, **13:** 217
and SKINNER N. J.: Equatorial spread-*F*, **15:** 121
see LYON, SKINNER and WRIGHT, **19:** 145
see HUTTON and WRIGHT, **20:** 100
see LYON, SKINNER and WRIGHT, **21:** 100
WÜSTER H. O. see FÖRSTERLING and WÜSTER, **2:** 22

YAMAMOTO M. see MAEDA H. and YAMAMOTO, **19:** 284
and MAEDA H.: The simultaneity of geomagnetic sudden impulses, **20:** 212
YARIN V. I. see KRASSOVSKY, SHEFOV and YARIN, **21:** 46
YASUHARA M. and MAEDA H.: Geomagnetic crochet of 15 November 1960, **21:** 289

YATES G. G. see BUDDEN and YATES, **2:** 272
YEH K. C. and VILLARD O. G. JR.: Fading and attenuation of high-frequency radio waves propagated over long paths crossing the auroral, temperature and equatorial zones, **17:** 255; **23:** 137
YERG D. G.: Observations and analysis of ionospheric drift, **8:** 247
YONEZAWA T.: A new theory of formation of the *F2*-layer, **15:** 89
YOUNG P. A. see DITCHBURN and YOUNG, **24:** 127
YUKUTAKE T. see RIKITAKE and YUKUTAKE, **24:** 93

ZIRIN H. see WARWICK J. W. and ZIRIN, **11:** 187

G.I.
1950-62

SUBJECT INDEX

1. Items are arranged in alphabetical order, ignoring insignificant articles and prepositions. In a few instances a date order or numerical order is followed.
2. Entries are generally in accordance with subject matter rather than title, except under Book notices and Book reviews.
3. Volume numbers are given in bold-face type, pages in normal type, e.g., **8:** 260–9.
4. Special abbreviations:
   - A Abstract
   - C Correction
   - D Discussion
   - ed. Editor
   - Fr. In French
   - Ger. In German
5. A list of main headings and principal sub-headings is given below. Other subject headings are given in the index with an appropriate cross-reference.

Absorption
  ionospheric

Air

Airglow
  night-time
  twilight

Astrophysics

Atmosphere
  ionization
  ozone distribution
  radioactivity
  rocket-grenade experiments
  upper

Atmospheric electricity
  measurements
  point-discharge currents

Atmospherics
  waveforms
  whistlers

Aurorae
  in Antarctic
  luminosity
  measurements
  radio echoes

Balloons

Book notices

Book reviews

Čerenkov radiation

Conferences

Cosmic noise
  absorption

Cosmic rays
  air showers
  intensity variations
  time variations

D region

E and *F1* layers

E region
  drifts
  E2 layer
  fine structure
  night-time
  sunrise effect

Earth

Earth currents

Equatorial electrojet

Exosphere

F region
  bifurcations
  collision frequency
  electron density
  equatorial
  F1 layer
  F1·5 layer
  F2 layer
  heat balance
  quiet
  solar-eclipse effects
  at sunrise

Fade-outs

Fading
  periodic

Geomagnetic activity
  K-indices
Geomagnetic storms
  sudden commencements
Geomagnetism
  field disturbances
  field variations
  fluctuations
  giant pulsations
  micropulsations
  solar-eclipse effects
Gyromagnetic ratio
Interference
International Geophysical Calendar
Interplanetary space
Ionization
Ionograms
Ionosondes
Ionosphere
  Arctic
  in auroral zone
  collision frequency
  current systems
  diffraction microscopy
  disturbances
  drifts
  electron content
  electron density
  heights
  ionization
  irregularities
  lower
  nomenclature
  outer
  polar
  prediction
  solar-activity indices
  solar-eclipse effects
  solar-flare effects
  thermal radiation
  turbulence
  winds
Ionospheric storms
Lightning
Luxembourg experiment
Magnetohydrodynamics
Magneto-ionic theory
Mathematics
Meteorology
  circulation
  climate
  radiation
  weather
Meteors
  radio echoes
Noise
Nuclear explosions
Obituaries
Oxygen
Ozone
Polar blackouts
Polar-cap absorption
Propagation of e.m. waves
  in ionized gases
  ionospheric
  reflection
  tropospheric
Radar
Radiation
Radio-star scintillations
Rain
Rockets
Satellites
  radio signals from
Solar activity
  corpuscular radiation
  flares
  index
  r.f. emission
  sunspots
Solar eclipses
Sound propagation
Spiral patterns
Sporadic-*E*
  clouds
  equatorial
Spread-*F*
  equatorial
Stations
Sun
Sunrise effect
Thunderstorms
Virtual height

G.I.
1950-62

Absorption
ionospheric
analysis of measurements at 2–4 Mc/s, **10:** 12–9
anomalies in measurements (Fr.), **23:** 57–67
in Arctic during severe ionospheric storm, **23:** 191–201
auroral and polar cap at h.f. and v.h.f., **23:** 206–15
in auroral zone, **23:** 170–6
nondeviative, at h.f., **10:** 20–31
quantitative measurements, Spec. Suppl. 1957—II: 135–46
in Chapman layer, **9:** 276–81
comparison of results of European measurements (Fr.), **2:** 38–50
of cosmic noise
changes observed during two ionospheric disturbances, **7:** 347–8
correlation with auroral luminosity, **24:** 467–74
diurnal variation at 18 Mc/s, **11:** 187–91
measurements at 18·3 Mc/s, **4:** 204–18
measurements during 1958, **23:** 126–36
solar-flare effects at 18·3 Mc/s, **5:** 316–28
in *D*, *E* and *F* regions, **16:** 283–90
D- and *E*- region contributions in measurements (Fr.), **2:** 51–65
in *D* and *E* regions, **23:** 260–74
time variation, **23:** 244–59
D-region
sunrise effect observed at l.f., **23:** 287–300
27-day variations over Singapore and Slough (Ger.), **3:** 153–62
at Dakar (Fr.), **9:** 45–50
daytime constancy of, **13:** 86–9
at Delhi, **10:** 32–43; **24:** 245–56
effects of scale-height gradient on, **1:** 141–6
equatorial, **9:** 103–17
excessive, on winter days (Ger.), **2:** 340–9
over extreme distances, **23:** 113–125
frequency-dependence (Ger.), **16:** 324–39
at Hawaii and Johnstone Island, **23:** 106–112
at high latitudes, at 2 Mc/s, **23:** 155–69
incoherence of pulse echoes in measurements, **18:** 147–51
at Kjeller and Tromsö during solar flare 23 Feb. 1956, **10:** 48
l.f.
calculation of, **23:** 8–12
lunar semi-diurnal oscillation in, **7:** 99–100
l.f. and v.l.f., models for, **1:** 65–72
magneto-ionic theory for, **23:** 1–7
measurement method using satellite transmitter (Fr.), **23:** 85–91
polar-cap
morphology and interpretation of May and July 1959 events, **23:** 216–28
polar-glow aurora in, **24:** 155–71
polar event May 1959, **18:** 78–81
at Prince Rupert, **6:** 18–32
simultaneous measurements at widely separated stations, **5:** 273–89
during sunspot cycle, **5:** 141–72
use of full-wave solutions in interpretation of measurements, **16:** 307–17
variation at different stations, **7:** 244–6
at Waltair, at 5·65 Mc/s, **22:** 1–11
winter anomaly, **23:** 301–17
year-to-year changes in winter anomaly, **21:** 215–7

Absorption (*cont'd*)
microwave, by atmospheric layers, **21:** 243–56
of O_2 at 1850–2500 Å, **24:** 127–39
v.l.f., abnormal, at medium and high latitudes, **14:** 63–81
Aeronomy—*see* Atmosphere
Air (*see also* Atmosphere)
mixed with N_2O, effect of light on mobility and concentration of large ions in, **22:** 23–31
sealed-room experiments on equilibrium in ionization of, **17:** 134–44
Air showers *see* Cosmic radiation
Airglow
altitudes of luminous layers, **4:** 112–23
characteristic size of airglow cells, **13:** 113–21
colour-film observations of, **21:** 177–81
contribution of nitrogen oxides to, **7:** 297–309
daytime, theoretical considerations on, **5:** 329–44
excitation processes in, **4:** 285–94, 295–313
extinction correction used in determining emission heights by van Rhijn method, **8:** 115–6
latitude dependence of OH rotational temperatures for Canadian stations, **17:** 302–8
movements of airglow cells, **13:** 122–30
night-time
altitudes of luminous layers, **6:** 67–8
collisional deactivation in, **6:** 171–2
effect of Rayleigh scattering and ground reflection on height determination, **5:** 83–91
emission height of 5577-Å line from measurements on the Jungfraujoch, **8:** 222–32
excitation of green and red lines in, **20:** 110–21
infrared spectrum
measurements of absolute intensity in 0·9–2·0 μ region, **11:** 192–9
from 1·0 μ to 2·0 μ, **7:** 285–91
from 1·4 μ to 4·0 μ, **16:** 246–51
in 1·5 μ region, **22:** 166–75
light pulses from night sky and Čerenkov radiation, **6:** 250–62, 304–12
new method of height determination, **6:** 189–97
observations at Ås, Norway, **16:** 252–8
origin of Meinel hydroxyl system in, **8:** 305–8
photometer observations of height of 5577-Å emission, **12:** 171–86
at Scott Base, Antarctica, **21:** 182–92
statistics of spatial brightness fluctuations of (OI) 5577-Å line in, **21:** 225–36
variations of forbidden oxygen lines in, **20:** 195–9
O_3 and O_1* hypothesis of excitation of OH emission, **10:** 49–51
O_3 and O_2* hypotheses of OH emission, **11:** 68–70
observations of OH band in U.S.S.R., **21:** 46–53
photoelectric measurements of hydrogen emissions in, **14:** 200–12
photometric unit for, **8:** 345–6
resonance scattering by atmospheric sodium, **9:** 73–89, 169–78, 179–83; **12:** 153–65; **13:** 90–9, 100–6; **17:** 205–19, 295–301
seasonal variation and interpretation of OH rotational temperature, **20:** 85–93
spectrophotometric investigation of air afterglow, **10:** 318–9
twilight
colour of zenith sky: absorption due to ozone, **10:** 178–80
correction of observations of sodium glow, **13:** 165–6
correction for Rayleigh-scattered light of sodium observations in, **11:** 67–8
correction for Rayleigh scattering in measurements of sodium twilight flash, **9:** 262–8
excitation of oxygen red lines in (Å), **15:** 95
infrared emission band in spectrum of, **13:** 45–60
Li emission observed at Hallett station, **22:** 75–8

G.I.
1950-62

Airglow (*cont'd*)
twilight
photoelectric observations of anomalously polarized emission at 5893 Å, **10:** 172–6
photometric observations of (OI) 5577 and (OI) 6300, **17:** 276–85
seasonal variation of intensity ratio of *D*-lines in, **12:** 166–70
seasonal variation of sodium *D*-line emission, **5:** 347–8
seasonal variation of sodium emission in southern hemisphere, **24:** 345–51
seasonal variations in enhancement of [OI] 5577, **18:** 309–14
study of sodium emission, **5:** 44–56, 57–62
transmission functions for, **24:** 333–8
use of nuclear explosions for studying mechanisms of, **24:** 797–803
Appleton-Hartree equation *see* Magneto-ionic theory
Astrophysics
unified theory of terrestrial and solar magnetization, **18:** 256–7
Atmosphere
aeronomic problem of nitrogen oxides, **7:** 152–69
air motions at meteor heights, **15:** 137–40
barometric pressure, world distribution of annual mean solar and lunar tides, **8:** 1–23
condensation nucleii, anomalous loss in rubber tubing, **3:** 181–5
convective processes revealed by radar, **15:** 288–93
cosmic-ray-produced radioactive isotopes for studying large-scale circulation, **13:** 351–70
determination of trajectory of supersonic body by acoustic observations, **12:** 17–25
energy transport due to turbulent mixing in, **20:** 149–54
escape of helium from, **11:** 200–8
ionization
cross-sections for *K*-shell ionization of atomic nitrogen and oxygen by electrons and protons, **14:** 177–9
intensity of beta-ray ionization from potassium, uranium and thorium in earth's crust, **5:** 1–10
mobility of small ions in air from ground at Uppsala, **4:** 106–11
mobility of small ions during summer nights at Uppsala, **4:** 93–105
mobility values of intermediate and large ions at Cairo-Giza, **7:** 31–9
ionization balance, **1:** 13–25
and nuclear combination coefficients, **9:** 295–303
and value of cosmic radiation at sea level, **3:** 132–40; (D) **4:** 343–5
liquid particles in industrial haze, **2:** 130–40
meson intensity correlation with upper-air temperature, **1:** 296–310
non-equilibrium species concentrations in air, **21:** 293–5
nuclear-explosion effects 30 Oct. 1961, **24:** 990–3
optical evidence of lunar tide in, **24:** 1065–71
oxygen densities in mesosphere at Fort Churchill, **16:** 174–8
ozone content at low levels, simultaneous measurements by absolute method (Ger.), **2:** 189–95
ozone distribution
calculation of, **16:** 1–9
determination during eclipses of the moon (Ger.), **2:** 183–8
at Longyearbyen, Spitzbergen, **6:** 46–9
resulting from photochemical equilibrium, turbulence and currents of air, **3:** 125–31
ozone fluctuations in troposphere and stratosphere (Ger.), **2:** 173–82
ozone layer, new experimental and theoretical investigations on, **7:** 128–40
ozone variations as function of height, **8:** 347–8
radio refractive index gradient over British Isles, **21:** 157–66
radioactivity
diurnal variations, **7:** 90–8
geographical and time distribution, **9:** 1–17

Atmosphere (*cont'd*)
radioisotope production by cosmic radiation and application to meteorology **12:** 306–28
radon content in New York area, **11:** 272–83
radon determinations, de-emanation of radium solution for, **12:** 80–3
radon and thoron and their decay products in, **3:** 172–7
refractibility in troposphere and stratosphere correlation function for, **15:** 206–27
rocket-grenade experiments
effect of experimental errors, **9:** 237–61
low-altitude testing of, **18:** 184–91
rigorous method of analysing data, **9:** 349–51
theory for, **8:** 189–203
scattering and attenuation of e.m. waves by non-spherical particles in, **3:** 108–19
sound propagation in, geometrical theory of, **7:** 113–27
standard, U.S. committee on extension to, **10:** 181–3
stratosphere, chemical analysis of samples from 50 and 70 km, **1:** 49–55
tropopause altitude near equator, relation with solar activity, **16:** 180–2
upper
aeronomic problem of oxygen dissociation, **5:** 132–40
density and scale-height diurnal variations determined from meteor-echo observations, **18:** 203–14
ion-atom interchange in, **18:** 65–70
rate of, **21:** 286–7
model of equilibrium height distribution of nitric oxide and resulting *D*-layer, **5:** 28–43
nitrogen in, **2:** 309–23
nomenclature for, **1:** 121–4, 200, 201
photoionization of oxygen and nitrogen, **18:** 335–7
sodium/potassium ratio in, **16:** 236–45
temperature measurements with Fabry-Perot etalon, **3:** 274–81
temperature in regions emitting nightglow and regions above faint auroral arcs, **13:** 205–16
thermal and gravitational oscillations including ionospheric dynamo effects, **17:** 220–45
turbulence at 80–100 km and effects on long-duration meteor echoes, **16:** 384–92
variation in properties derived from rocket and satellite observations, **23:** 330–7
variations with time and solar activity, **24:** 831–41
winds, **15:** 132–6
determination from radio observations on meteor trails, **16:** 344–56
introductory theory for wind and sonic velocity determination, **8:** 24–38
measurements by means of drifting meteor trails, **4:** 255–70, 271–84
radio echo method for investigations at 80–100 km, **2:** 282–91

Atmospheric electricity
aircraft investigation of large-ion content and conductivity in relation to meteorological factors, **5:** 253–72
aircraft observations of convective cloud electrification, **15:** 254–61
atmospheric space charge, **5:** 106–7
conductivity and concentration of small ions near ground, **2:** 201–15
conductivity near earth's surface, **3:** 223–4
conductivity measurements in stratosphere, **6:** 233–42
conductivity variation of air within sealed rooms, **4:** 314–21; (D) **5:** 345–6
daily variations related to air masses (Ger.), **1:** 26–31
deviations of course of elements on continents, **8:** 146–57
earth-potential measurements for magnetic- and ionospheric-storm indication, **5:** 108–10
effective separation of discharging points, **3:** 346–7
electric charges from ice friction, **2:** 337–9
electric field changes during cloud-to-cloud discharges, **24:** 989–90
electric field measurements in stratosphere, **11:** 77–82
electric field measurements above thunderstorms, **11:** 83-90

G.I.
1950-62

Atmospheric electricity (*cont'd*)
electrode-effect measurements above sea, **20:** 79–81
experimental problem of current separation in synoptic measurements, **6:** 322–7
induced charges and fine-weather field, **4:** 84–5
measurements
agrimeter for continuous recording of electric field, **4:** 124–8
apparatus for accurate and continuous measurement of earth's electric field, **7:** 61–72
double field mill **12:** 206–10; **19:** 126–35
experimental mesh reference plane for simplifying comparison of results, **24:** 65–6
recorder for air-earth current and potential gradient, **2:** 32–7, (C) 258
sign discrimination in field mills, **24:** 743–5
vertical electric current, **24:** 297–302, 997–8
negative electric fields in mist and fog, **2:** 155–9
point discharge currents, **2:** 301–5
from captive balloon, **6:** 149–59
dependence on wind, **10:** 151–7
through living tree during thunderstorm, **24:** 1059–63
relation to field, **2:** 292–300
relation to potential gradient and wind speed, **11:** 301–2; **24:** 339–44
point discharge from isolated point, **10:** 258–65
potential gradient, possible secular variation due to nuclear explosions, **11:** 70–2
vertical electric current during continuous rain and snow, **9:** 311–21

Atmospherics
midnight fall in activity on 27-kc/s band at Poona, **24:** 9–16
narrow-band, from two local thunderstorms, **21:** 13–25
reception in high-frequency band, **4:** 129–40, (C) 348
relation between radio noise and lightning, **13:** 140–54
simultaneous recording on four l.f. bands, **13:** 32–7
sudden enhancement associated with high-altitude nuclear explosions, **24:** 739–40
sweepers, **17:** 82–5; **18:** 81
waveforms
analysis of phase-frequency spectra, **24:** 993–6
analysis of smooth-type waveforms, **19:** 37–53
classification of waveforms, **12:** 1–7
interpretation of smooth-type waveforms, **14:** 262–72
with superimposed pulses, recorded on automatic recorder, **13:** 38–42
and use in location of thunderstorms, **7:** 1–13
with v.l.f. components below 1 kc/s (slow tails), **10:** 266–87
and v.l.f. propagation, **11:** 223–36
waveguide interpretation of, **10:** 121–35
whistlers, **15:** 54–7
calculation of propagation path of, **15:** 58–65
e.m. wave propagation theory for, **17:** 158–69, 170–8
propagation of, **8:** 338–44; (C) **10:** 120

Aurorae
absolute photometry of, **14:** 325–37, 338–44
analysis of spectrogram for 11 Feb. 1958 in range 3710–4420 Å, **17:** 46–56
in Antarctic
Type B, **16:** 59–66
visual characteristics at Byrd Station during 1957, **17:** 65–70
arc orientation, **24:** 17–30
bistatic radio investigation of auroral ionization, **13:** 315–45
characteristics of auroras caused by angular dispersed protons, **9:** 18–27
'chasms' of Aristotle and Pliny, **24:** 1108–9
colour-film observations, **21:** 117–81

Aurorae (*cont'd*)
colour photography of, **17:** 347–9
daytime observations, possibility of, **11:** 295–6
distribution change during geomagnetic storm 11 Feb. 1958, **24:** 740–2
drift motions of ionization, **11:** 292–3
effect of horizontal extent on apparent luminosity/altitude curves, **4:** 339–41
emission in 2·0–2·2-μ region, **18:** 341–3
energy distribution of secondary electrons in, **10:** 51–3
E–W drifts determined from all-sky camera films, **21:** 257–60
excitation of He in, **21:** 54–64
excitation of N_2 first positive bands in, **20:** 217–9
excitation processes in, **4:** 285–94, 295–313
H_α emissions over west-central Canada, **11:** 43–50
height distribution of emissions, in, **9:** 157–9
horizontal movement of visual features, **16:** 191–3
hydrogen lines in, **24:** 203–9
intensity distribution in N_2 second positive band system in laboratory light source and in aurorae, **5:** 63–6
intensity measurements of N_2 second positive band system in high-latitude aurorae, **6:** 61–3
interpretation of intensity distribution in N_2 second positive and N_2^+ first negative band systems, **7:** 101–5; (C) **24:** 749
interpretation of rotational temperatures of N_2^+ bands, **12:** 200–5
λ 2763 Å (0,9) band of O_2 Schumann-Runge system, **21:** 213–5
large-scale motions associated with polar geomagnetic disturbances, **19:** 10–25; **24:** 723–7, 785–96
latitude distribution and seasonal variation over British Isles during 1957 and 1958, **19:** 115–25
l.f. emission from, **10:** 302–6
location and shape of auroral zone, **6:** 313–21
luminosity
correlation with cosmic noise absorption, **24:** 467–74
E-layer electron density deduced from, **5:** 243–4
magnetic self-focused ion streams as cause of, **5:** 211–8
measurement of 3200 Å radiation with photon counter, **9:** 156–7
measurement of rotational temperature from unresolved N_2^+ bands, **6:** 328–35
measurement of absolute intensity in 0·9–2·0-μ region, **11:** 192–9
measurements of mean lifetime of metastable ^1S-state of oxygen atom in upper atmosphere during auroral displays, **7:** 247–53
measurements of specific intensities of green line at College, Alaska, **6:** 57–60
model experiment on, **1:** 189–99
observations at Ås, Norway, **16:** 252–8
observations of Meinel N_2^+ bands near 1·5 μ in spectrum of, **13:** 291–4
observations of non-field-aligned rays, **18:** 332–5
photoelectric measurements of hydrogen emissions in, **14:** 200–12
photographed in Greece, August 1950, **1:** 343–4, **14:** 111–22
photometric observations of spectra of, **7:** 141–51; (C) **24:** 144
photometric unit for, **8:** 345–6
polar glow, during polar-cap absorption events, **24:** 155–71
radio-echoes, **5:** 189–200; **6:** 198–214, 263–7
association with geomagnetic phenomena, **11:** 237–54
determination of angle of arrival, **14:** 107–10
frequency dependence, **10:** 215–28
geomagnetic-storm-time variation, **19:** 289–92
geometry, **3:** 1–29

G.I.
1950-62

Aurorae (*cont'd*)
radio echoes
height and geometry, **19:** 1–9
radar observations at 300 and 500 Mc/s by radio telescope, **24:** 599–607
radar record at Adelaide, **12:** 217–8
reflections from 75–90 km during intense aurora, **13:** 167–9
related to geomagnetic disturbances, **20:** 131–9
simultaneous observations at 35 and 74 Mc/s during aurorae and geomagnetic storms. **4:** 322–38
theory of scattering by nonisotropic irregularities applied to radar reflections, **8:** 204–21
radio-wave interaction with, **4:** 81–2
red and infrared spectrum of, **10:** 320–31
relative intensities of N_2 bands in spectra of, **22:** 105–121; (C) **24:** 749–51
relative vibrational transition probabilities and r-centroids for Meinel ($A^2\Pi \rightarrow X^2\Sigma$) band system of N_2^+, **12:** 211–4
rotational temperatures of nitrogen bands, **4:** 5–9; **6:** 336–43
scale-height determination from luminosity curves, **3:** 212–6
scattering of 36-Mc/s waves by auroral ionization, **18:** 174–80
secondary processes due to absorption of Lyman lines, **9:** 28–35
significance of nonterrestrial magnetic field in neutral-stream theories of, **6:** 215–26
spectrography, work at Tromsö and Oslo, **15:** 175
spectroscopic observations of great aurora 10 Feb. 1958, **16:** 205–19, 220–7
in sub-auroral latitudes, temporal variations of radio-echo activity, **20:** 140–8
temperature determination from ($A^2\Pi \rightarrow X^2\Sigma$) bands of N_2^+ molecule, **20:** 1–8
theory based on streaming of charged particles through magnetic field, **3:** 41–57
thickness of active auroral curtain, **21:** 287–8
variations in intensity of hydrogen line H_β, **12:** 283–7
vibrational temperatures from N_2 second positive bands, **6:** 64–6

Balloons
high-altitude free balloon flying for cosmic-radiation studies, **5:** 219–29; (c) **6:** 172
Barometric pressure—*see* Atmosphere
Blackouts—*see* Polar blackouts
Book notices
Cosmic-Ray Results—Beach and Forbush, **22:** 228
Equatorial Electrojet in Peru—Forbush and Casaverde, **22:** 228
Book reviews
Advances in Electronics, Vol. 3—Marton, ed., **3:** 179
Advances in Electronics, Vol. 4—Marton, ed., **4:** 91
Advances in Electronics, Vol. 5—Marton, ed., **5:** 251–2
Advances in Geophysics, Vol. 1—Landsberg, ed., **5:** 250
Advances in Geophysics, Vol. 2—Landsberg, ed., **10:** 347
Advances in Geophysics, Vol. 3—Landsberg, ed., **12:** 349–50
Advances in Geophysics, Vol. 4—Landsberg and van Meighem, eds., **13:** 384
Advances in Geophysics, Vol. 8—Landsberg and van Meighem, eds., **24:** 559
Antarctic Meteorology—Proceedings of the Melbourne Symposium. February 1959, **22:** 221–2
Artificial Stimulation of Rain—Weickmann and Waldo Smith, eds., **12:** 222–3
Assault on the Unknown—Sullivan, **22:** 223
Astronomical Photoelectric Photometry—Wood, ed., **6:** 227
Astronomy—Mehlin, **16:** 400
Atlantic Hurricanes—Dunn and Miller, **20:** 220
An Atlas of the Moon's Far Side—Barabashov, Mikhailov and Lipskii, **24:** 328
An Atlas of Typical Expansion Chamber Photographs—Gentner, Maier-Leibnitz and Bothe, **6:** 231–2

Book reviews (*cont'd*)
The Atmosphere and the Sea in Motion. The Rossby Memorial Volume—Bolin, ed., **19:** 293
Atmospheric Diffusion—Pasquill, **24:** 747
The Aurorae—Ellison and Lovell, eds., **2:** 199–200
Between the Planets—Watson, **9:** 355
Bibliography of the Ionosphere—Manning, **24:** 999
Chemical Reactions in the Lower and Upper Atmosphere, **24:** 748
Circles—Pedoe, **16:** 396
Cloud Chamber Photographs of the Cosmic Radiation—Rochester and Wilson, **3:** 226–7
Cloud Study: a Pictorial Guide—Ludlam and Scorer, **12:** 349
The Comets and their Origin—Lyttleton, **5:** 115–6
Communication Theory—Willis Jackson, ed., **5:** 111
Contributions in Geophysics in Honor of Beno Gutenberg—Benioff et al., eds., **16:** 399–400
Cosmic electrodynamics—Dungey, **17:** 179
Cosmic Radiation—Frank and Rexworthy, eds., **1:** 204
Cosmic Radio Waves—Shklovsky, **22:** 224
Cosmic Ray Physics—Montgomery, **1:** 63
Cosmic Rays—Leprince-Ringuet, **3:** 71
Cosmical Electrodynamics—Alfvén, **2:** 83
Dictionary of Physics and Allied Sciences, Vol. 1, German/English—Hyman, ed., **16:** 396–7
Dissertations in Physics: An indexed bibliography of all doctoral theses accepted by American Universities 1861–1959—Marckworth, **22:** 226–7
The Earth, The Planets and the Stars—Edgeworth, **24:** 328
Eight and Nine Place Tables of Elliptical Functions—Schuler and Gebelein, **10:** 345
Electromagnetic Phenomena in Cosmical Physics—Lehnert, ed., **18:** 345
Electromagnetic Wave Propagation—Desirant and Michiels, eds., **20:** 222–3
Electronic Measurements—Terman and Pettit, **5:** 112
Encyclopaedic Dictionary of Physics, Vol. 1—Thewlis ed., **24:** 559–61
Die Entshehung von Sternen—Burbridge et al., **21:** 218
The Exploration of the Solar System—Godwin, **18:** 345
The Exploration of Space—Hanbury, Brown and Lovell, **12:** 346–7
Exploring the Atmosphere's First Mile—Lettau and Davidson, eds., **12:** 348
Four-Place Tables of Transcendental Functions—Flügge, **6:** 290
Fundamentals of Sonar—Horton, **13:** 383–4
Gaseous Nebulae—Aller, **10:** 184
General Relativity and Cosmology—McVittie, **10:** 346
The Gentle Art of Mathematics—Pedoe, **16:** 398–9
Gravity and Interplanetary Travel—Goodrich, **16:** 397
Handbook of Aviation Meteorology, **22:** 224
Handbook of Geophysics, **19:** 294
Handbook of Statistical Methods in Meteorology—Brooks and Carruthers, **5:** 113–4
Handbook of Thermo-Physical Properties of Solid Materials, Vol. 1. Elements—Goldsmith, Waterman and Hirschhorn, **24:** 325–6
Handbuch der Physik, Band 22. Gasentladungen II—Flügge, ed., **13:** 383
Handbuch der Physik, Band 48. Geophysik II—Bartels, ed., **16:** 397–8
Handbuch der Physik, Band 50. Astrophysik I: Sternoberflächen: Doppelsterne—Flügge, ed., **14:** 350
High Altitude Rocket Research—Newell, **6:** 176
Hygrometry—Spencer-Gregory and Rourke, **12:** 222
I.G.Y. Solar Activity Maps—Ellison, ed., **24:** 1000
The International Geophysical Year—Sullivan, **16:** 397
Ionization Phenomena in Gases—Francis, **21:** 218–9
The Ionosphere—Rawer, **12:** 223

G.I.
1950-62

Book reviews (*cont'd*)

Some Ionospheric Results obtained during the International Geophysical Year—Beynon, ed., **22:** 222–3
Latin Treatises on Comets between 1238 and 1368 A.D.—Thorndike, ed., **2:** 308
Luminescence and the Scintillation Counter—Curran, **4:** 90–1
The Magneto-Ionic Theory and Its Application to the Ionosphere—Ratcliffe, **16:** 398
Mathematical Tables for the Approximation of Geophysical Anomalies—Kazinskii, **21:** 296
Mathematics in Action—Sutton, **5:** 115
Mesures en météorologie—Perlat and Petit, **24:** 667
Meteor Astronomy—Lovell, **7:** 109–10
Methoden und Probleme der Wettervorhersage—Reuter, **7:** 111
Micro-wave Measurements—Barlow and Cullen, **2:** 83–4
Millimicrosecond Pulse Techniques—Lewis and Wells, **5:** 354
Optics and Spectroscopy, **18:** 86
Oscillations of the Earth's Atmosphere—Wilkes, **1:** 254
Partial Differential Equations and Continuum Mechanics—Larger, ed., **24:** 667
Physical Gas Dynamics—Predovitelev, ed., **24:** 326
Physical Meteorology—Johnson, **5:** 250–1
The Physical Principles of Astronautics—Berman, **24:** 328
Physics and Applications of Secondary Electron Emission—Bruining, **5:** 114–5
Physics of the Aurora and Airglow—Chamberlain, **24:** 327
The Physics of Clouds—Mason, **12:** 347
Physics and Medicine of the Atmosphere and Space—Benson and Strughold, eds., **20:** 220
The Physics of Rainclouds—Fletcher, **24:** 1001
The Physics of the Stratosphere—Goody, **5:** 187
Physics of the Upper Atmosphere—Ratcliffe, ed., **19:** 295
Physik der Sternatmosphären—Unsöld, **9:** 236
The Planet Earth—Bates, ed., **12:** 87
Polar Atmosphere Symposium: Part II. Ionospheric Section, **12:** 346
The Polar Aurora—Störmer, **9:** 355–6
Probability and Information Theory, with Applications to Radar—Woodward, **5:** 355
Proceedings of the Third Berkeley Symposium on Mathematical Statistics and Probability. Vol. 3: Astronomy and Physics—Neyman, ed., **12:** 347–8
Progress in Cosmic Ray Physics—Wilson, **3:** 71–2
Radiation and Waves in Plasmas—Mitchner, ed., **24:** 330
Radio Astronomy—Pawsey and Bracewell, **8:** 352
Les Rayons Cosmiques dans leur rapports avec l'Électricité atmosphérique, la Météorologie, la Géomagnétisme et l'Astronomie. Vols. 1 and 2—Dauvillier, **7:** 296
Recent Advances in Radio Receivers—Moxon, **2:** 260
Some Recent Researches in Solar Physics—Hoyle, **1:** 202–4
Rocket Exploration of the Upper Atmosphere—Boyd and Seaton, eds., **6:** 227–9
Rival Theories of Cosmology—Bondi et al., **21:** 219
Satellite Environment Handbook—Johnson, ed., **22:** 225
Science in Space—Berkner and Odishaw, eds., **22:** 221
Scintillation Counters—Birks, **4:** 90
Selected Scientific Papers of Balthasar van der Pol—Bremmer and Bouwkamp, eds., **21:** 70–71
Siebenstellige Tafeln der elementaren transzendenten Funktionen—Lösch, **6:** 290
Signal, Noise and Resolution in Nuclear Counter Amplifiers—Gillespie, **4:** 90
Die Sonnenkorona-Struktur und Variationen der Korona, Band 2—Waldmeier, **12:** 87–8
Space Astrophysics—Liller, ed., **22:** 226
Space Research—Proceedings of the First International Space Symposium—Kallmann Bijl, ed., **20:** 222
Space Research by Rocket and Satellite—Boyd, **21:** 296
The Stability of Motion—Chetayev, **24:** 326–7
The Stability of Rotating Liquid Masses—Lyttleton, **5:** 112–3

Book reviews (*cont'd*)
Studies of the Structure of the Atmosphere over the Eastern North Pacific in Summer—I.—Neiburger, Johnson and Chen-Wu-Chien, **22:** 225–6
The Sun (Volume 1 of the Solar System), **6:** 229–30
The Sunspot Activity in the Years 1610–1960—Waldmeier, ed., **24:** 329
Tables of the Fractional Functions for the Planck Radiation Law—Czerny and Walther, **24:** 999
Tables of Spectrum Lines—Zaidel', Prokof'ev and Raiskii, **24:** 329–30
A Textbook of Radar—Bowen, ed., **5:** 354–5
Theory and Design of Television Receivers—Deutsch, **4:** 92
Thunderstorm Electricity—Byers, ed., **6:** 68
Tools of the Astronomer—Miczaika and Sinton, **22:** 225
Turbulent Transfer in the Lower Atmosphere—Priestley, **20:** 221
Upper Winds over the World, Parts I and II—Heastie and Stephenson, **22:** 79
Variational Principles in Dynamics and Quantum Theory—Yourgrau and Mandelstam, **7:** 110; **20:** 221
Vistas in Astronomy. Vol. 3—Beer, ed., **19:** 294
Vistas in Astronomy. Vol. 4—Beer, ed., **24:** 999–1000
Vorträge über Kosmische Strahling—Heisenberg, ed., **5:** 186–7
Zahlenwerte und Funktionen aus Physik, Chemie, Astronomie, Geophysik und Technik, Vol. 3. Astronomie und Geophysik—Landolt-Börnstein, **3:** 70–1
Zyklen und Perioden in der Geophysik—Bayer, **22:** 79

Čerenkov radiation
light pulses from night sky, **6:** 250–62, 304–12
observations in night sky, **20:** 40–8

Conferences
Fifth Meeting of I.C.S.U. Mixed Commission on the Ionosphere, **15:** 1–176
Fourth Meeting of I.C.S.U. Joint Commission on Radio Meteorology, **15:** 177–296
Polar Atmosphere Symposium: Part I—Meteorology Section, Oslo, July, 1956, Spec. Suppl. 1957—I: 1–341
Polar Atmosphere Symposium: Part II—Ionospheric Section, Oslo, July, 1956, Spec. Suppl. 1957—II: 1–212
Radio Wave Absorption in the Ionosphere: Fifth Meeting of A.G.A.R.D. Ionospheric Committee, Athens, June 1960, **23:** 1–379

Cosmic noise
absorption
changes observed during two ionospheric disturbances, **7:** 347–8
correlation with auroral luminosity, **24:** 467–74
determination of electron content of outer ionosphere from absorption measurements, **23:** 348–57
diurnal variation at 18 Mc/s, **11:** 187–91
measurements at 18·3 Mc/s, **4:** 204–18
measurements during 1958, **23:** 126–36
riometer observations during polar blackouts, **23:** 229–43
solar-flare effects at 18·3 Mc/s, **5:** 316–28
discrete sources at 18·3 and 10·5 Mc/s, **10:** 185–8
measurement for ionospheric studies, **9:** 347–9; (C) **10:** 56
trapping of radiation beneath ionosphere, **13:** 61–71
variations observed around sunset at 17·6 Mc/s, **11:** 72–4

Cosmic radio emission—*see* Cosmic noise

Cosmic rays
air showers
effects of atmosphere on (Fr.), **3:** 245–57
light pulses from night sky and Čerenkov radiation, **6:** 250–62, 304–12

G.I.
1950-62

Cosmic rays (*cont'd*)
air showers
observations of Čerenkov radiation in night sky, **20:** 40–8
balloon flying for high-altitude measurements, **5:** 219–29; (C) **6:** 172
directional dependence of atmospheric temperature effects on muons at sea level, **19:** 184–245
effects of atmosphere on hard component at sea level, **14:** 1–18
increases during sunspot minimum 1953, **21:** 203–5
intensity variations
diurnal, directional measurements, **1:** 205–14
diurnal and seasonal, **1:** 215–22
during fade-outs, **1:** 187–8
investigation of daily variations with large ionization chamber (Ger.), **7:** 80–9
ionization and value of cosmic radiation at sea level, **3:** 132–40; (D) **4:** 343–5
measurements of soft component by absorption 'well' method, **10:** 189–93
measurements of total intensity at balloon altitudes during day and night, **3:** 217–22
neutron intensity, barometric pressure coefficient for, **11:** 23–30
primary, alpha-particle and proton flux variations in, **24:** 779–84
during solar disturbance 23 Feb. 1956, **8:** 274–6, 277–8
variations with geomagnetic latitude, **10:** 117–9
variation of nucleon intensity, **8:** 278–81
during solar flare, intensity increase in Jamaica, **9:** 161–2
solar phenomena related to, **1:** 56–62
time variations
at Canberra, **1:** 114–20
of soft component, **3:** 295–300; **24:** 257–68
at Wellington, N.Z., **11:** 291–2

***D* region**
apparent night-time motions in, **24:** 451–65
auroral effects observed at Sodankylä, **24:** 823–4
effect of solar X-rays on, **23:** 29–56
electron-density determination from observations of cross-modulation, **23:** 92–100; **24:** 31–42
investigation of, **16:** 291–306
investigation by partial reflections, **3:** 321–44
model of equilibrium height distribution of nitric oxide for formation of, **5:** 28–43
negative ions of molecular oxygen in, **2:** 253–4
re-evaluation of electron densities and collision frequencies derived from rocket measurements at 7·75 Mc/s, **23:** 338–47

***E* and *F1* layers**
effect of S_q current system on, **15:** 77–82
effective recombination coefficients during solar eclipse 25 Feb. 1952, **9:** 36–44
global morphology of, **15:** 9–12
interpretation of changes during solar eclipses, **12:** 272–82
temperature gradients according to soundings at Casablanca (Fr.), **15:** 83

***E* region**
Arctic, magnetoionic phenomena of, **18:** 276–89
at Cape Hallett, **16:** 186–7
character figures for, long-term variation in relation of sunspot numbers to, **21:** 167–73
collision-frequency measurements, **16:** 340–3
disturbances, **19:** 160–71
diurnal variation of electron distribution in, **18:** 215–33
drifts, **15:** 141–4
height gradients of horizontal drifts at Waltair, **22:** 158–60

***E* region** (*cont'd*)
drifts
height variation, **12:** 68–76
height variation of horizontal drift velocities, Spec. Suppl. 1957—II: 20–2
horizontal drifts and temperatures in lower regions, **13:** 180–2
horizontal drifts at Waltair, **22:** 81–99
measurements during solar eclipse 30 June 1954, **10:** 44–5
seasonal and latitude variations of noon bearings of, **24:** 663–6
vertical drift effects, **15:** 13–20
E_s layer *see* Sporadic-*E*
E1-layer echoes, attenuation of extraordinary-wave component (Ger.), **1:** 73–81
E2-layer
early-morning phenomena observed at Haringhata, Calcutta, **16:** 84–92
features observed at Haringhata, Calcutta, **7:** 107–8
two types of development at Ahmedabad, **10:** 71–2
electron density during auroral displays deduced from luminosity measurements, **5:** 243–4
electron density correlated with auroral luminosity, **7:** 73–9
electron production and recombination in, (C) **7:** 172
e.m. perturbations and anomalies in, **21:** 73–99
fading periods of coupling echo at 150 kc/s, **8:** 158–62
fine structure, **1:** 233–43
transient, **16:** 179
geomagnetic distortion of, **14:** 138–66
gyro-frequency above Slough, **16:** 197–8
measurement of phase and group paths of 2·4 Mc/s waves reflected from, **1:** 353–66
model consistent with long-wave phase-path measurements, **6:** 1—17
moving clouds of ionization in, **3:** 73–8
night-time
effect of vertical ion transport on, **6:** 291–303
ionization and geomagnetic activity (Fr.), **15:** 84
measurement of normal critical frequencies, **7:** 341–2
recombination coefficient during aurorae, **7:** 345–6
significance of soft X rays from solar corona on formation of, **4:** 68–77
solar-activity variations in, **15:** 168–74
during solar eclipse 15 Feb. 1961 (Ger.), **24:** 633–42
during solar eclipse 25 Dec. 1954, measurements in South Africa, **14:** 273–86
solar-flare effects on (Ger.), **11:** 14–22
subsidiary layer in, **5:** 73–82
sudden changes in virtual height, **16:** 99–102
sunrise effect, **6:** 160–70
rate of decrease in long-wave reflection height (Ger.), **24:** 545–7
theoretical relations, **10:** 1–11
winds, **16:** 394–5
world-wide semi-annual cycle, **18:** 306–8
Earth
electrical charge on, **8:** 124–5
magnitude of negative charge on, **6:** 344–5
pseudo-iterating method for reduction of earth-tide observations, **16:** 318–23
temperature in interior, **10:** 84–95
Earth currents
diurnal variations at equator, **20:** 100–9
solar and lunar daily variations near magnetic equator, **24:** 673–80
variations of different period observed at Nagycenk, **13:** 375–6
Earth satellites—*see* Satellites

G.I.
1950-62

Equatorial electrojet
experimental study of, **13:** 222–34
geomagnetic time dependence of auroral-zone currents, **19:** 246–59
longitudinal variation in, **24:** 1031–40
model fitting *H* observations, **13:** 235
position and movement over Ghana, **24:** 491–502
Exosphere (*see also* Ionosphere, outer)
lower, propagation of hydromagnetic waves in, **24:** 413–34
theoretical model of electron density distribution along geomagnetic line of force in, **20:** 122–30
variations during geomagnetic storms 4 Sept. 1958, **22:** 233–54

***F* region**
bifurcations
at Baguio 1952–1957, **13:** 26–31
observations at Cambridge, England, 1954–1955, **19:** 82–7
observations at Haringhata, Calcutta, **16:** 84–92
collision frequency
attempt at measurements, **17:** 246–53
over Calcutta, **8:** 116–8
composite, new theoretical model of, **16:** 160–73
critical densities, explanation of decrease accompanying major ionospheric storms, **8:** 122–4
diffusion equation, influence of horizontal neutral air, **20:** 167–76
disturbed, over Slough, **15:** 102–7
drifts, horizontal, in *F1* and *F2* layers at Waltair, **14:** 94–106
echoes, single and double inflexions on *F*-trace, **16:** 193–6
electron density, rocket measurements and their interpretation, **21:** 272–83
electron density distribution, **17:** 86–95
electron density profile variation during magnetically quiet nights, **22:** 275–89
electron distribution over Haringhata, Calcutta, on quiet and disturbed days, **18:** 127–34
equatorial, **18:** 89–100
convective diffusion in, **9:** 304–10
horizontal movement of ionization in, **6:** 117–23
F1 layer
critical frequencies, influence of geomagnetic disturbance on daytime mean fluctuations (Ger.), **11:** 293–4
daily and seasonal variations of ionization, **8:** 83–90
evidence of geomagnetic control, **22:** 157–8
solar-eclipse effects observed at Cambridge, England, 30 June 1954, **19:** 95–101
F1·5 layer, **24:** 483–9
occurrence at Tokyo, **15:** 126–9
F2 layer
anomalous equatorial belt, **5:** 348–51
coefficient of ion diffusion, **11:** 296–8
critical frequencies
comparison between Rarotonga and Miami, **13:** 372–4
day-to-day and station-to-station correlation, **21:** 35–39
correlation with magnetic phenomena, **24:** 107–15
diurnal variation near auroral zone during magnetic disturbances, **13:** 187–90
geographical distribution of harmonics of annual variation at noon, **22:** 192–9
interpretation of measurements **22:** 186–91
latitude dependence 20°N–69°S from ship-borne ionosonde, **15:** 130–1
lunar tidal variation at midday in low latitudes, **24:** 659–61
mean daytime deviations in different geomagnetic latitudes in relation to geomagnetic activity (Ger.), **7:** 49–60

F region (*cont'd*)
F2 layer
critical frequencies
morphology of lunar semi-diurnal variation near solar noon, **22:** 290–7
tidal effects at Huancayo (Ger.), **1:** 349–52
world maps, **24:** 407–8
27-day variation at Huancayo, **1:** 2–12
diffusion in,
ambipolar, **12:** 219–20
geomagnetic control of, **24:** 805–11
disturbances
associated with geomagnetic storms, **15:** 116–20
two cases of large disturbance associated with small magnetic disturbance, **3:** 347–9
drifts
measurements of horizontal movements using widely spaced observing stations, **14:** 123–37
vertical drift velocities, **21:** 237–42
dynamic structure deduced from world-wide daily variations, **15:** 108–15
effect of *F1* layer on height calculation, **16:** 103–5
effect of fade-outs on, **24:** 57–64
electron content
practical determinations below level of maximum ionization, **3:** 58–67
above Singapore, **4:** 82–4
electron density
correlation with solar activity, **10:** 239–42
equatorial
geomagnetic effects in, **6:** 177–88
equilibrium electron distributions in, **18:** 234–52
formation of daytime peak in, **24:** 503–19
geographical distribution of ionization in, **18:** 181–3
geomagnetic anomaly during sunspot maximum **24:** 729–37
I_{F2} index, relation to sunspot number, **24:** 547–9
ionization
distribution at high latitudes, **3:** 289–94
relation between noon ionization and magnetic dip, **10:** 168–72
irregularities at Ibadan, **5:** 290–7
longitude effect in, graphical representation of, **2:** 261–5, (D) **3:** 123–4, 124
lunar variations at Ibadan, **9:** 144–54
mathematical model of, **24:** 1073–99
morphology of storms in, **2:** 236–52
new theory of formation of, **15:** 89–94
peak height variations, **24:** 569–72
position of ionospheric equator in, **1:** 106–13
recombination in, **24:** 145–53
recombination as cause of oxygen red lines in airglow, **15:** 96–8
at Singapore, **2:** 66–78
solar tides in, **3:** 30–40
from study of night-time critical frequencies, **4:** 175–83
synoptic study of Asian zone, **18:** 315–31
world-wide diurnal variations in, **4:** 53–67
formation of *F1* and *F2* layers, **8:** 260–9
heat balance of, **24:** 691–9
heat balance and saturation effect, **22:** 298–302
height-gradient of electron loss in, **13:** 107–12
irregularities and movements in, **15:** 38–42

G.I.
1950-62

***F* region** (*cont'd*)
large-scale vertical movements observed at Casablanca (Fr.), **15:** 145
magnetic effects in, **21:** 26–34
magnetic field calculations from $h'(f)$ records, **24:** 824–6
measurement of gyro-frequency in, **11:** 54–8
multiple stratification at Ibadan, **5:** 92–100
night-time, effect of ambipolar diffusion in, **9:** 90–102
pre-sunrise phenomenon and presence of negative ions in, **19:** 88–94
pre-sunrise splitting observations at Haringhata, **16:** 84–92
quiet
effect of diffusion on vertical distribution of ionization **12:** 140–9
movements on quiet days over Slough, **15:** 21–6
theoretical world curves of maximum ion density, **18:** 48–60, **20:** 183–8
size of moving irregularities and spread angle of scatter, **18:** 123–6
solar-activity effects in *F1* and *F2* layers, **14:** 31–40
solar eclipse effects, recombination and attachment in *F1* and *F2* layers 25 Dec. 1954, **9:** 118–30
solar-eclipse observations 19 April 1958, **16:** 182–5
solar-flare effects 23 Feb. 1956, **24:** 321–4
at sunrise, **20:** 263–76
diffusion of ionization in, **20:** 277–88
eclipse effects on, **19:** 73–81
total electron content over Ahmedabad, **8:** 91–7
travelling disturbances over Waltair, **20:** 296–7
triple splitting, **3:** 263–9; **13:** 201–4
tides, **15:** 99–101
winds, on unusual days in IGY calendar, **16:** 376–83

Fade-outs
change of phase path of *E*-region reflections during, **1:** 367–75
cosmic-ray intensity variations during, **1:** 187–8
effect on *F2* layer, **24:** 57–64
modes and characterization of, **23:** 68–84
statistics of (Ger.), **2:** 79–82

Fading
analysis of fading records from spaced receivers, **5:** 173–81
apparatus for recording time-delays between fading characteristics, **6:** 124–8
and attenuation of h.f. waves over long paths crossing auroral temperature and equatorial zones, **17:** 255–70; **23:** 137–54
autocorrelogram of randomly fading waves, **6:** 50–6
changes in fading speed of l.f. waves, **18:** 339–41
correlation analysis for radio waves reflected vertically from the ionosphere, **20:** 229–42
correlation treatment of, **8:** 318–30
curvature-induced error in analysis of records, **11:** 255–8
determination of wind velocity from spaced fading experiments, **5:** 182–5
effect of recorder time constant on apparent speed of, **10:** 338–9
of h.f. waves scattered at vertical incidence from heights near 90 km, **21:** 142–56
level at which fading is imposed on vertically reflected waves, **7:** 343–4
of l.f. waves reflected from ionosphere, **19:** 102–14
of long-duration meteor bursts in forward scatter propagation, **12:** 341–2
of m.f. waves reflected at oblique incidence, **21:** 120–41
night-time measurements at 16–2400 kc/s, **8:** 129–45
periodic
in oblique-incidence medium-wave transmissions, **12:** 293–305
peculiar type of s.w. pattern recorded in India, **13:** 190–1
rhythmic fading of s.w. signals, **16:** 145–55

Fading (*cont'd*)
periods of *E*-region coupling echo at 150 kc/s, **8:** 158–62
relations between bearing and amplitude of fading radio wave, **13:** 72–85
of satellite transmissions related to ionospheric irregularities, **18:** 344
short-term statistics of, **24:** 225–36
statistical analysis for single down-coming wave, **18:** 265–75
variation of fading rate with frequency, **19:** 141–3
of waves reflected from *E* layer, **10:** 288–95
of waves reflected at oblique incidence, **12:** 26–33
of waves reflected obliquely from meteor trails, **19:** 272–83
of waves reflected at vertical incidence during magnetic storms, **22:** 43–9

Geomagnetic activity
daytime deviations in *F2*-layer critical frequencies in different geomagnetic latitudes (Ger.), **7:** 49–60
diurnal variations of radio-star scintillations compared with, **10:** 204–14
following large solar flares, **14:** 287–95
following solar flare, **11:** 59–61; **12:** 214–5
K-indices (Ab) (Es) (Le)
Jan.–Dec. 1950, **1:** 254–60; Jan.–July 1951, **1:** 376–80; Aug.–Dec. 1951, **2:** 196–9; Jan.–March 1952, **2:** 256–8; April–June 1952, **2:** 306–8; July–Aug. 1952, **2:** 363–4; Sept.–Oct. 1952, **3:** 68–9; Nov. 1952, **3:** 120; Dec. 1952, **3:** 178; Jan.–Feb. 1953, **3:** 225–6; March 1953, **3:** 350; April–Aug. 1953, **4:** 86–9; Sept.–Nov. 1953, **4:** 346–8; Dec. 1953–Feb. 1954, **5:** 101–3; March–June 1954, **5:** 247–9; July–Aug. 1954, **5:** 352–3; Sept.–Dec. 1954, **6:** 173–5; Jan.–March 1955, **6:** 287–9; April 1955, **6:** 346; May–June 1955, **7:** 351–2; July–Sept. 1955, **8:** 126–8; Oct.–Dec. 1955, **8:** 186–8; Jan.–May 1956, **9:** 165–8; June 1956, **9:** 235; July–Sept. 1956, **10:** 54–6; Oct. 1956–March 1957, **10:** 340–4;
K-indices (Ha) (Es) (Le)
April–May 1957, **11:** 75–6; (C) **18:** 87; June 1957, **11:** 132; July–Aug. 1957, **11:** 303–4; Sept.–Nov. 1957, **12:** 84–6; Dec. 1957–Feb. 1958, **12:** 343–5; March–June 1958, **13:** 197–9; July–Sept. 1958, **13:** 385–7; Oct.–Nov. 1958, **14:** 181–2; Dec. 1958–June. 1959, **16:** 199–204; July–Oct. 1959, **18:** 82–5; Nov. 1959–March 1960, **18:** 259–63; April 1960, **18:** 346; May–Aug. 1960, **19:** 296–9; Sept.–Dec. 1960, **20:** 224–7; Jan.–April 1961, **21:** 297–9; May–July 1961, **22:** 229–31; Aug. 1961, **22:** 303; Sept. 1961, **24:** 71; Oct.–Nov. 1961, **24:** 222–3; Dec. 1961, **24:** 331; Jan.–Feb. 1962, **24:** 562–3; March–May 1962, **24:** 827–9; June–July 1962, **24:** 867–8; Aug.–Sept. 1962, **24:** 1111–2;
and night-time ionization of *E* region (Fr.), **15:** 84
sky brightness, polarization and colour changes related to, **7:** 170–2
sunspot controls of, **5:** 70–2

Geomagnetic storms
earth-potential measurements for indication of, **5:** 108–10
enhanced ionization of polar ionosphere associated with, **18:** 101–22
F2-layer disturbances associated with, **15:** 116–20
fading of waves reflected at vertical incidence during, **22:** 43–9
idealized problem of plasma dynamics relating to, **22:** 142–56
model experiment on, **1:** 189–99
polar, large-scale auroral motions associated with, **19:** 10–25; **24:** 723–7, 785–96
possible explanation of *sc** observed at high geomagnetic latitudes, **21:** 284–6
simultaneity of sudden impulses at various stations, **20:** 212–5
storm-time variations of radio-star scintillations, **19:** 289–92
sudden commencements
at Lerwick 1934–1939, **1:** 223–32
world-wide field fluctuations related to, **2:** 160–72

G.I.
1950-62

Geomagnetic storms (*cont'd*)
11 Feb. 1958
associated changes in *F2* layer in low and middle latitudes, **24:** 975–88
large change in distribution of aurorae associated with, **24:** 740–2
4 Sept. 1958, associated variations in exosphere, **22:** 233–54
Geomagnetism
anomaly during sunspot maximum, **24:** 729–37
diurnal and annual motions of north magnetic dip-pole, **8:** 349–51
earth's crust as possible seat of, **8:** 233–9
evidence of geomagnetic control of *F1* layer, **22:** 157–8
field calculations from $h'(f)$ records, **24:** 823–6
field disturbances
diurnal and storm-time variations related to ionospheric disturbances, **3:** 186–93
diurnal variation of *F2*-layer critical frequencies near auroral zone, **13:** 187–90
partial criticisms of dynamo theory of, **24:** 541–3
influence on daytime mean fluctuations in *F1*-layer critical frequencies (Ger.), **11:** 293–4
post-perturbation effects, **6:** 129–32
rapid fluctuations during, **17:** 145–9
relation to solar H_α filaments, **7:** 349–50
relation to solar prominences, **6:** 282–3
two cases of large *F2* layer disturbances associated with small magnetic disturbance, **3:** 347–9
Universal-Time component in, **4:** 78–80
field variations
at Ibadan, **16:** 106–14; (C) **18:** 87; **16:** 115–23
interrelation with ionospheric phenomena, **4:** 44–52
and relation to earth currents, **6:** 33–45
relation between *H* and *Z* variations near equatorial electrojet, **16:** 274–82
solar and luni-solar harmonic components at San Fernando, **24:** 73–92
fluctuations in horizontal field, **24:** 173–90
fluctuations in horizontal field near magnetic equator, **17:** 286–94
geomagnetic control of diffusion in *F2* layer, **24:** 805–11
giant pulsations **17:** 320–4
theory of, **17:** 325–36
hypothesis on main field, **14:** 167–74
micropulsations
magnetohydrodymanic theory for, **24:** 413–34
relation with solar *UM* regions, **9:** 352–4
shape of geomagnetic hollow in Chapman-Ferraro theory, **24:** 861–3
solar-eclipse effects
fine structure (Ger.), **11:** 1–13
measurements of magnetic declination 23 Oct. 1957, **13:** 371–2
theory (Ger.), **9:** 131–43
30 June 1954, **7:** 40–8; **8:** 105–7
solar-flare effects
geomagnetic crochet 15 Nov. 1960, **21:** 289–93
sudden impulses
daytime enhancement in equatorial region, **19:** 284–7
tidal effects
seasonal variation in lunar and solar tides in equatorial region, **20:** 289–94
tidal theory of S_q field, **16:** 263–73
Gyro-frequency measurements in *F* region, **11:** 54–8
Gyromagnetic ratio of proton, recommended value of, **19:** 292

Interference
atmospheric noise interference to broadcasting in 3-Mc/s band at Poona, **7:** 254–77
measurement of atmospheric noise interference to broadcasting, **5:** 230–42
produced by corona discharge, **10:** 245–50
International Geophysical Calendar
1961, **20:** 72–6
1962, **24:** 67–9
Interplanetary space
determination of electron density in, **16:** 357–9
Ionization
effect of light on large ions in air mixed with N_2O, **22:** 23–31
modified McClelland method for measuring ionic mobilities, **2:** 266–71
motion of free electrons with small energies in nitrogen, **16:** 46–58
sealed-room experiments on equilibrium of ionization of air, **17:** 134–44
study of air flow in large-ion chamber, **12:** 288–92
Ionograms
analysis of ionospheric records (ordinary ray), **4:** 240–54
analysis of night-time $h'(f)$ records, **20:** 209–12
coefficients for rapid reduction of $h'(f)$ records to $N(h)$ profiles, **4:** 249–61
factors affecting interpretation of observations of transient echoes, **6:** 280–1
interpretation of features of l.f. ionograms, **15:** 73–6
interpretation of vertical-incidence $h'(t)$ recordings on 150 kc/s, **4:** 10–27
new method of analysis, **21:** 1–12
rapid method of obtaining accurate virtual heights, **14:** 175–7
reduction of $h'(f)$ records to $N(h)$ profiles, **12:** 8–16
simplified analysis of $h'(f)$ records using wave refractive index, **24:** 475–81
use of extraordinary ray in analysis of $h'(f)$ records, **17:** 110–25
Ionosondes
aerial for eliminating ground-wave interference, **13:** 183–6
automatic direct recording of M.U.F., **8:** 295
calibration, **8:** 309–17
new versatile ionospheric recorder, **22:** 218–9
short-range echoes observed on, **11:** 111–7; **13:** 179
Ionosphere
Antarctic, observations at Terre Adélie (Fr.), **1:** 311–4
Arctic
Luxembourg wave-interaction experiment on, **23:** 101–105
measurements of irregularities and drifts using airborne techniques, Spec. Suppl. 1957—II: 44–51
in auroral zone
ionization related to absorption and scintillation of radio stars, **17:** 1–12
statistical results and their shortcomings, Spec. Suppl. 1957–II: 109–19
over Calcutta 1945–1950, **1:** 95–105
charge on, **3:** 345–6
collision frequency of electrons in, **3:** 200–11
determination from sporadic-E reflections, **1:** 345–8
conduction law for waves in, **24:** 117–25
control by radio waves, **12:** 216–7
critical frequencies, relation to magnetic parameters of previous day, **22:** 74–5
current systems
caused by non-periodic winds, **24:** 959–74
detection of S_q current system in radio sounding, **7:** 292–5
method of locating current system associated with solar flares, **4:** 141–7
of geomagnetic solar-flare effect, **12:** 258–65

G.I.
1950-62

Ionosphere (*cont'd*)
current systems
semidiurnal currents and electron drifts, **4:** 184–203; (C) **5:** 103
of ten IGY solar-flare effects, **22:** 32–42
diffraction microscopy
applied to fading measurements, **10:** 332–7; **11:** 51–3
use of satellite-borne diffraction microscope, **12:** 220–1
disturbances
dependence on large solar flares, **23:** 13–28
in lower auroral region, **15:** 29–37
long-wave enhancement and fading observations during sudden commencements (Fr.), **13:** 379–81; **18:** 71–2
night-time travelling disturbance at Rarotonga, **24:** 857–60
solar and terrestrial observations during sudden disturbance 19 Nov. 1949 (Ger.), **1:** 37–48
time lag between magnetic and ionospheric changes, **24:** 949–58
unusual disturbance observed in Antarctic 30 June–1 July 1957, **18:** 72–5
drifts
determination of horizontal velocity of movements from fading records of spaced receivers, **8:** 163–8
drift of ionized layer in presence of geomagnetic field, Spec. Suppl. 1957—II: 12–9
horizontal drifts over Delhi, **19:** 172–83
large-scale movements of layers, Spec. Suppl. 1957—II: 33–40
lunar daily variation in horizontal drifts at Waltair, **24:** 220–1
new type of drift recorder, **21:** 208–10
observations and analysis, **8:** 247–59
observations evaluated by method of 'similar fades', **13:** 1–16
statistical study of drifts measured by radio-star scintillation technique, **21:** 221–4
results of drift measurements in Norway, Spec. Suppl. 1957–II: 26–32
results of drift measurements in United States, Spec. Suppl. 1957—II: 23–5
theoretical views on drift measurements, Spec. Suppl. 1957—II: 3–11
timing errors in equilateral array of receivers, **11:** 299–300
electron content
calculated from Doppler integral of satellite signal, **24:** 549–53, (C) 751
calculated by hybrid Faraday-Doppler technique, **24:** 317–21
from measurements of fading of moon echoes, **11:** 259–71
calculated from Doppler shifts of harmonic frequencies of satellite signals, **22:** 50–63
electron density
analysis of pulse-delay data from rockets for determination of, **15:** 161–7
calculation of electron density distributions, **10:** 103–9
determination of electron distributions from satellite Doppler observations, **17:** 71–81
determination from $h'(f)$ curves, **1:** 244–53; (C) **5:** 351
determination of layer electron density distribution in presence of external magnetic field, **5:** 11–27
distribution derived from whistler data and Faraday fading observations, **19:** 68–71
electron distribution in ionosphere, **5:** 245–6; **8:** 184–5, 270–3
electron distribution in new ionospheric model, Spec. Suppl. 1957—II: 82–7
electron distribution over Slough on disturbed days, **13:** 131–9
electron distribution over Slough on quiet days, **12:** 46–56
profiles during I.G.Y., **13:** 195–7
spectrum of electron-density fluctuations, Spec. Suppl. 1957—II: 165–70
electron resonance in ionospheric waves, **9:** 56–70
first suggestion of, **24:** 219, 865
gyro splitting of echoes from, **18:** 20–8
gyro-wave effects in, **14:** 299–324
harmonic generation in (Ger.), **2:** 22–31

Ionosphere (*cont'd*)
heating by hydromagnetic waves associated with geomagnetic micropulsations, **18:** 160–73
heights
accurate height measurements using a recorder, **8:** 309–17
calculation of real and virtual heights, **17:** 96–109
equivalent heights calculated by full-wave and phase-integral methods, **24:** 609–18
group height calculations in presence of earth's magnetic field, **5:** 117–31
relation between virtual and actual heights, **11:** 209–22
true-height calculation, **9:** 184–200; **16:** 67–83
true-height determination at high latitudes (Fr.), **18:** 152–9
true-height determination by ten-point method (Fr.), **18:** 337–9
true-height and M.U.F. calculations, **12:** 77–9
$h'(f)$ records, *see* Ionograms
hydromagnetic resonance in ionospheric waves, **7:** 14–30
hydromagnetic wave propagation in, **18:** 135–46
instrument effects in recording data on, **13:** 173–5
ionization
below night-time F layer, **17:** 126–33
effective recombination coefficient for mixture of ions, **20:** 19–30
effects of atmospheric scale-height gradient on, **1:** 141–6
equilibrium of ionization and electron disappearance (Fr.), **24:** 661–3
importance of resonance lines of atomic oxygen **15:** 85–8
interpretation of apparent ionization distribution, **5:** 201–10
ion–neutral reactions, **20:** 177–82
recombination and ion production from total electron content, **7:** 105–7
irregularities (Fr.), **15:** 27–8
causing random fading at v.l.f., **11:** 91–101
causing spread-F echoes and radio-star scintillations, **11:** 133–8, 139–50; **12:** 34–45
distribution causing scintillation of satellite signals, **24:** 1103–4
effect of irregularities on phase paths of radio waves, **24:** 937–47
movements of irregularities observed simultaneously by different methods, **10:** 296–301; Spec. Suppl. 1957—II: 41–3
nature of irregularities determined from spectrum of radio-star scintillations, **8:** 55–75
theory of motion of weak irregularities , **16:** 21–36
layer formation in, effects of temperature variations on, **1:** 278–85
lower
analysis of l.f. data on lower E and D region, **3:** 92–107
behaviour near sunrise, **24:** 1–7
Chapman behaviour in, **14:** 229–35
echoes during polar blackouts, **12:** 79–80
effect of solar radiations on, **12:** 225–35
effect of vertical drifts on nocturnal ionization of, **13:** 271–90
electron density in, **24:** 269–82
morphology in auroral latitudes, **15:** 68–72
negative-ion concentration in, **2:** 1–13
night-time conditions deduced from investigation of coupling phenomena at 150 kc/s, **7:** 203–34
night-time ionization in, **10:** 140–52, 153–62
stratification of, **24:** 283–96
theory of formation of layer below E layer based on eclipse and flare effects at 16 kc/s, **2:** 226–35
magnetohydrodynamic waves in, **15:** 156–60
nomenclature
and conventions for analysis (Fr.), **6:** 69–87
origin of, **13:** 382

G.I.
1950-62

Ionosphere (*cont'd*)
outer
determination of electron content from measurements of cosmic noise absorption, **23:** 348–57
electron density distribution derived from whistler data, **14:** 185–99
evaluation of electron density profile using satellite signals, **24:** 521–31
outermost, **15:** 43–7
polar, enhanced ionization associated with geomagnetic storms, **18:** 101–22
polar blackout occurrence patterns, Spec. Suppl. 1957—II: 129–34
polar disturbances, Spec. Suppl. 1957—II: 120–8
prediction of disturbed h.f. communication conditions, Spec. Suppl. 1957—II: 147–56
prediction techniques at high latitudes, Spec. Suppl. 1957—II: 101–7
'QL–QT' transition level in, **8:** 297–304; **10:** 114–6, 243–4
radio emission by, **15:** 51–3
refractive index, general expression for, **21:** 65–9
"sluggishness" of, **3:** 282–4
solar-activity indices, **11:** 128–31
based on *E*-layer ionization, **17:** 57–64; **21:** 193–202
based on *F2* data, **18:** 297–305
long-term variation in relation to solar activity, **22:** 270–4
variation of ionospheric parameters over solar cycle, **24:** 565–8
solar-eclipse effects, **10:** 96–102; **16:** 360–6
'valley effect' in interpretation of records, **18:** 61–4
25 Feb. 1952, at Khartoum, **6:** 91–112; (C) **7:** 172
30 June 1954, in Great Britain, **9:** 201–9
30 June 1954, observations of tilts, **8:** 98–104
25 Dec. 1954, **8:** 108–14
25 Dec. 1954, at Cape Town and Johannesburg, **16:** 367–75
20 June 1955 at Singapore, **10:** 229–36
14 Dec. 1955, at Singapore, **13:** 346–50
solar-flare effects
changes associated with solar event 23 Feb, 1956, **9:** 233–4
enhancement of ionization during solar flares, **5:** 104–6
solar tides over Calcutta, **1:** 286–95
thermal radiation at r.f., **1:** 261–77; **5:** 298–315
noise measurements at 2 Mc/s in auroral zone, **18:** 8–19
tidal mode of oscillation, **17:** 337–44
turbulence, Spec. Suppl. 1957—II: 52–81
anisotropy of turbulence at meteor level, **21:** 210–3
influence of geomagnetic field, **8:** 39–42
upper, recombination in, **24:** 145–53
winds
analysis of fading records from four spaced receivers, **10:** 307–17
circulation above 100-km level, **4:** 28–43
connection between ionospheric patterns and field strengths reflected on the ground, **9:** 282–94
determination from spaced-receiver fading records, **7:** 333–40; (D) **9:** 163–4
determination for 24-h period, **8:** 169–70
heights as measured at long radio wavelengths, **3:** 79–91
measurement by fading at spaced receivers, **12:** 248–57
measurements, **2:** 141–54
role of plasma oscillations in (Fr), **24:** 813–22
wind systems and drift motions deduced from dynamo theory, **15:** 146–50
Z propagation hole in, **8:** 43–54

Ionospheric storms
earth-potential measurements for indication of, **5:** 108–10
explanation of decrease in *F*-region critical densities accompanying major storms, **8:** 122–4
and geomagnetic anomaly in *F2* layer, **3:** 121–3
observations of effects over North Atlantic circuit, **7:** 235–43
statistical results on phenomena associated with, **3:** 301–20

***K*-indices**—*see* Geomagnetic activity

Lightning (*see also* Atmospherics)
bead-type, explanation in terms of pinch effect, **24:** 43–5
electric-field-change studies of, **15:** 251–3
radar echoes associated with, **3:** 258–62
radar observations of, **9:** 329–46; **15:** 248–50
radar observations on 1·5 m, **11:** 289–90
Luxembourg experiment, preliminary results of, **23:** 101–5

Magnetic activity—*see* Geomagnetic activity
Magnetic storms—*see* Geomagnetic storms
Magnetohydrodynamics
magnetohydrodynamic waves in ionosphere, **15:** 156–60
propagation of hydromagnetic waves in lower exosphere, **24:** 413–34
Magneto-ionic theory
application to radio propagation at magnetic dip-poles, **11:** 31–5
calculation of group and phase velocities from, **1:** 82–94
calculation of group velocity in, **9:** 322–5
damping coefficient for vibrating electrons for Appleton-Hartree equation, **19:** 65–7
effect of small values of $Z = \nu/\omega$ on complex refractive index in, **22:** 100–4
general expression for group refractive index, **21:** 65–9
Green's reinterpretation of, **3:** 239–44
group refractive index at l.f., **17:** 309–14
group refractive index for zero collisional frequency, **20:** 189–94; **24:** 141–3
group velocities and group heights from, **2:** 85–105 (C) 200
interpretation of, **1:** 152–86; (C) **2:** 84
Q.L. and Q.T. approximations to, **24:** 843–51
quasi-transverse approximation in, **2:** 361–2
physical interpretation of, **2:** 362
Mathematics
intersection of two slender cones, **10:** 46–7
method of least squares for linear approximation, **24:** 1105–8
Meetings—*see* Conferences
Mesosphere—*see* Atmosphere
Meteorology
circulation
Canadian studies of Arctic stratospheric jet stream in winter (A), Spec. Suppl. 1957—I: 85–6, (D) 93–7
convective processes in atmosphere revealed by radar, **15:** 288–93
cosmic-ray-produced radioactive isotopes for studying large-scale atmospheric circulation, **13:** 351–70
general circulation of lower troposphere over Arctic regions and relation to circulation elsewhere, Spec. Suppl. 1957—I: 45–61 (D) 93–7
problem of maintenance of low-level anticyclonic circulation in Arctic, Spec. Suppl. 1957—I: 87–92, (D) 93–7
quantitative representation of the North Polar pressure field, Spec. Suppl. 1957—I: 137–50, (D) 151–5

G.I.
1950-62

Meteorology (*cont'd*)
climate
Arctic geography and climate, Spec. Suppl. 1957—I: 3–8, (D) 37–42
recent variations of climate at Norwegian stations, Spec. Suppl. 1957—I: 18–29, (D) 37–42
similarities and contrasts between Arctic and Antarctic marine climates, Spec. Suppl. 1957—I: 9–17, (D) 37–42
radar studies of meteorological 'angel' echoes, **15:** 262–87
radiation
long-wave radiation and turbulent heat transfer in Antarctic winter, Spec. Suppl. 1957—I: 167–81, (D) 335–41
solar radiation measurements in Arctic Ocean, Spec, Suppl. 1957—I: 159–66, (D) 335–41
relation between meteorological conditions and total ozone over Tromsö, Spec. Suppl. 1957—I: 187–94, (D) 335–41
review of research in Arctic meteorology, Spec. Suppl. 1957—I: 30–6, (D) 37–42
temperature
lower tropospheric inversions at Ice Island T-3, Spec. Suppl. 1957—I :215–84, (D) 335–41
weather
Arctic weather analysis, Spec. Suppl. 1957—I: 124–36, (D) 151–5
Arctic weather forecasting problems of Air Weather Service, Spec. Suppl. 1957—I: 118–23, (D) 151–5
'Arctic whiteout', Spec. Suppl. 1957—I: 182–6, (D) 335–41
conditions and associated sea ice in Chuckchi (Chukchee) Sea in summer 1955, Spec. Suppl. 1957—I: 323–34, (D) 335–41
empirical method of forecasting movement of North Atlantic cyclones (A), Spec. Suppl. 1957—I: 156
problems of observing in polar regions, Spec. Suppl. 1957—I: 212–4, (D) 335–41
recent studies on Arctic troposphere and its teleconnections, Spec. Suppl. 1957—I: 62–70, (D) 93–7
role of tropospheric cold-air poles and stratospheric high-pressure centres in Arctic weather, Spec. Suppl. 1957—I: 101–17, (D) 151–5
sea-ice reconnaissance and forecasting for American Arctic, Spec. Suppl. 1957—I: 285–322, (D) 335–41
visual range in polar regions, Spec. Suppl. 1957—I: 195–211, (D) 335–41
winds and temperatures in Arctic stratosphere, Spec. Suppl. 1957—I: 71–84, (D) 93–7
Meteors
attachment processes in meteor trails, **21:** 261–71
diffusion of ionized trails in upper atmosphere, **6:** 133–40
radio echoes
azimuth distribution of oblique reflections related to radiant distributions, **17:** 188–204
diurnal variations in forward-scatter meteor signals, **10:** 229–32
echo duration and height of Perseid meteor, **8:** 76–82
effect of trail irregularities on interpretation of meteor echoes, **16:** 156–9
effects of turbulence at 80–100 km on long-duration meteor echoes, **16:** 384–92
fading of long-duration bursts in forward-scatter propagation, **12:** 341–2
fading of waves reflected obliquely from meteor trails, **19:** 272–83
frequency-sweep observations of scatter bursts, **22:** 161–5
head echoes from meteor trails **4:** 1–4; **22:** 64–73; **24:** 311–5
interpretation of transient echoes from meteor trails, **8:** 293–4
limitations of narrow-beam equipment in detection of weak meteor showers, **14:** 19–30
oblique echoes from overdense meteor trails, **14:** 82–93
observations of angle of arrival in v.h.f. forward-scatter propagation, **12:** 329–34
observations for determination of diurnal variations of atmospheric density and scale height, **18:** 203–14
radar observations at 300 and 500 Mc/s by radio telescope, **24:** 585–97

Meteors (*cont'd*)
radio echoes
radiant distributions and echo rates observed by forward scatter, **16:** 228–35
scattering of short waves from low-density meteor trails, **24:** 1101–3
strength of echoes from ionization columns, **4:** 219–25
theory of long-duration echoes based on atmospheric turbulence, Spec. Suppl. 1957—II: 171–94
theory of wind determination from radio observations on meteor trails, **16:** 344–56
upper-atmosphere wind measurements by means of drifting meteor trails, **4:** 255–70, 271–84
theoretical length distribution of meteor trails, **10:** 57–72
time distribution of meteors, **11:** 62–6

Noise (*see also* Atmospherics; Cosmic noise)
emission and absorption at 80 Mc/s, **17:** 13–9
equivalent antenna temperatures at 2·89 Mc/s in amoral zone, **23:** 275–86
exospheric, v.l.f., magneto-ionic theory of origin of, **24:** 685–9
Nuclear explosions
application in study of airglow mechanisms, **24:** 797–803
effects of nuclear explosion 30 Oct. 1961, **24:** 990–3
possible secular variation in atmospheric potential gradient due to nuclear explosions, **11:** 70–2
sporadic-*E* phenomena associated with high-altitude nuclear explosions over Johnston Island, **21:** 205–8
sudden enhancement of atmospherics associated with high-altitude nuclear explosions, **24:** 739–40

Obituaries
Lyot, Dr. Bernard, **2:** 259–60
Johnson, Sir Nelson, **5:** 188
Regener, Professor Erich, **7:** 112
Oxygen (*see also under* Atmosphere)
notes on spectra of, **9:** 326–8
Ozone (*see also under* Atmosphere)
correlation of extra-terrestrial constant L_0 with sunspot activity, **24:** 303–10

Polar blackouts
analysis of riometer observations during, **23:** 229–43
echoes from lower ionosphere during, **12:** 79–80
observations of *D*-region electron density and collision frequency during, **23:** 318–29
observed at Terre Adélie 1957–1958 (Fr.), **23:** 177–90
occurrence patterns, Spec, Suppl. 1957—II: 129–34
twilight recovery effects in, **20:** 76–9
worldwide occurrence patterns, **23:** 202–205
Polar-cap absorption
morphology and interpretation of May and July 1959 events, **23:** 216–28
during polar event May 1959, **18:** 78–81
polar-glow aurora during, **24:** 155–71
Propagation of e.m. waves (*see also* Fading)
in inhomogeneous medium, transit-time fluctuations, **24:** 669–71
in ionized gases
methods of studying wave propagation in uniform magneto-ionic medium, **12:** 118–25
interaction of e.m. waves in plasma, **24:** 1011–6
with special reference to whistlers, **17:** 158–69, 170–8

G.I.
1950-62

Propagation of e.m. waves (*cont'd*)
ionospheric
attenuation with distance for radio waves reflected at vertical incidence, **12:** 150–2
attenuation equivalence theorem, **6:** 141–8
conditions for persistence of purely longitudinal or purely transverse propagation, **18:** 1–7
critical discussion of *M* factors, **11:** 163–76
delayed echoes, search for, **2:** 272–81
distribution of echo amplitudes from undulating surface, **24:** 715–21
disturbances related to geomagnetic activity and solar noise, **3:** 194–9
E-layer mode, **17:** 150–7
effect of electron collisions, **22:** 200–17
focusing effect of 'ripples', **8:** 296
fourth reflection condition, **17:** 271–5
frequency-sweep oblique-incidence experiments, **9:** 155–6; **13:** 173; **14:** 179–80
general solution for plane e.m. waves in horizontally stratified ionosphere, **24:** 853–6
geometry of reflections from field-aligned ionization irregularities, **24:** 375–84
h.f.
calculation of M.U.F. factor for non-parabolic layer, **17:** 34–45
effect of earth's magnetic field on M.U.F. calculations, **16:** 187–9
effect of irregularities and auroral zone on bearing of s.w. signals, **13:** 258–70
estimate of size of antipodal area in s.w. propagation, **9:** 159–61
fading and attenuation of h.f. waves over long paths crossing auroral, temperature and equatorial zones, **17:** 255–70; **23:** 137–54
fading of waves scattered at vertical incidence from heights near 90 km. **21:** 142–56
focusing of s.w. reflections, **9:** 269–75
influence of solar cycle on transmission factor (*M* 3000) *F2* (Fr.), **6:** 243–9
measurements of limiting polarization of radio waves reflected from *F* layer, **6:** 284–6
observations of effects of ionospheric storms over North Atlantic circuit, **7:** 235–43
prediction of disturbed h.f. communication conditions, Spec. Suppl. 1957—II: 147–56
theoretical model for h.f. back-scatter from sea surface, **7:** 278–84
transient modes across auroral zone, **16:** 185–6
variations in direction of arrival of h.f. waves, **13:** 17–25
interaction of e.m. waves in plasma, **24:** 1011–6
interaction of waves, **7:** 322–32; **6:** 268–79
interpretation of measurements, **8:** 118–20
observation of self-interaction, **8:** 120–2
self-demodulation, **10:** 166–7
self-demodulation and self-distortion, **14:** 41–9
self-distortion near gyro-frequency, **11:** 102–10
l.f. and m.f., solar-eclipse effects in, **24:** 1041–57
l.f. *and* v.l.f.
analytical considerations on ionospheric windows for l.f. waves, **20:** 31–9
calculation of group indices and group heights at l.f., **11:** 151–62
differences between E-W and W-E propagation at v.l.f. over long distances, **12:** 110–7
explanation of propagation at 16 kc/s in terms of two layers below *E* layer, **2:** 216–25
frequency variations in long-path v.l.f. propagation during solar flare, 23 Feb. 1956, **10:** 110–3
group heights of reflection of 150-kc/s waves at vertical incidence, **2:** 324–36
group refractive index at l.f., **17:** 309–14
heavy-ion effects, **11:** 36–42
long-wave anomaly associated with solar flare 23 Feb. 1956, **8:** 291–3
long-wave field enhancement and s.w. fades (Fr.), **13:** 379–81; (Fr.), **18:** 71–2
low-frequency reflection, (C) **12:** 352

Propagation of e.m. waves (*cont'd*)
ionospheric
l.f. *and* v.l.f.
properties of l.f. waves reflected at vertical incidence, calculated by phase-integral method, **22:** 122–41
random fluctuations in v.l.f. signals reflected obliquely from ionosphere, **20:** 155–66; (C) **21:** 220
reflection processes for long waves, **24:** 385–99, 619–31, 701–13, (C) 869, 921–36
reflections from 75–90 km during intense aurora, **13:** 167–9
solar-flare effects on oblique-incidence v.l.f. reflections, **3:** 141–52
theory of low-frequency reflection, **12:** 126–39, 236–47
v.l.f. reflections in presence of transverse magnetic field, **16:** 37–45
v.l.f. propagation over distances up to 2000 km. **24:** 435–50
waveguide mode of v.l.f. propagation, **20:** 206–9
long-distance single-*F*-hop transmission, **13:** 191–2
m.f.
behaviour of broadcast-frequency waves at oblique incidence during annular eclipse, **20:** 200–5
fading of waves reflected at oblique incidence, **21:** 120–41
polarization
computations by means of multislab approximation, **16:** 136–44
vertical-incidence measurements in Norway, **2:** 254–5
ray path calculations taking account of geomagnetic field, **14:** 50–62
refraction by spherical ionized layer, **16:** 124–35
scattering of radio waves by extended randomly refracting medium, **20:** 9–18
solar effects
anomalous reflection during solar eclipses, **16:** 93–8
effects of intense solar activity, **10:** 136–9
observations of solar-flare effects 23 Feb. 1956, **8:** 281–6
through upper ionosphere, **9:** 51–5
very-long-distance, **13:** 169–72
v.h.f.
angle of arrival of forward scatter from meteor trails, **12:** 329–34
diurnal variations in forward-scattered meteor signals, **10:** 229–32
observations of short bursts of signal from distant 50-Mc/s transmitter, **8:** 171–83
preliminary results of studies of angular distribution of v.h.f. forward-scatter signal, **12:** 340–1
refraction of 81·5-Mc/s waves from radio stars, **2:** 350–5
results of scatter measurements at 36 Mc/s over 1200-km path, Spec. Suppl. 1957—II: 205–9
scattering of short waves from low-density meteor trails, **24:** 1101–3
scattering of 36-Mc/s waves by weak auroral ionization, **18:** 174–80
sporadic-*E* data analysis for 1949–52, **6:** 113–6
wave solutions for critical and near-critical coupling conditions, **7:** 173–202
Z-propagation hole, **8:** 43–54
reflection
of e.m. wave from moving boundary between moving ionized media, **24:** 1003–10
of radio waves from iceshelf, **20:** 298–9
tropospheric
anomalous, in 1–10-m band, **2:** 106–29, (C) 200
application of potential refractive index, **24:** 47–56
correlations of 100-Mc/s data with meteorological variables, **3:** 163–71
effect of multiple atmospheric inversions, **20:** 295–6
reception at 44·1 and 92·1 Mc/s over 167-mile path in U.S. 1947–48, **1:** 32–6
scatter field strength and large-ion concentration, **10:** 237–9

G.I.
1950-62

Propagation of e.m. waves (*cont'd*)
tropospheric
scattering and attenuation by non-spherical particles in atmosphere, **3:** 108–19
scattering by irregularities, **15:** 185–205

Radar
convective processes in atmosphere revealed by, **15:** 288–93
studies of meteorological 'angel' echoes, **15:** 262–87
Radiation (*see also* Cosmic radiation)
sources of atmospheric and planetary energy incident on earth, **5:** 67–70
thermal r.f. radiation from ionosphere, **1:** 261–77
Radio astronomy—*see* Cosmic noise; Solar activity, r.f. emission
Radio-star scintillations
during aurorae and magnetic storms, **2:** 356–60
correlation with diurnal and seasonal variations of spread-*F* echoes, **12:** 89–99
correlation with geomagnetic disturbances and motion of *F*-region irregularities, **10:** 194–203
correlation for southern and northern hemispheres, **19:** 287–9
correlation with spread-*F* echoes, **8:** 240–6
diurnal variations compared with spread-*F* and geomagnetic activity, **10:** 204–14
further observations of, **19:** 26–36
magnetic-storm-time variation of, **19:** 289–92
observations at equatorial station with phase-switching interferometer, **12:** 100–9
observed variations in amplitude scintillations of Cassiopeia (23 N5A) source, **19:** 54–64; (D) **20:** 300
'ridge' effects observed in scintillation recording, **11:** 118–27
simultaneous observation at different radio frequencies, **17:** 181–7
spectrum observations and nature of ionospheric irregularities, **8:** 55–75
statistical analysis of, **20:** 59–71
statistical study of ionospheric drifts measured by, **21:** 221–4
at 1390 and 79 Mc/s at low elevations, **24:** 573–84
Radioactivity—*see* Atmosphere
Rain
radar observations related to formation mechanisms, **1:** 125–40
relation between rain current and rate of rainfall, **3:** 285–8
re-examination of Bowen's hypothesis on relation of rainfall to meteor activity, **24:** 1017–30
vertical electric current during continuous rain and snow, **9:** 311–21
Reception *see* Propagation of e.m. waves
Recorders *see appropriate subject*
Reflection *see* Propagation of e.m. waves
Refraction *see* Propagation of e.m. waves
Riometers *see* Cosmic noise absorption
Rockets
analysis of pulse-delay data for determination of ionospheric electron density, **15:** 161–7
determination of impact point of falling body by acoustic observations, **11:** 284–8
grenade experiment *see under* Atmosphere
velocity of falling body and propagation of shock wave to earth, **10:** 73–83

Satellites
fluctuations of acceleration, **16:** 259–62
long-range ground communication link for low-orbiting satellites, **19:** 260–71
radio signals from
absorption measurement method (Fr.), **23:** 85–91
correlation analysis of fading, **24:** 237–44
determination of ionospheric electron distributions, **17:** 71–81
distribution of ionospheric irregularities causing scintillation, **24:** 1103–4

Satellites (*cont'd*)
radio signals from
effect of ionosphere on Doppler shift, **12:** 338–40
effect of ionosphere on simultaneous Doppler measurements, **13:** 376–9
evaluation of electron-density profiles of outer ionosphere, **24:** 521–31
fading related to ionospheric irregularities, **18:** 344
fading of 108-Mc/s signals observed at equatorial station, **22:** 255–69
Faraday-rotation rate, **13:** 175–6
high-frequency fading of 40-Mc/s wave radiated from 1957, **16:** 10–20
interpretation of Doppler effect from senders in, **12:** 335–8
ionospheric electron content calculated from Doppler integral, **24:** 549–53, (C) 751
ionospheric electron content calculated from Doppler shifts at harmonic frequencies, **22:** 50–63
ionospheric electron content calculated by hybrid Faraday/Doppler technique **24:** 317–21
ionospheric information deduced from observations of emissions from 1957 α2, **14:** 236–43, 244–8
large-scale regions of irregularities producing scintillation, **20:** 215–6
method of analysing combined Faraday-rotation/differential-Doppler-shift recordings, **24:** 554–8
scintillation of radio transmissions from Explorer VII (1959 ι), **24:** 353–61, 363–74
scintillations of 20-Mc/s signal from 1958 δ2, **18:** 75–8
tracking by h.f. d.f., **13:** 155–64
WWV 20-Mc/s bursts during last periods of 1958 δ2, **22:** 176–85
Scatter—*see* Propagation of e.m. waves
Solar activity
corpuscular radiation
geophysical effects, **15:** 48–50
origin of long-lived corpuscular streams during 1950–53, **15:** 151–5
correlation with *E*-layer variations, **15:** 168–74
correlation with *F2*-layer electron density, **10:** 239–42
correlation with geophysical disturbances, **4:** 341–2
correlation with occurrence of E_s, **24:** 408–11
cosmic radiation related to, **1:** 56–62
effects on *F1* and *F2* layers, **14:** 31–40
effects of intense solar activity on ionospheric propagation, **10:** 136–9
flares
accuracy of observations of solar flares, **7:** 344–5
cosmic-ray intensity increase in Jamaica during solar flare, **9:** 161–2
dependence of ionospheric disturbances on large solar flares, **23:** 13–28
effects on cosmic-noise absorption at 18·3 Mc/s, **5:** 316–28
effects on *E*-layer (Ger.), **11:** 14–22
effects on oblique-incidence v.l.f. reflections, **3:** 141–52
enhancement of ionization during solar flares, **5:** 104–6
geomagnetic and associated affects at Lerwick and Eskdalemuir, **1:** 315–42
geomagnetic-storm occurrences related to solar-flare effects, **3:** 270–3
H_α radiation in relation to sudden enhancements of atmospherics at frequencies near 27 kc/s, **4:** 226–39
information on ionizing radiation of solar flares from ionospheric absorption effect, **24:** 191–201
ionospheric current system of solar-flare effects, **12:** 258–65; **18:** 192–202
ionospheric current systems of ten IGY solar-flare effects, **22:** 34–42
location of current system associated with solar flares, **4:** 141–7
origin of terrestrial particles from solar flares, **14:** 296–8
theory of current systems of solar-flare effects, **24:** 93–106

G.I.
1950-62

Solar activity (*cont'd*)
flares
23 Feb. 1956
cosmic ray variations, **8:** 274–6, 277–8, 278–81; **10:** 117–9
effects on absorption at Kjeller and Tromsö, **10:** 48
F-region changes, **24:** 321–4
frequency variations in long-path v.l.f. propagation, **10:** 110–3
ionospheric changes, **9:** 233–4
long-wave anomaly, **8:** 291–3
observations of effects on ionospheric propagation, **8:** 281–6
observations by Royal Greenwich Observatory, **8:** 287–91
15 Nov. 1960, geomagnetic crochet, **21:** 289–93
index, **11:** 128–31
based on *E*-layer ionization, **17:** 57–64; **21:** 193–202
based on ionospheric and radio noise measurements, **14:** 213–28
based on *F2* data, **18:** 297–305
long-term variation, **22:** 270–4
new index based on ionospheric measurements, **7:** 310–21
short-term differences in two daily indices of solar activity during I.G.Y., **18:** 290–6
variation of ionospheric parameters over solar cycle, **24:** 565–8
r.f. emission
cm-λ, correlation with flares and sudden ionospheric disturbances, **17:** 20–33
dm-λ, as solar activity index, **13:** 176–8
sunspots
Bailey's theory of sunspot noise, **4:** 148–62, 163–74
estimation of peak sunspot number in 1968, **20:** 94–9
long-term variation in relation of sunspot numbers to *E*-region character figures, **21:** 167–73
Solar eclipses
anomalous ionospheric reflection during solar eclipses, **16:** 93–8
distribution of X-ray emission from solar corona and residual intensity during total eclipses (Ger.), **12:** 187–99
effects on *F* region at sunrise, **19:** 73–81
effects on l.f. and m.f. propagation, **24:** 1041–57
fine structure of geomagnetic effects (Ger.), **11:** 1–13
interpretation of changes in *E* and *F1* layers during, **12:** 272–82
ionospheric effects, **10:** 96–102; **16:** 360–6
ionospheric records of, **12:** 57–67
theory of geomagnetic effects (Ger.), **9:** 131–43
25 Feb. 1952
effective recombination coefficients of *E* and *F1* layers, **9:** 36–44
at Khartoum, **6:** 91–112
30 June 1954
drift measurement in *E* layer, **10:** 44–5
geomagnetic effects, **7:** 40–8; **8:** 105–7
F1-layer observations at Cambridge, **19:** 95–101
in Great Britain, **9:** 201–9
nonuniformity in brightness of disk, **12:** 266–71
observations of ionospheric tilts, **8:** 98–104
25 Dec. 1954, **8:** 108–14
analyses of *E*-layer measurements in South Africa, **14:** 273–86
at Cape Town and Johannesburg, **16:** 367–75
recombination and attachment in *F1* and *F2* layers, **9:** 118–30
20 June 1955, at Singapore, **10:** 229–36
14 Dec. 1955, at Singapore, **13:** 346–50

Solar eclipses (*cont'd*)
23 Oct. 1957, measurements of magnetic declination, **13:** 371–2
19 April 1958, *F*-region observations, **16:** 182–5
15 Feb. 1961, *E*-layer observations (Ger.), **24:** 633–42
Sound propagation
geometric theory of sound propagation in atmosphere, **7:** 113–27
over great distances **1:** 147–51
through medium with random variations in refractive index, **2:** 14–21
Spiral patterns in geophysics, **19:** 136–40
Sporadic-*E*
annual distribution of, **16:** 189–91
clouds
drift velocity measurements by e.w. technique, **11:** 177–86
focusing of e.m. waves by, **18:** 253–5
determination of electron collision frequency from E_s-reflections, **1:** 345–8
distribution of dense E_s ionization at high latitudes, **24:** 643–57
echo observations at Ahmedabad, **8:** 331–7
equatorial
additional lunar influence at Huancayo, **14:** 348–9
geomagnetic-disturbance effects in, **20:** 81–4
information on electrojet from data on, **24:** 211–8
lunar effects on, **10:** 163–5
formation mechanism in temperature zones, **20:** 49–58
lunar tides at Ibadan, **13:** 217–21
nature and origin deduced from observations at different hours over Calcutta, **3:** 229–38
observations of occurrence and movement of, **20:** 243–62
observed by back-scatter techniques in U.K., **18:** 29–42
occurrence correlated with solar activity, **24:** 408 –11
patchy, reflection characteristics of, **24:** 681–4
phenomena associated with high-altitude nuclear explosions over Johnston Island, **21:** 205–8
polarization characteristics of vertical-incidence echoes at Waltair, **24:** 401–5
rapid variations in, **24:** 753–64
slant, implications of, Spec. Suppl. 1957—II: 195–204
spiral occurrence of, **14:** 345–7
survey of present knowledge of, **13:** 295–314
v.l.f. propagation data analysis for 1949–52, **6:** 113–6
Spread-*F*
apparent long-term negative correlation with scintillations, **22:** 219–20
association with parameters of *F* region, **24:** 871–84, 885–98, 899–907, 909–19
classification of ionograms, **24:** 771–8
correlation of activity with *F*-region height changes, **17:** 345–7
correlation with radio-star scintillation, **8:** 240–6
diurnal and seasonal variations related to radio-star scintillation data, **12:** 89–99
diurnal variations of radio-star scintillations compared with spread-*F*, **10:** 204–14
equatorial, **15:** 121–5
at Ibadan, Nigeria, **21:** 100–19
nocturnal and seasonal variations of, **22:** 12–22
morphology of equatorial belt, **19:** 145–59
geomagnetic and sunspot influences at Baguio, **18:** 257–8
index, **24:** 543–5
lunar variations, **24:** 742–3
6-year statistical survey at Baguio, **18:** 43–7

G.I.
1950-62

Stations
geographic distribution of geophysical stations on Polar Cap, Spec. Suppl. 1957—II: 108
geographic and geomagnetic coordinates, **23:** 367–8
Stratosphere—*see* Atmosphere
Sun (*see also* Solar activity)
nonuniformity in brightness of sun's disk at sunspot minimum, **13:** 43–4
relation of *M*-region life to rate of change of solar activity, **17:** 315–9
solar electrodynamics, **6:** 88–90
Sunspots *see under* Solar activity
Sunrise effect
in *D*-region absorption at l.f., **23:** 287–300
in *E* region, **6:** 160–70
rate of decrease in *E*-region reflection height (Ger.), **24:** 545–7

Thunderstorms (see also Atmospherics)
criterion for theories of thunderstorms, **21:** 174–6
location by single-station h.f. ranging technique, **9:** 210–28
location from waveforms of atmospherics, **7:** 1–13
point-discharge currents through living tree during thunderstorms, **24:** 1059–63
and sporadic-*E* layer ionization over Ottawa, **24:** 533–40
Tropopause—*see* Atmosphere
Troposphere—*see* Atmosphere; Meteorology
Twilight glow—*see* Airglow

Virtual height
solution of integral equation for, **21:** 40–5

Weather—*see* Meteorology
Whistlers—*see* Atmospherics